

Supplementary Table S1: Bioinformatic analysis of the detected splice variant

Tool	Splice variant	Wild allele	References; URL
NetGene2 v.2.4	Splice site lost	Confidence 0.81	Brunak et al. 1991 www.cbs.dtu.dk/services/NetGene2/
MaxEntScan MAXENT: 1.12	MAXENT: 11.08 MDD: 14.68 MM: 11.77 WMM: 11.87	MAXENT: 1.12 MDD: 6.68 MM: 2.33 WMM: 2.53	Yeo et al. 2004 http://genes.mit.edu/burgelab/maxent/Xmaxentscan_scoreseq.html
NNSPLICE 0.9	Splice site lost	Score 1.0	Reese et al. 1997 http://www.fruitfly.org/seq_tools/splice.html
SPiCE	Threshold to 0.749	Threshold to 0.115	Leman et al. 2018 https://sourceforge.net/projects/spicev2-1/

References:

Brunak S, Engelbrecht J, Knudsen S. Prediction of human mRNA donor and acceptor sites from the DNA sequence. *J Mol Biol.* 1991 Jul 5;220(1):49-65.

Leman R, Gaildrat P, Gac GL, Ka C, Fichou Y, Audrezet MP, Caux-Moncoutier V, Caputo SM, Boutry-Kryza N, Léone M, Mazoyer S, Bonnet-Dorion F, Sevenet N, Guillaud-Bataille M, Rouleau E, Bressac-de Paillerets B, Wappenschmidt B, Rossing M, Muller D, Bourdon V, Revillon F, Parsons MT, Rousselin A, Davy G, Castelain G, Castéra L, Sokolowska J, Coulet F, Delnatte C, Férec C, Spurdle AB, Martins A, Krieger S, Houdayer C. Novel diagnostic tool for prediction of variant spliceogenicity derived from a set of 395 combined in silico/in vitro studies: an international collaborative effort. *Nucleic Acids Res.* 2018 Sep 6;46(15):7913-7923.

Reese MG, Eeckman FH, Kulp D, Haussler D. 1997. Improved Splice Site Detection in Genie'. *J Comp Biol* 4(3), 311-23.

Yeo G, Burge CB. Maximum entropy modeling of short sequence motifs with applications to RNA splicing signals. *J Comput Biol.* 2004;11(2-3):377-94.