

			Strap #1	Strap #1	Strap #2	Strap #2
Respirator	Respirator	Sample #	UVGI	Maximum	UVGI	Maximum
manufacturer	Model		dose	Load	dose	Load
			(mJ/cm2)	(N)	(mJ/cm2)	(N)
3M	1860	1	0	47.99	590	78.52
3M	1860	2	0	84.95	590	68.64
3M	1860	3	0	76.83	590	68.05
3M	1860	4	0	80.03	590	72.45
3M	1860	5	0	80.97	590	65.21
3M	1860	6	0	75.94	590	63.89
3M	1860	7	0	75.83	590	63.91
3M	1860	8	0	73.8	590	63.02
3M	1860	1	0	86	1180	59.56
3M	1860	2	0	89.5	1180	57.63
3M	1860	3	0	69.66	1180	76
3M	1860	4	0	69.66	1180	72.72
3M	1860	5	0	84.84	1180	66.09
3M	1860	6	0	90.04	1180	58.8
3M	1860	7	0	73	1180	74.56
3M	1860	8	0	84.94	1180	64.95
3M	1860	1	0	84.41	2360	52.5
3M	1860	2	0	63.36	2360	62.45
3M	1860	3	0	91.16	2360	59.52
3M	1860	4	0	65.44	2360	60.6
3M	1860	5	0	72.4	2360	61.87
3M	1860	6	0	67.62	2360	61.48
3M	1860	7	0	89.48	2360	57.75
3M	1860	8	0	73.08	2360	60.09
3M	9210	1	0	16.67	590	14.68
3M	9210	2	0	15.23	590	11.32
3M	9210	3	0	18.6	590	15.33
3M	9210	4	0	14.76	590	15.5
3M	9210	5	0	17.09	590	12.94
3M	9210	6	0	15.48	590	12.71
3M	9210	7	0	15.93	590	13.22
3M	9210	8	0	16.43	590	15.9
3M	9210	1	0	14.23	1180	12.08
3M	9210	2	0	14.49	1180	14.14
3M	9210	3	0	16.03	1180	12.21
3M	9210	4	0	15.21	1180	13.63
3M	9210	5	0	15.04	1180	11.62
3M	9210	6	0	16.7	1180	12.55
3M	9210	7	0	16.05	1180	11.79
3M	9210	8	0	15.56	1180	10.92
3M	9210	1	0	14.65	2360	11.55
3M	9210	2	0	12.87	2360	13.14
3M	9210	3	0	14.88	2360	13.15

3M	9210	4	0	15.04	2360	11.99
3M	9210	5	0	14.96	2360	12.09
3M	9210	6	0	14.81	2360	10.99
3M	9210	7	0	16.12	2360	12.68
3M	9210	8	0	14.04	2360	13.38
Gerson	1730	1	0	91.63	590	74.69
Gerson	1730	2	0	75.53	590	73.83
Gerson	1730	3	0	71.6	590	48.26
Gerson	1730	4	0	78.8	590	76.15
Gerson	1730	5	0	82.28	590	64.32
Gerson	1730	6	0	87.13	590	38.96
Gerson	1730	7	0	78.71	590	79.16
Gerson	1730	8	0	84.23	590	77.71
Gerson	1730	1	0	74.82	1180	66.06
Gerson	1730	2	0	87.21	1180	56.74
Gerson	1730	3	0	78.18	1180	66.34
Gerson	1730	4	0	86.43	1180	60.18
Gerson	1730	5	0	83.37	1180	64.04
Gerson	1730	6	0	91.68	1180	66.26
Gerson	1730	7	0	92.27	1180	70.28
Gerson	1730	8	0	95.6	1180	59.03
Gerson	1730	1	0	78.05	2360	42.53
Gerson	1730	2	0	79.44	2360	37.26
Gerson	1730	3	0	84.78	2360	43.06
Gerson	1730	4	0	90.05	2360	27.99
Gerson	1730	5	0	90.5	2360	47.28
Gerson	1730	6	0	92.77	2360	51.98
Gerson	1730	7	0	85.76	2360	46.97
Gerson	1730	8	0	89.19	2360	33.63
Kimberly-Clark	46727	1	0	55.41	590	37.04
Kimberly-Clark	46727	2	0	52.15	590	38.12
Kimberly-Clark	46727	3	0	52.15	590	41.03
Kimberly-Clark	46727	4	0	54.84	590	39.89
Kimberly-Clark	46727	5	0	54.24	590	39.57
Kimberly-Clark	46727	6	0	53.88	590	38.46
Kimberly-Clark	46727	7	0	53.43	590	37.37
Kimberly-Clark	46727	8	0	52.13	590	41.22
Kimberly-Clark	46727	1	0	50.98	1180	35.5
Kimberly-Clark	46727	2	0	56.43	1180	33.21
Kimberly-Clark	46727	3	0	49.5	1180	36.75
Kimberly-Clark	46727	4	0	31.7	1180	33.96
Kimberly-Clark	46727	5	0	40.66	1180	26.1
Kimberly-Clark	46727	6	0	22.28	1180	37.26
Kimberly-Clark	46727	7	0	55.61	1180	24.54
Kimberly-Clark	46727	8	0	42.02	1180	32.13
Kimberly-Clark	46727	1	0	51.33	2360	29.83
Kimberly-Clark	46727	2	0	40.04	2360	30.58

Kimberly-Clark	46727	3	0	41.08	2360	33.44
Kimberly-Clark	46727	4	0	36.99	2360	34.36
Kimberly-Clark	46727	5	0	42.39	2360	36.96
Kimberly-Clark	46727	6	0	44.27	2360	30.48
Kimberly-Clark	46727	7	0	20.88	2360	34.46
Kimberly-Clark	46727	8	0	24.73	2360	36.36