Text Table 1 Incidence and % Incidence of Neoplastic Lesions by Tissue for Terminal Kill and Interim Death Animals Combined

	MALES								FEMALES							
	0ppm		1500ppm		5000ppm		15000ppm		0ppm		1500ppm		5000ppm		15000ppm	
Number of Rats	51		51		51		51		51		51		51		51	
CONDITION	n	%	n	%	n	%	n	%	n	%	n	%	n	%	n	%
ADRENAL GLAND																
Cortical adenoma b	1	2	1	2	0	0	0	0	1	2	1	2	0	0	0	0
Cortical carcinoma m	1	2	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Phaeochromocytoma b	0	0	0	0	0	0	2	4	0	0	0	0	0	0	0	0
Phaeochromocytoma m	2	4	0	0	3	6	0	0	0	0	0	0	0	0	0	0
Ganglioneuroma b	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	2
BONE																
Osteoma b	0	0	0	0	0	0	1	2	0	0	0	0	0	0	0	0
BRAIN/SPINAL CORD																
Astrocytoma m	0	0	0	0	0	0	1	2	0	0	0	0	0	0	0	0
Granular cell tumour b	1	2	1	2	0	0	0	0	0	0	0	0	0	0	0	0
Granular cell tumour m	0	0	0	0	0	0	1	2	0	0	0	0	0	0	0	0
Oligodendroglioma b	0	0	0	0	0	0	0	0	1	2	0	0	0	0	0	0
Ependymoma m	0	0	0	0	0	0	0	0	1	2	1	2	0	0	0	0
INTESTINAL TRACT																
Leiomyoma b	0	0	0	0	1	2	0	0	0	0	0	0	0	0	0	0
Leiomyosarcoma m	0	0	0	0	0	0	1	2	0	0	0	0	0	0	0	0
EPIDIDYMIS																
Mesothelioma b	1	2	0	0	0	0	0	0								
Mesothelioma m	0	0	2	4	0	0	0	0								
HEART																
Schwannoma m	0	0	1	2	0	0	0	0	2	4	0	0	0	0	0	0
KIDNEY																
Lipoma b	0	0	0	0	0	0	1	2	0	0	0	0	0	0	0	0
Tubular carcinoma m	1	2	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Clear cell carcinoma m	0	0	0	0	0	0	0	0	0	0	0	0	1	2	0	0
LIVER																
Hepatocellular adenoma b	0	0	2	4	1	2	1	2	1	2	0	0	1	2	1	2
Hepatocellular carcinoma m	1	2	0	0	0	0	0	0	0	0	0	0	1	2	0	0
Cholangioma b	0	0	0	0	0	0	0	0	1	2	0	0	0	0	0	0
LYMPH NODE																
Angioma b	7	14	4	8	1	2	6	12	3	6	1	2	0	0	1	2
Angiosarcoma m	4	8	0	0	2	4	0	0	0	0	0	0	0	0	0	0

Text Table 1 Incidence and % Incidence of Neoplastic Lesions by Tissue for Terminal Kill and Interim Death Animals Combined (continued)

	MALES								FEMALES							
	0ppm		1500ppm		5000ppm		15000ppm		0ppm		1500ppm		5000ppm		15000ppm	
Number of Rats	51		51		51		51		51		51		51		51	
CONDITION	n	%	n	%	n	%	n	%	n	%	n	%	n	%	n	%
MAMMARY GLAND																
Fibroadenoma b									7	14	9	18	7	14	5	10
Adenoma b									0	0	0	0	0	0	2	4
Adenocarcinoma m									2	4	3	6	1	2	6	12
Total									9	18	12	24	8	16	13	26
NASAL CAVITIES																
Polypoid adenoma b	2	4	1	2	0	0	0	0	0	0	0	0	0	0	0	0
OVARY																
Granulosa cell tumour b									3	6	0	0	1	2	0	0
Granulosa-theca cell tumour b									1	2	3	6	0	0	0	0
Anaplastic sarcoma m									1	2	0	0	0	0	0	0
PANCREAS																
Islet cell adenoma b	4	8	1	2	2	4	1	2	0	0	0	0	0	0	0	0
Islet cell adenocarcinoma m	0	0	0	0	0	0	0	0	0	0	0	0	1	2	0	0
PARATHYROID																
Adenoma b	1	2	0	0	0	0	0	0	0	0	0	0	0	0	0	0
PAROTID SALIVARY GLAND																
Acinar adenoma b	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
PHARYNX																
Squamous papilloma b	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	2
PITUITARY																
Adenoma b	16	31	11	22	10	20	20	39	24	47	23	45	16	31	32	63
Adenocarcinoma m	1	2	0	0	0	0	0	0	0	0	1	2	0	0	0	0
SKIN - SUBCUTANEOUS																
Fibroma b	0	0	1	2	2	4	0	0	0	0	0	0	1	2	0	0
Fibrosarcoma m	2	4	2	4	3	6	0	0	0	0	0	0	0	0	0	0
Histiocytic sarcoma m	0	0	1	2	0	0	0	0	0	0	0	0	0	0	0	0
Lipoma b	0	0	0	0	1	2	0	0	0	0	1	2	0	0	1	2
Leiomyosarcoma m	0	0	0	0	1	2	0	0	0	0	0	0	0	0	0	0
Angioma b	0	0	0	0	0	0	0	0	0	0	0	0	0	0	2	4

Text Table 1 Incidence and % Incidence of Neoplastic Lesions by Tissue for Terminal Kill and Interim Death Animals Combined (continued)

	MALES								FEMALES							
	0ppm		1500ppm		5000ppm		15000ppm		0ppm		1500ppm		5000ppm		15000ppm	
Number of Rats	51		51		51		51		51		51		51		51	
CONDITION	n	%	n	%	n	%	n	%	n	%	n	%	n	%	n	%
SKIN - CUTANEOUS																
Basal cell tumour b	1	2	0	0	0	0	0	0	1	2	0	0	0	0	0	0
Squamous cell carcinoma m	3	6	0	0	0	0	1	2	0	0	0	0	1	2	0	0
Keratoacanthoma b	2	4	3	6	0	0	6	12	0	0	0	0	0	0	0	0
Sebaceous adenoma b	0	0	1	2	0	0	0	0	0	0	0	0	0	0	0	0
Sebaceous adenocarcinoma m	0	0	1	2	0	0	0	0	0	0	0	0	0	0	0	0
Trichoepithelioma b	0	0	0	0	1	2	0	0	0	0	0	0	0	0	0	0
Squamous papilloma b	0	0	0	0	0	0	1	2	0	0	1	2	0	0	0	0
*Sebaceous-squamous carcinoma m	0	0	1	2	0	0	0	0	0	0	0	0	0	0	0	0
SPLEEN																
Angioma b	0	0	0	0	0	0	1	2	0	0	0	0	0	0	0	0
Angiosarcoma m	1	2	0	0	0	0	0	0	0	0	0	0	0	0	0	0
STOMACH																
Squamous papilloma b	1	2	0	0	2	4	1	2	0	0	1	2	0	0	0	0
TESTIS																
Interstitial cell tumour b	2	4	3	6	1	2	1	2								
THYMUS																
Lymphocytic thymoma b	0	0	0	0	1	2	1	2	7	14	2	4	4	8	3	6
Lymphocytic thymoma m	0	0	1	2	0	0	1	2	0	0	0	0	0	0	0	0
Carcinoma m	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	2
THYROID																
Follicular adenoma b	5	10	1	2	0	0	6	12	3	6	0	0	0	0	2	4
Follicular adenocarcinoma m	0	0	0	0	1	2	0	0	1	2	1	2	0	0	0	0
Parafollicular adenoma b	9	18	1	2	0	0	3	6	6	12	1	2	1	2	0	0
Parafollicular adenocarcinoma m	2	4	1	2	0	0	0	0	0	0	1	2	0	0	0	0
Hibernoma m	0	0	0	0	0	0	1	2	0	0	0	0	0	0	0	0
TONGUE																
Granular cell tumour b	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	2
URINARY BLADDER																
Transitional cell papilloma b	0	0	1	2	0	0	0	0	0	0	0	0	0	0	0	0

Text Table 1 Incidence and % Incidence of Neoplastic Lesions by Tissue for Terminal Kill and Interim Death Animals Combined (continued)

	MALES								FEMALES							
	0ppm		1500ppm		5000ppm		15000ppm		0ppm		1500ppm		5000ppm		15000ppm	
Number of Rats	51		51		51		51		51		51		51		51	
CONDITION	n	%	n	%	n	%	n	%	n	%	n	%	n	%	n	%
UTERUS																
Endometrial stromal polyp b									7	14	5	10	4	8	8	16
Adenocarcinoma m									6	12	6	12	4	8	5	10
Stromal sarcoma m									1	2	0	0	0	0	1	2
Leiomyoma b									2	4	0	0	1	2	1	2
Angiosarcoma m									0	0	1	2	0	0	0	0
ABDOMINAL																
Adenocarcinoma m	0	0	1	2	0	0	0	0	0	0	0	0	0	0	0	0
Anaplastic carcinoma m	0	0	0	0	1	2	0	0	0	0	0	0	0	0	0	0
LYMPHOID/HAEMOPOIETIC																
Malignant lymphoma m	0	0	1	2	1	2	0	0	2	4	0	0	1	2	0	0
OVERALL TUMOUR INCIDENCE																
Primary benign tumours	27	53	17	33	17	33	29	57	28	55	22	43	20	39	32	63
Primary malignant tumours	14	28	10	20	11	22	5	10	15	29	11	22	10	20	12	24
Multiple benign tumours	17	33	9	18	4	8	17	33	28	55	13	26	14	28	21	41
Multiple malignant tumours	4	8	2	4	1	2	0	0	1	2	3	6	0	0	1	2