

Supplementary Table S1

Primers used for plasmid construction

Primer name	Sequence (5'→3')
tagRFP-F/NotI	GCAGGCTCCGCGGCCATGGTGTCTAAGGGCGAAGAGCTG
tagRFP-GSG-R	GCCACTACCTCCCTTATTAAGTTTGTGCCCCAGTTTGCT
GSG-PABP8	AAGGGAGGTAGTGGCATGGCTCAGATTCAGCATCAGGGT
PABP8-R/Ascl	AGCTGGGTCGGCGCGTCAAGGTACGATGTTGTCTCCAAG
GSG-DCP1	AAGGGAGGTAGTGGCATGTCTCAAAACGGGAAGATAATC
DCP1-R/Ascl	AGCTGGGTCGGCGCGTCATTGTTGAAGTGCATTTTGTA

F, forward prime ; R, reverse primer.

Primer pairs used in quantitative RT-PCR

Gene name	Forward primer (5'→3')	Reverse primer (5'→3')
<i>VOZ1</i>	CAGATGCTTCGTGAGTGGAA	AAAGACCCAGAGTACCACCTT
<i>VOZ2</i>	CCATCCATATCGAAAAACCAG	GGGTGGTTTGACATCTCCTC
<i>DREB2A</i>	CAGTGTTGCCAACGGTTCAT	AAACGGAGGTATTCCGTAGTTGAG