## **Supplementary Information**

## Bird species richness and densities in relation to sulphur dioxide gradients and environmental variables

Luckson Muyemeki, Roelof Burger, Stuart J Piketh and Steven W Evans
Ostrich 2017, 88(3): 253–259. DOI: http://dx.doi.org/10.2989/00306525.2017.1310144

First-order measures				Second-order measures			
Texture measure	Statistical description	Formula	Example (3 × 3 window)	Texture measure	Statistical description	Formula	Example (3 × 3 window)
Mean	Average pixel value within a defined neighbourhood	$\frac{\sum x}{n}$		Angular Second Moment	A measure of how regular or orderly the pixel values are across an image	$\sum_{i}\sum_{j}\left\{p(i,j)\right\}^{2}$	
Range	A measure of the difference between the maximum and minimum pixel values within a defined neighbourhood	$\max\{X\} - \min\{X\}$		Contrast	A measure of the amount of local variation in pixel values within an image	$\sum_{i} \sum_{j} p_{ij} (\iota_{-j})^2$	
Standard deviation	A measure of variability of pixels within a defined neighbourhood	$\sqrt{\frac{\sum (x - \bar{x})^2}{n}}$		Correlation	A measure of the linear dependency in pixel values among neighbouring pixels	$\frac{\sum_{t} \sum_{j} (ij) p_{tj} - \mu_{x} \mu_{y}}{\sigma_{x} \sigma_{y}}$	
				Homogeneity	A measure of homogenous pixel values across an image	$\sum_{i} \sum_{j} \frac{1}{1 + (i - j)^2} p(i, j)$	

Figure S1: Image texture description and formula (adapted from Haralick et al. 1973)

## Reference

Haralick RM, Shanmugan K, Dinstein IH. 1973. Textural features for image classification. *IEEE Transactions on Systems, Man and Cybernetics* 3: 610–621.