

Colenso's *Glossarium Botanicum Novae Zelandiae* and Cunningham's *Florae Insularum Novae Zelandiae Precursor*: numbering, and concordance between historic and current botanical names

Clem Earp

The tables in this document are an attempt to supply a concordance between botanical names in current use and the historic specific names in both the checklist portion of William Colenso's *Glossarium Botanicum: Novae Zelandiae* and Allan Cunningham's *Florae Insularum Novae Zelandiae Precursor*. By 'current use' is meant that the names are accepted in the Flora of New Zealand Online (Breitwieser et al. 2016, hereafter FNZO) for vascular plants, in the online database Ngā Tipu o Aotearoa (Allan Herbarium 2016, hereafter NTA) for bryophytes, in Algaebase (Guiry & Guiry 2016, hereafter AB) for seaweeds, and in the lichen volumes of the *Flora of New Zealand* (Galloway 1985, 2007).

In the first table, only those names in the classes covered by both the *Glossarium* and *Precursor* are treated, i.e. vascular plants and bryophytes. The entries are in the same order of appearance as in the *Glossarium*, and their ordinal numbers in the *Precursor* are given where applicable. In the second table those classes which appear only in the *Precursor* are covered, i.e. seaweeds and lichens.

In the first table, where a blank appears in the column for *Glossarium* numbers (headed **G #**), it should be assumed that these entries were present but not numbered by Colenso; but if a blank appears in the column for *Precursor* numbers (headed **P #**), it should be assumed that the entry does not appear at all in the *Precursor*. Three entries that were omitted from the printed text of the *Precursor* by typographic errors (a seaweed at no. 30, and mosses at nos 98 and 99) are restored here from Cunningham's manuscript. A number of other irregularities will be seen in the numbering of the *Precursor*, due to typographic errors in the printed text.

When the historic name is given in a synonymy within the current work of reference, the concordance is simple. However, when the historic name does not appear in the current synonymy (and, for example, FNZO does not list all the synonyms given by Allan 1961), more than one authority is given, with the leftmost containing the historic name and the rightmost the current name, in a chain linked by common synonyms.

Where no reference is cited, it should be assumed that my own opinion is involved. In a few cases I have put 'auctt.' where this is my opinion based on too many other works to cite.

This document should not be taken as definitive. Because of the state of knowledge of New Zealand botany at the time Colenso constructed his checklist, some species cannot be identified with absolute certainty without further research, or perhaps, not even then. This is particularly the case for seaweeds and lichens, where the earliest botanists attributed cosmopolitan species to New Zealand, which later systematists – even near contemporaries like the Hookers and their co-workers – found difficult when the time came for better discrimination. In addition, nomenclature is always subject to change, particularly in those two classes.

Species marked with an asterisk * are exotic; those marked with † were mistakenly attributed to New Zealand.

Table 1: Classes covered by both *Glossarium & Precursor* 5

Table 2: Classes covered by *Precursor* only 24

References

- Allan Herbarium 2016. Ngā Tipu o Aotearoa – New Zealand Plant Names Database. Landcare Research, New Zealand. Accessed at <http://nzflora.landcareresearch.co.nz>, 28 Dec 2016.
- Allan HH 1961. Flora of New Zealand. Vol. I. Indigenous Tracheophyta. Psilopsida, Lycopsida, Filicopsida, Gymnospermae, Dicotyledones. Government Printer, Wellington.
- Beccari O 1916. On a new South Polynesian Palm, with notes on the genus *Rhopalostylis* Wendl. et Drude. Transactions of the New Zealand Institute 49:47–50.
- Beever JE, Allison KW, Child J 1992. The Mosses of New Zealand. Edition 2. University of Otago Press, Dunedin.
- Breitwieser I, Brownsey PJ, Nelson WA, Wilton AD (eds) 2016. Flora of New Zealand Online. Accessed at www.nzflora.info, 20 Dec 2016.
- Briggs BG, Johnson LAS 1968. The status and relationships of the Australasian species of *Typha*. Contributions from the New South Wales National Herbarium 4:57–69.
- Brownsey PJ, Chinnock RJ 1984. A taxonomic revision of the New Zealand species of *Hypolepis*. New Zealand Journal of Botany 22:43–80.
- Cheeseman TF 1906. Manual of the New Zealand Flora. Wellington: Govt Printer. 1199p.
- Chinnock RJ 1975. The New Zealand species of *Tmesipteris* (Psilotaceae). New Zealand Journal of Botany 13:743–768.
- D'Archino R, Nelson W, Yang MY, Kim MS 2015. New record of *Hypnea flexicaulis* in New Zealand and description of *Calliblepharis psammophilus* sp. nov. Botanica Marina 58:485–497.
- Drury DG 1972. The cluster and solitary-headed cudweeds native to New Zealand: (Gnaphalium Section Euchiton–Compositae). New Zealand Journal of Botany 10:112–179.
- Edgar E, Connor HE 2000. Flora of New Zealand. Vol. V. Gramineae. Manaaki Whenua Press, Lincoln.
- Engel JJ, Glenny D 2008. A Flora of the Liverworts and Hornworts of New Zealand. Volume 1. Missouri Botanical Garden Press, St. Louis.
- Fife AJ 1996. A synopsis of New Zealand *Sphagna*, with a description of *S. simplex* sp. nov. New Zealand Journal of Botany 34:309–328.
- Fosberg FR 1993. The Forster Pacific Islands collections from Captain Cook's Resolution voyage. Allertonia 7:71–86.
- Galloway DJ 1985. Flora Of New Zealand. Lichens. Government Printer, Wellington.
- Galloway DJ 2007. Flora of New Zealand. Lichens, including lichen-forming and lichenicolous fungi [revised second edition in two volumes]. Manaaki Whenua Press, Lincoln.

Gillis WT, Proctor GR 1974. *Caesalpinia* subgenus *Guilandina* in the Bahamas. Journal of the Arnold Arboretum 55:425–430.

Guiry MD, Guiry GM 2016. Algaebase. National University of Ireland, Galway. Accessed at <http://www.algaebase.org>, 28 Dec 2016.

Healy AJ, Edgar E 1980. Flora of New Zealand. Vol. III. Adventive Cyperaceous, Petalous & Spathaceous Monocotyledons. Government Printer, Wellington.

Hodgson EA 1942. Review of the New Zealand Species of *Schistochila*, with notes on Colenso's Species. Transactions of the Royal Society of New Zealand 71:181–194.

Hodgson EA 1943. A Review of the New Zealand Species of *Plagiochila*. Being the third of a series of papers on New Zealand Hepaticae (Liverworts). Transactions of the Royal Society of New Zealand 73:270–296.

Hodgson EA 1957. New Zealand Hepaticae (Liverworts)—X. Marsupial Genera of New Zealand With Amendments and Additions to Paper V (Jungermanniaceae) (1946). Transactions of the Royal Society of New Zealand 85:565–584.

Hodgson EA 1959. New Zealand Hepaticae (Liverworts) - XI. A review of the New Zealand species of the genus *Lepidolaena*. Transactions of the Royal Society of New Zealand 87:199–210

Hooker JD 1844. Catalogue of the names of a collection of plants made by Mr. Wm. Stephenson in New Zealand. London Journal of Botany 3:411–418.

Hooker JD 1852–1853. The Botany of the Antarctic Voyage of H.M. Discovery Ships Erebus and Terror in the Years 1839–1843: Under the Command of Captain Sir James Clark Ross. II. Flora Novae-Zelandiae. Part I. Flowering Plants. Lovell Reeve: London. xxxix+312 p+70 pl.

Hooker JD 1854–1855. The Botany of the Antarctic Voyage of H.M. Discovery Ships Erebus and Terror in the Years 1839–1843: Under the Command of Captain Sir James Clark Ross. II. Flora Novae-Zelandiae. Part II. Flowerless Plants. Lovell Reeve: London. 378 p+68 pl.

Hooker JD 1864. Handbook of the New Zealand Flora. Part I. London: Reeve. 392p.

Hooker JD 1867. Handbook of the New Zealand Flora. Part II. London: Reeve. 406p.

Hooker JD, Harvey WH 1845. Algae Novae Zelandiae. London Journal of Botany 4:521–551.

Johnson LAS, Wilson KL 2000. *Juncus edgariae* – a new species from New Zealand. Telopea 9:399–402.

Martin W 1959. The Lichen genus *Cladonia*, subsection *Cladina*, in New Zealand. Transactions of the Royal Society of New Zealand 88:169–175.

Moore LB 1944. The genus Pterocladia in New Zealand. Transactions of the Royal Society of New Zealand 74:332–342.

Moore LB, Edgar E 1970. Flora of New Zealand. Vol. II. Indigenous Tracheophyta. Monocotyledones except Gramineae. Government Printer, Wellington.

Orchard AE 1975: Taxonomic Revisions in the Family Haloragaceae. I. The Genera *Haloragis*,

Haloragodendron, *Glischrocaryon*, *Meziella* and *Gonocarpus*. Bulletin of the Auckland Institute and Museum 10:1–299.

Parris BS 1972. The genus *Doodia* R.Br. (Blechnaceae:Filicales) in New Zealand. New Zealand Journal of Botany 10:585–604.

Parris BS 1980. Further notes on *Doodia*, *Grammitis*, and *Blechnum* (Filicales). New Zealand Journal of Botany 18:145–147.

Perrie LR, Parris BS 2012. Chloroplast DNA sequences indicate the grammitid ferns (Polypodiaceae) in New Zealand belong to a single clade, *Notogrammitis* gen. nov. New Zealand Journal of Botany 50: 457–472.

Petterson JA 1997. Revision of the genus *Wahlenbergia* (Campanulaceae) in New Zealand. New Zealand Journal of Botany 35:9–54.

Quirk H, Chambers TC, Regan M 1983. The fern genus *Cheilanthes* in Australia. Australian Journal of Botany 31:501–553.

Telford IRH, Sebastian P, de Lange PJ, Bruhl JJ, Renner SS 2012. Morphological and molecular data reveal three rather than one species of *Sicyos* (Cucurbitaceae) in Australia, New Zealand and Islands of the South West Pacific. Australian Systematic Botany 25:188–201.

Tryon RM, Tryon AF 1982. Ferns and Allied Plants: With Special Reference to Tropical America. Springer-Verlag, New York.

Walpers WG 1845. *Avicennia*. Repertorium Botanices Systematicae 4:131–133.

Webb CJ, Sykes WR, Garnock-Jones PJ, Given DR 1988. Flora of New Zealand. Volume IV, Naturalised pteridophytes, gymnosperms, dicotyledons. DSIR Botany Division, Christchurch.

Table 1: Classes covered by both *Glossarium & Precursor*

G #	P #	Historic name	Current name	Authority
1	325	Dammara Australis	<i>Agathis australis</i> (D.Don) Lindl. ex Loudon	FNZO
2	326	Phyllocladus trichomanoides	<i>Phyllocladus trichomanoides</i> G.Benn ex D.Don	FNZO
3	327	Podocarpus ferruginea	<i>Prumnopitys ferruginea</i> (D.Don) de Laub.	FNZO
4	328	Podocarpus [totara]	<i>Podocarpus totara</i> D.Don var. <i>totara</i>	FNZO
5 & 6	329	Dacrydium [mai]	<i>Prumnopitys taxifolia</i> (Sol. ex D.Don) de Laub.	Allan (1961, p. 106); FNZO
7	330	Dacrydium plumosum	<i>Libocedrus plumosa</i> (D.Don) Sarg.	FNZO
8	331	Podocarpus excelsus	<i>Dacrycarpus dacrydioides</i> (A.Rich.) de Laub.	Allan(1961, p. 106); FNZO
9	332	Dacrydium cupressinum [Manoao]	<i>Dacrydium cupressinum</i> Sol. ex G.Forst. <i>Manoao colensoi</i> (Hook.) Molloy	FNZO
10	323	Piper excelsum	<i>Piper excelsum</i> G.Forst.	FNZO
11	324	Peperomia urvilleana ('Urvilliana')	<i>Peperomia urvilleana</i> A.Rich.	FNZO
12	333	Urtica ferox	<i>Urtica ferox</i> G.Forst.	FNZO
13	334	Urtica debilis	<i>Parietaria debilis</i> G.Forst.	FNZO
14	335	Elatostema rugosa ('Elatosemma')	<i>Elatostema rugosum</i> A.Cunn.	FNZO
15	336	Hedycarya dentata ('Hedycaria')	<i>Hedycarya arborea</i> J.R.Forst. & G.Forst.	FNZO
16	337	Hedycarya scabra	<i>Hedycarya arborea</i> J.R.Forst. & G.Forst.	Allan (1961, p. 138); FNZO
17	338	Broussonetia papyrifera	* <i>Broussonetia papyrifera</i> (L.) L'Hér. ex Vent.	FNZO
18	339	Euphorbia glauca	<i>Euphorbia glauca</i> G.Forst.	FNZO
19	340	Mida salicifolia ('Mira')	<i>Mida salicifolia</i> A.Cunn. var. <i>salicifolia</i>	FNZO
20	341	Mida eucalyptoides ('eucalyptoides')	<i>Mida salicifolia</i> var. <i>salicifolia</i> × <i>M. salicifolia</i> var. <i>myrtifolia</i>	Allan (1961, p. 410)
21	342	Mida myrtifolia	<i>Mida salicifolia</i> A.Cunn. var. <i>myrtifolia</i> (A.Cunn.) Allan	FNZO
22	343	Pimelea gnidia	<i>Pimelea gnidia</i> (J.R.Forst. & G.Forst.) Willd.	FNZO
23	344	Pimelea pilosa	<i>Pimelea tomentosa</i> (J.R.Forst. & G.Forst.) Druce	FNZO
24	345	Pimelea virgata	<i>Pimelea tomentosa</i> (J.R.Forst. & G.Forst.) Druce	FNZO
25	347	Pimelea arenaria	<i>Pimelea villosa</i> Sol. ex Sm. subsp. <i>arenaria</i> (A.Cunn.) C.J.Burrows	FNZO
26	346	Pimelea prostrata	<i>Pimelea prostrata</i> (J.R.Forst. & G.Forst.) Willd.	FNZO
27	348	Pimelea urvilleana ('Urvilliana')	<i>Pimelea urvilleana</i> A.Rich. subsp. <i>urvilleana</i>	FNZO
28	349	Persoonia Toru ('Personia')	<i>Toronia toru</i> (A.Cunn.) L.A.S.Johnson & B.G.Briggs	FNZO
29	350	Knightia Excelsa	<i>Knightia excelsa</i> R.Br.	FNZO
30	351	Laurus tarairi ('Taraire')	<i>Beilschmiedia tarairi</i> (A.Cunn.) Benth. & Hook.f. ex Kirk	FNZO

G #	P #	Historic name	Current name	Authority
31	352	Laurus Tawa	<i>Beilschmiedia tawa</i> (A.Cunn.) Benth. & Hook.f. ex Kirk	FNZO
32	353	Laurus calicaris	<i>Litsea calicaris</i> (Sol. ex A.Cunn.) Benth. & Hook.f. ex Kirk	FNZO
		Laurus Victoriana	<i>Beilschmiedia tawa</i> (A.Cunn.) Benth. & Hook.f. ex Kirk	FNZO
33	354	Laurelia Novae Zelandiae	<i>Laurelia novae-zelandiae</i> A.Cunn.	FNZO
34	355	Polygonum Australe	<i>Muehlenbeckia australis</i> (G.Forst.) Meisn.	FNZO
35	356	Polygonum adpressum	<i>Muehlenbeckia australis</i> (G.Forst.) Meisn.	FNZO
36	357	Polygonum complexum	<i>Muehlenbeckia complexa</i> (A.Cunn.) Meisn.	FNZO
37	358	Polygonum prostratum [A.Rich. non R.Br.]	<i>Persicaria decipiens</i> (R.Br.) K.L.Wilson	Allan (1961, p. 225); FNZO
38	359	Rumex crispus	* <i>Rumex crispus</i> L.	FNZO
39	360	Rumex brownianus ('Brownonianus')	<i>Rumex flexuosus</i> Sol. ex G.Forst.	FNZO
40	361	Chenopodium triandrum	<i>Chenopodium triandrum</i> G.Forst.	FNZO
41	362	Chenopodium Botrys	<i>Dysphania pumilio</i> (R.Br.) Mosyakin & Clemants	Webb et al. (1988, p. 528); FNZO
42	363	Chenopodium glaucum	<i>Oxybasis glauca</i> subsp. <i>ambigua</i> (R.Br.) Mosyakin	FNZO
43	364	Chenopodium maritimum	<i>Suaeda novae-zelandiae</i> Allan	Allan (1961, p. 231); FNZO
44	365	Chenopodium fruticosum	<i>Suaeda novae-zelandiae</i> Allan	Hooker (1853, p. 213); Allan p.231
45	366	Salicornia indica	<i>Sarcocornia quinqueflora</i> (Bunge ex Ung.-Sternb.) A.J.Scott	Allan (1961, p. 232); FNZO
46	367	Alternanthera denticulata	<i>Alternanthera denticulata</i> R.Br.	FNZO
47	368	Mniarum biflorum	<i>Scleranthus biflorus</i> (J.R.Forst. & G.Forst.) Hook.f.	FNZO
48	369	Plantago major	* <i>Plantago major</i> L.	FNZO
49	370	Plantago varia	<i>Plantago raoulii</i> Decne.	Hooker (1853, p. 208); FNZO
50	371	Anagallis arvensis	* <i>Lysimachia arvensis</i> (L.) U.Manns & Anderb.	FNZO
51	372	Samolus littoralis	<i>Samolus repens</i> (J.R.Forst. & G.Forst.) Pers.	Hooker (1867, p. 736); FNZO
52	373	Veronica speciosa	<i>Veronica speciosa</i> R.Cunn. ex A.Cunn.	FNZO
53	374	Veronica salicifolia	<i>Veronica salicifolia</i> G.Forst.	FNZO
54	376	Veronica macrocarpa	<i>Veronica macrocarpa</i> Vahl	FNZO
55	375	Veronica ligustrifolia	<i>Veronica ligustrifolia</i> R.Cunn ex A.Cunn.	FNZO
56	377	Veronica angustifolia	<i>Veronica stenophylla</i> Steudel var. <i>stenophylla</i>	Allan (1961, p. 912); FNZO
57	378	Veronica parviflora	<i>Veronica parviflora</i> Vahl	FNZO
58	379	Veronica elliptica	<i>Veronica elliptica</i> G.Forst.	FNZO
59	380	Veronica catarractae	<i>Veronica catarractae</i> G.Forst.	FNZO
60	381	Veronica diosmifolia	<i>Veronica diosmifolia</i> A.Cunn.	FNZO

G #	P #	Historic name	Current name	Authority
61	382	<i>Veronica calycina</i>	<i>Veronica plebeia</i> R.Br.	Hooker (1853, p. 197); FNZO
62	383	<i>Gratiola sexdentata</i>	<i>Gratiola sexdentata</i> R.Cunn. ex A.Cunn.	FNZO
63	384	<i>Euphrasia cuneata</i>	<i>Euphrasia cuneata</i> G.Forst.	FNZO
64	385	<i>Rhabdothamnus solandri</i>	<i>Rhabdothamnus solandri</i> A.Cunn.	FNZO
65	386	<i>Solanum laciniatum</i>	<i>Solanum laciniatum</i> Aiton	FNZO
66		<i>S. nigrum?</i>	Either * <i>Solanum nigrum</i> L. or <i>Solanum nodiflorum</i> Jacq.	FNZO
67	387	<i>Myoporum laetum</i>	<i>Myoporum laetum</i> G.Forst.	FNZO
68	388	<i>Myoporum pubescens</i>	incertae sedis	Allan (1961, p. 958)
69	389	<i>Avicennia tomentosa</i> (' <i>tormentosa</i> ')	<i>Avicennia marina</i> subsp. <i>australasica</i> (Walp.) J.Everett	Walpers (1845, p. 133); FNZO
70	390	<i>Vitex littoralis</i>	<i>Vitex lucens</i> Kirk	Allan (1961, p. 959); FNZO
71	391	<i>Micromeria Cunninghamii</i>	<i>Mentha cunninghamii</i> Benth.	Allan (1961, p. 962); FNZO
72	392	<i>Anchusa spathulata</i>	<i>Myosotis spathulata</i> G.Forst. var. <i>spathulata</i>	Hooker (1853, p. 201); FNZO
73	393	<i>Myosotis forsteri</i> (' <i>Forsterii</i> ')	<i>Myosotis forsteri</i> Lehm.	FNZO
74	394	<i>Calystegia Sepium</i>	<i>Calystegia sepium</i> (L.) R.Br.	FNZO
75	395	<i>Calystegia Soldanella</i>	<i>Calystegia soldanella</i> (L.) R.Br.	FNZO
76	396	<i>Ipomoea pendula</i>	<i>Ipomoea cairica</i> (L.) Sweet	Webb et al (1988, p. 559)
77	397	<i>Dichondra repens</i>	<i>Dichondra repens</i> J.R.Forst. & G.Forst.	FNZO
78	398	<i>Gentiana Saxosa</i>	<i>Gentianella saxosa</i> (G.Forst.) Holub	FNZO
79	399	<i>Gentiana montana</i>	<i>Gentianella montana</i> (G.Forst.) Holub	FNZO
80	400	<i>Sebaea gracilis</i>	<i>Sebaea ovata</i> (Labill.) R.Br.	Allan (1961, p. 765); FNZO
81	401	<i>Geniostoma ligustrifolium</i>	<i>Geniostoma ligustrifolium</i> A.Cunn. var. <i>ligustrifolium</i>	FNZO
82	402	<i>Parsonsia heterophylla</i>	<i>Parsonsia heterophylla</i> A.Cunn.	FNZO
83	403	<i>Olea apetala</i>	<i>Nestegis apetala</i> (Vahl) L.A.S.Johnson	FNZO
84	404	<i>Achras costata</i>	<i>Planchonella costata</i> (Endl.) Pierre	FNZO
85	405	<i>Myrsine urvillei</i> (' <i>Urvilliae</i> ')	<i>Myrsine australis</i> (A.Rich.) Allan	FNZO
86	406	<i>Myrsine divaricata</i>	<i>Myrsine divaricata</i> A.Cunn.	FNZO
87	407	<i>Cyathodes acerosa</i>	<i>Leptecophylla juniperina</i> (J.R.Forst. & G.Forst.) C.M.Weiller	FNZO
88	408	<i>Leucopogon fasciculatus</i>	<i>Leucopogon fasciculatus</i> (G.Forst.) A.Rich.	FNZO
89	409	<i>Leucopogon Fraseri</i>	<i>Leucopogon fraseri</i> A.Cunn.	FNZO
90	410	<i>Pentachondra pumila</i>	<i>Pentachondra pumila</i> (J.R.Forst. & G.Forst.) R.Br.	FNZO
91	411	<i>Epacris pauciflora</i>	<i>Epacris pauciflora</i> A.Rich. var. <i>pauciflora</i>	FNZO
92	412	<i>Dracophyllum latifolium</i>	<i>Dracophyllum latifolium</i> A.Cunn.	FNZO

G #	P #	Historic name	Current name	Authority
93	413	<i>Dracophyllum longifolium</i>	<i>Dracophyllum longifolium</i> (J.R.Forst. & G.Forst.) R.Br. var. <i>longifolium</i>	FNZO
[omitted]	414	<i>Dracophyllum rosmarinifolium</i>	<i>Dracophyllum rosmarinifolium</i> (G.Forst.) R.Br.	FNZO
94	415	<i>Dracophyllum urvilleanum</i> ('Urvillianum')	<i>Dracophyllum urvilleanum</i> A.Rich.	FNZO
95	416	<i>Dracophyllum Lessonianum</i>	<i>Dracophyllum lessonianum</i> A.Rich.	FNZO
96	417	<i>Gaultheria antipoda</i>	<i>Gaultheria antipoda</i> G.Forst.	FNZO
97	418	<i>Gaultheria rupestris</i>	<i>Gaultheria rupestris</i> (L.f.) D.Don	FNZO
98	419	<i>Gaultheria fluviatilis</i>	<i>Gaultheria antipoda</i> G.Forst.	FNZO
99	420	<i>Wahlenbergia gracilis</i>	<i>Wahlenbergia vernicosa</i> J.A.Petterson	Petterson (1997, p. 26); FNZO
100	421	<i>Lobelia alata</i>	<i>Lobelia anceps</i> L.f.	Allan (1961, p. 800); FNZO
101	422	<i>Lobelia angulata</i>	<i>Lobelia angulata</i> G.Forst.	FNZO
102	423	<i>Lobelia littoralis</i>	<i>Lobelia angulata</i> G.Forst.	FNZO
103	424	<i>Lobelia submersa</i>	<i>Glossostigma elatinoides</i> Benth. ex Hook.f.	Allan (1961, p. 846); FNZO
104	425	<i>Lobelia physaloides</i>	<i>Lobelia physaloides</i> A.Cunn.	FNZO
105	426	<i>Stylium spathulatum</i>	Presumably <i>Stylium subulatum</i> Hook.f.	
106	427	<i>Forstera sedifolia</i>	<i>Forstera sedifolia</i> G.Forst.	FNZO
107	428	<i>Goodenia repens</i>	<i>Selliera radicans</i> Cav.	Allan (1961, p. 795); FNZO
108	429	<i>Scaevola Novae Zelandiae</i>	<i>Melicytus novae-zelandiae</i> (A.Cunn.) P.S.Green	FNZO
109	430	<i>Scorzonera scapigera</i>	<i>Microseris scapigera</i> (Sol. ex A.Cunn.) Sch.Bip.	FNZO
110	431	<i>Sonchus oleraceus</i>	* <i>Sonchus oleraceus</i> L.	FNZO
111	432	<i>Picris hieracioides</i>	* <i>Picris hieracioides</i> L.	FNZO
112	433	<i>Picris attenuata</i>	<i>Picris angustifolia</i> DC.	FNZO
113	434	<i>Shawia paniculata</i>	<i>Olearia paniculata</i> (J.R.Forst. & G.Forst.) Druce	FNZO
114	435	<i>Solidago arborescens</i>	<i>Brachyglottis kirkii</i> (Hook.f. ex Kirk) C.J.Webb	FNZO
115	436	<i>Lagenophora Forsteri</i>	<i>Lagenophora pumila</i> (G.Forst.) Cheeseman	FNZO
116	437	<i>Lagenophora lanata</i>	<i>Lagenophora lanata</i> A.Cunn.	FNZO
117	438	<i>Aster holosericeus</i>	<i>Celmisia holosericea</i> (G.Forst.) Hook.f.	FNZO
118	439	<i>Aster coriaceus</i>	<i>Celmisia coriacea</i> (G.Forst.) Hook.f.	FNZO
119	440	<i>Haxtonia furfuracea</i>	<i>Olearia furfuracea</i> (A.Rich.) Hook.f.	FNZO
120	441	<i>Vittadinia australis</i> ('Vittadenia')	<i>Vittadinia australis</i> A.Rich.	FNZO
121	442	<i>Bidens pilosa</i>	* <i>Bidens pilosa</i> L.	FNZO
122	443	<i>Cotula coronopifolia</i>	<i>Cotula coronopifolia</i> L.	FNZO
123	444	<i>Myriogyne minuta</i>	<i>Centipeda minima</i> (L.) A.Braun & Asch.	FNZO

G #	P #	Historic name	Current name	Authority
124	445	<i>Soliva tenella</i>	<i>Leptinella tenella</i> (A.Cunn.) D.G.Lloyd & C.J.Webb	FNZO
125	446	<i>Craspedia uniflora</i>	<i>Craspedia uniflora</i> G.Forst.	FNZO
126	447	<i>Cassinia leptophylla</i>	<i>Ozothamnus leptophyllus</i> (G.Forst.) Breitw. & J.M.Ward incertae sedis [<i>Calea pinifolia</i> G.Forst.]	FNZO
127	448	<i>Ozothamnus pinifolia</i>		Allan (1961, p. 1033)
128	449	<i>Helichrysum bellidiooides</i>	<i>Anaphalioides bellidiooides</i> (G.Forst.) Glenny	FNZO
129	450	<i>Gnaphalium luteoalbum</i>	<i>Pseudognaphalium luteoalbum</i> (L.) Hilliard & B.L.Burtt	FNZO
130	451	<i>Gnaphalium simplex</i>	<i>Euchiton audax</i> (D.G.Drury) Holub	Drury (1972, p. 140); FNZO
131	452	<i>Gnaphalium lanatum</i>	<i>Euchiton involucratus</i> (G.Forst.) Holub	Drury (1972, p. 132); FNZO
132	453	<i>Gnaphalium involucratum</i>	<i>Euchiton involucratus</i> (G.Forst.) Holub	FNZO
133	454	<i>Gnaphalium Keriense</i>	<i>Anaphalioides trinervis</i> (G.Forst.) Anderb.	FNZO
134	455	<i>Gnaphalium trinerve</i>	<i>Anaphalioides trinervis</i> (G.Forst.) Anderb.	FNZO
135	456	<i>Arnica oporina</i> ('operina')	<i>Olearia oporina</i> (G.Forst.) Hook.f	FNZO
136	457	<i>Senecio laetus</i>	<i>Senecio laetus</i> G.Forst. ex Willd.	FNZO
137	458	<i>Senecio australis</i>	<i>Senecio australis</i> Willd.	FNZO
138	459	<i>Senecio neglectus</i>	<i>Senecio laetus</i> G.Forst. ex Willd.	FNZO
139	460 ['466']	<i>Senecio argutus</i>	<i>Senecio glomeratus</i> Poir. subsp. <i>glomeratus</i>	FNZO
140	461	<i>Senecio quadridentatus</i>	<i>Senecio quadridentatus</i> Labill.	FNZO
141	462	<i>Senecio hispidulus</i>	<i>Senecio hispidulus</i> A.Rich.	FNZO
142	463	<i>Brachyglottis repanda</i>	<i>Brachyglottis repanda</i> J.R.Forst. & G.Forst.	FNZO
143	464	<i>Brachyglottis rotundifolia</i>	<i>Brachyglottis rotundifolia</i> J.R.Forst. & G.Forst.	FNZO
144	465	<i>Brachyglottis rani</i>	<i>Olearia rani</i> (A.Cunn.) Druce	FNZO
145	466	<i>Opercularia diphylla</i>	† <i>Opercularia diphylla</i> Gaertn.	Hooker (1864, p. 121)
146	467	<i>Opercularia aspera</i>	† <i>Opercularia aspera</i> Gaertn.	Hooker (1864, p. 121)
147	468	<i>Galium tenuicaule</i>	<i>Galium trilobum</i> Colenso	Webb et al (1988, p. 1150)
148	469	<i>Galium propinquum</i>	<i>Galium propinquum</i> A.Cunn.	FNZO
149	470	<i>Coprosma lucida</i>	<i>Coprosma lucida</i> J.R.Forst. & G.Forst.	FNZO
150	471	<i>Coprosma foetidissima</i>	<i>Coprosma foetidissima</i> J.R.Forst. & G.Forst.	FNZO
151	472	<i>Coprosma propinqua</i>	<i>Coprosma propinqua</i> A.Cunn.	FNZO
152	473	<i>Coprosma rotundifolia</i>	<i>Coprosma rotundifolia</i> A.Cunn.	FNZO
153	475	<i>Coprosma gracilis</i>	<i>Coprosma lucida</i> × <i>C. rhamnoides</i>	Allan (1961, p. 586)
154	474	<i>Coprosma rhamnoides</i>	<i>Coprosma rhamnoides</i> A.Cunn.	FNZO
155	476	<i>Coprosma divaricata</i>	<i>Coprosma rhamnoides</i> A.Cunn.	Allan (1961, p. 586)

G #	P #	Historic name	Current name	Authority
156	477	<i>Coprosma acerosa</i>	<i>Coprosma acerosa</i> A.Cunn.	FNZO
157	478	<i>Coprosma repens</i>	<i>Coprosma repens</i> A.Rich.	FNZO
158	479	<i>Coprosma spathulata</i>	<i>Coprosma spathulata</i> A.Cunn. subsp. <i>spathulata</i>	FNZO
159	480	<i>Ronabea australis</i>	<i>Coprosma grandifolia</i> Hook.f.	Hooker (1852, p. 104)
160	481	<i>Nertera depressa</i>	<i>Nertera depressa</i> Banks & Sol. ex Gaertn.	FNZO
161	482	<i>Geophyla dichondraefolia</i>	<i>Nertera dichondrifolia</i> (A.Cunn.) Hook.f.	FNZO
162	483	<i>Viscum antarcticum</i>	<i>Tupeia antarctica</i> (G.Forst.) Cham. & Schltdl.	FNZO
163	484	<i>Viscum pubigerum</i>	<i>Tupeia antarctica</i> (G.Forst.) Cham. & Schltdl.	FNZO
164	485	<i>Viscum salicornioides</i>	<i>Korthalsella salicornioides</i> (A.Cunn.) Tiegh.	FNZO
165	486	<i>Loranthus tetrapetalus</i>	<i>Peraxilla tetrapetala</i> (L.f.) Tiegh.	FNZO
166	487	<i>Alseuosmia linariifolia</i>	<i>Alseuosmia banksii</i> var. <i>linariifolia</i> (A.Cunn.) R.O.Gardner	FNZO
167	488	<i>Alseuosmia ligustrifolia</i>	<i>Alseuosmia banksii</i> var. <i>linariifolia</i> (A.Cunn.) R.O.Gardner	FNZO
168	489	<i>Alseuosmia Banksii</i>	<i>Alseuosmia banksii</i> A.Cunn. var. <i>banksii</i>	FNZO
169	490	<i>Alseuosmia palaeformis</i>	<i>Alseuosmia banksii</i> A.Cunn. var. <i>banksii</i>	FNZO
170	491	<i>Alseuosmia atriplicifolia</i>	<i>Alseuosmia banksii</i> A.Cunn. var. <i>banksii</i>	FNZO
171	492	<i>Alseuosmia Ilex</i>	<i>Alseuosmia quercifolia</i> A.Cunn.	FNZO
172	493	<i>Alseuosmia quercifolia</i>	<i>Alseuosmia quercifolia</i> A.Cunn.	FNZO
173	494	<i>Alseuosmia macrophylla</i>	<i>Alseuosmia macrophylla</i> A.Cunn.	FNZO
174	495	<i>Hydrocotyle elongata</i>	<i>Hydrocotyle elongata</i> A.Cunn.	FNZO
175	496	<i>Hydrocotyle microphylla</i>	<i>Hydrocotyle microphylla</i> A.Cunn.	FNZO
176	497	<i>Hydrocotyle Novae Zealandiae</i>	<i>Hydrocotyle novae-zeelandiae</i> DC.	FNZO
177	498	<i>Hydrocotyle dichondraefolia</i>	<i>Hydrocotyle novae-zeelandiae</i> DC.	FNZO
178	499	<i>Hydrocotyle heteromeria</i>	<i>Hydrocotyle heteromeria</i> A.Rich.	FNZO
179	500	<i>Hydrocotyle compacta</i>	<i>Hydrocotyle moschata</i> G.Forst. (sens lat.?)	Cheeseman (1906, p. 1137)
180	501	<i>Hydrocotyle moschata</i>	<i>Hydrocotyle moschata</i> G.Forst. var. <i>moschata</i>	FNZO
181	502	<i>Hydrocotyle Asiatica</i>	<i>Centella uniflora</i> (Colenso) Nannf.	Allan (1961, p. 451); FNZO
182	503	<i>Petroselinum prostratum</i>	<i>Apium prostratum</i> Labill. ex Vent. subsp. <i>prostratum</i>	Allan (1961, p. 463); FNZO
183	504	<i>Petroselinum filiforme</i>	<i>Apium prostratum</i> subsp. <i>prostratum</i> var. <i>filiforme</i> (A.Rich.) Kirk	FNZO
184	505	<i>Ligisticum Aciphylla</i>	<i>Aciphylla squarrosa</i> J.R.Forst. & G.Forst. var. <i>squarrosa</i>	Hooker (1852, p. 87); FNZO
185	506	<i>Ligisticum Gingidium</i>	<i>Gingidia montana</i> (J.R.Forst. & G.Forst.) J.W.Dawson	FNZO
186	507	<i>Peucedanum geniculatum</i>	<i>Scandia geniculata</i> (G.Forst.) J.W.Dawson	FNZO
187	508	<i>Apium graveolens</i>	<i>Apium prostratum</i> Labill. ex Vent. subsp. <i>prostratum</i>	Hooker (1852, p. 86); Allan (1961, p. 463); FNZO

G #	P #	Historic name	Current name	Authority
188	509	<i>Panax simplex</i>	<i>Raukaua simplex</i> (G.Forst.) A.D.Mitch.	FNZO
189	510	<i>Panax arboreum</i>	<i>Pseudopanax arboreus</i> (Murray) Philipson	FNZO
190	511	<i>Cussonia Lessonii</i>	<i>Pseudopanax lessonii</i> (DC.) K.Koch	FNZO
191	512	<i>Polyscias pinnata</i>	† <i>Polyscias pinnata</i> J.R. Forst. & G. Forst.	Hooker (1852, p. 97)
192	513	<i>Aralia schefflera</i>	<i>Schefflera digitata</i> J.R.Forst. & G.Forst.	FNZO
193	514	<i>Aralia crassifolia</i>	<i>Pseudopanax crassifolius</i> (Sol. ex A.Cunn.) K.Koch	FNZO
194	515	<i>Quintinia serrata</i>	<i>Quintinia serrata</i> A.Cunn.	FNZO
195	516	<i>Weinmannia betulina</i>	<i>Weinmannia silvicola</i> var. <i>betulina</i> (A.Cunn.) Hook.f.	FNZO
196	517	<i>Weinmannia fuchsiodes</i>	<i>Weinmannia silvicola</i> var. <i>betulina</i> (A.Cunn.) Hook.f.	Allan (1961, p. 348); FNZO
197	518	<i>Weinmannia sylvicola</i>	<i>Weinmannia silvicola</i> Sol. ex A.Cunn. var. <i>silvicola</i>	FNZO
198	519	<i>Leiospermum racemosum</i>	<i>Weinmannia racemosa</i> L.f.	FNZO
199	520	<i>Ackama rosaefolia</i>	<i>Ackama rosifolia</i> A.Cunn.	FNZO
200	521	<i>Tillaea verticillaris</i>	<i>Crassula sieberiana</i> (Schult. & Schult.f.) Druce	FNZO
201	522	<i>Mesembryanthemum australe</i>	<i>Disphyma australe</i> (W.T.Aiton) N.E.Br.	FNZO
202	523	<i>Tetragonia expansa</i>	<i>Tetragonia tetragonoides</i> (Pall.) Kuntze	FNZO
203	524	<i>Passiflora tetrandra</i>	<i>Passiflora tetrandra</i> Banks ex DC.	FNZO
204	525	<i>Sicyos australis</i>	<i>Sicyos mawhai</i> I.Telford & P.Sebastian	Telford et al. (2012)
205	526	<i>Cercodia erecta</i>	<i>Haloragis erecta</i> (Banks ex Murray) Oken subsp. <i>erecta</i>	FNZO
206	527	<i>Cercodia alternifolia</i>	<i>Haloragis erecta</i> (Banks ex Murray) Oken subsp. <i>erecta</i>	FNZO
207	528	<i>Cercodia incana</i>	<i>Gonocarpus incanus</i> (A.Cunn.) Orchard	FNZO
208	529	<i>Gonocarpus tetragynus</i>	<i>Gonocarpus incanus</i> (A.Cunn.) Orchard	Hooker (1852, p. 62); Allan (1961, p. 245); FNZO
209	530	<i>Gonocarpus citriodorus</i>	<i>Gonocarpus micranthus</i> Thunb. (1783)	Allan (1961, p. 244); FNZO
210	531	<i>Gonocarpus depressus</i>	<i>Gonocarpus aggregatus</i> (Buchanan) Orchard	FNZO
211	532	<i>Myriophyllum propinquum</i>	<i>Myriophyllum propinquum</i> A.Cunn.	FNZO
212	533	<i>Fuchsia excorticata</i>	<i>Fuchsia excorticata</i> (J.R.Forst. & G.Forst.) L.f.	FNZO
213	534	<i>Fuchsia procumbens</i>	<i>Fuchsia procumbens</i> A.Cunn.	FNZO
214	535	<i>Epilobium nummularifolium</i>	<i>Epilobium nummulariifolium</i> A.Cunn.	FNZO
215	536	<i>Epilobium pedunculare</i>	<i>Epilobium pedunculare</i> A.Cunn.	FNZO
216	537	<i>Epilobium microphyllum</i>	<i>Epilobium microphyllum</i> A.Rich.	FNZO
217	538	<i>Epilobium rotundifolium</i>	<i>Epilobium rotundifolium</i> G.Forst.	FNZO
218	539	<i>Epilobium thymifolium</i>	<i>Epilobium alsinoides</i> A.Cunn. subsp. <i>alsinoides</i>	FNZO
219	540	<i>Epilobium alsinoides</i>	<i>Epilobium alsinoides</i> A.Cunn. subsp. <i>alsinoides</i>	FNZO

G #	P #	Historic name	Current name	Authority
220	541	<i>Epilobium nerterioides</i>	<i>Epilobium nerterioides</i> A.Cunn.	FNZO
221	542	<i>Epilobium atriplicifolium</i>	<i>Epilobium alsinoides</i> subsp. <i>atriciplicifolium</i> (A.Cunn.) P.H.Raven & Engelhorn	FNZO
222	543	<i>Epilobium pubens</i>	<i>Epilobium pubens</i> A.Rich.	FNZO
223	544	<i>Epilobium cinereum</i> (' <i>ciniarium</i> ')	<i>Epilobium billardiereanum</i> subsp. <i>cinereum</i> (A.Rich.) P.H.Raven & Engelhorn	FNZO
224	545	<i>Epilobium incanum</i>	<i>Epilobium billardiereanum</i> subsp. <i>cinereum</i> (A.Rich.) P.H.Raven & Engelhorn	FNZO
225	546	<i>Epilobium hirtigerum</i>	<i>Epilobium hirtigerum</i> A.Cunn.	FNZO
226	547	<i>Epilobium virgatum</i>	<i>Epilobium billardiereanum</i> subsp. <i>cinereum</i> (A.Rich.) P.H.Raven & Engelhorn	FNZO
227	548	<i>Epilobium glabellum</i>	<i>Epilobium glabellum</i> G.Forst.	FNZO
228	549	<i>Epilobium confertum</i>	<i>Epilobium billardiereanum</i> subsp. <i>cinereum</i> (A.Rich.) P.H.Raven & Engelhorn	FNZO
229	550	<i>Epilobium pallidiflorum</i>	<i>Epilobium pallidiflorum</i> A.Cunn.	FNZO
230	551	<i>Epilobium junceum</i>	<i>Epilobium billardiereanum</i> subsp. <i>cinereum</i> (A.Rich.) P.H.Raven & Engelhorn	FNZO
231	552	<i>Epilobium haloragifolium</i>	<i>Epilobium alsinoides</i> A.Cunn. subsp. <i>alsinoides</i>	Hooker (1855, p. 329); FNZO
232	553	<i>Leptospermum Scoparium</i>	<i>Leptospermum scoparium</i> J.R.Forst. & G.Forst.	FNZO
233	554	<i>Leptospermum ericoides</i>	<i>Kunzea ericoides</i> (A.Rich.) Joy Thoms.	FNZO
234	555	<i>Metrosideros buxifolia</i>	<i>Metrosideros perforata</i> (J.R.Forst. & G.Forst.) A.Rich.	Allan (1961, p. 327); FNZO
235	556	<i>Metrosideros perforata</i>	<i>Metrosideros perforata</i> (J.R.Forst. & G.Forst.) A.Rich.	FNZO
236	557	<i>Metrosideros robusta</i>	<i>Metrosideros robusta</i> A.Cunn.	FNZO
237	558	<i>Metrosideros tomentosa</i>	<i>Metrosideros excelsa</i> Sol. ex Gaertn.	FNZO
238	559	<i>Metrosideros florida</i>	<i>Metrosideros fulgens</i> Sol. ex Gaertn.	FNZO
239	560	<i>Metrosideros diffusa</i>	<i>Metrosideros diffusa</i> (G.Forst.) Sm.	FNZO
240	561	<i>Metrosideros lucida</i>	<i>Metrosideros umbellata</i> Cav.	FNZO
241	562	<i>Metrosideros hypericifolia</i>	<i>Metrosideros diffusa</i> (G.Forst.) Sm.	FNZO
242	563	<i>Metrosideros salicifolia</i>	mixture of <i>Nestegis montana</i> and <i>Mida salicifolia</i> var. <i>salicifolia</i>	Hooker (1853, p. 176)
243	564	<i>Eugenia maire</i>	<i>Syzygium maire</i> (A.Cunn.) Sykes & Garn.-Jones	FNZO
244	565	<i>Myrtus bullata</i>	<i>Lophomyrtus bullata</i> Burret	FNZO
245	566	<i>Acaena sanguisorbae</i>	<i>Acaena anserinifolia</i> (J.R.Forst. & G.Forst.) J.B.Armstr.	FNZO
246	567	<i>Rubus australis</i>	<i>Rubus australis</i> G.Forst.	FNZO

G #	P #	Historic name	Current name	Authority
247	568	<i>Rubus schmidelioides</i>	<i>Rubus schmidelioides</i> A.Cunn.	FNZO
248	569	<i>Rubus cissoides ('cissioides')</i>	<i>Rubus cissoides</i> A.Cunn.	FNZO
249	570	<i>Edwardsia microphylla</i>	<i>Sophora microphylla</i> Aiton	FNZO
250	571	<i>Edwardsia grandiflora</i>	<i>Sophora tetraptera</i> J.F.Mill.	FNZO
251	572	<i>Clianthus puniceus</i>	<i>Clianthus puniceus</i> (G.Don) Sol. ex Lindl.	FNZO
252	573	<i>Guilandina</i> Bonduc	† <i>Caesalpinia</i> (<i>Guilandina</i>) bonduc (L.) Roxb.	Hooker (1864, p. 53); Gillis & Proctor (1974)
253	574	<i>Carmichaelia australis</i>	<i>Carmichaelia australis</i> R.Br.	FNZO
254	575	<i>Carpodetus serratus</i>	<i>Carpodetus serratus</i> J.R.Forst. & G.Forst.	FNZO
255	576	<i>Pennantia corymbosa</i>	<i>Pennantia corymbosa</i> J.R.Forst. & G.Forst.	FNZO
256	577	<i>Pomaderris kumeraho</i> ('Kumarahou')	<i>Pomaderris kumeraho</i> A.Cunn.	FNZO
257	578	<i>Pomaderris ericifolia</i>	<i>Pomaderris phyllicifolia</i> Lodd. ex Link	Allan (1961, p. 423); FNZO
258	579	<i>Corokia buddiaeoides</i>	<i>Corokia buddleoides</i> A.Cunn. var. <i>buddleoides</i>	FNZO
259	580	<i>Ixerba brexioides</i>	<i>Ixerba brexioides</i> A.Cunn.	FNZO
260	581	<i>Coriaria sarmentosa</i>	<i>Coriaria sarmentosa</i> G.Forst.	FNZO
261	582	<i>Melicope ternata</i>	<i>Melicope ternata</i> J.R.Forst. & G.Forst.	FNZO
262	583	<i>Melicope simplex</i>	<i>Melicope simplex</i> A.Cunn.	FNZO
263	584	<i>Oxalis Urvillei</i>	<i>Oxalis rubens</i> Haw.	Allan (1961, p. 238–239); FNZO
264	585	<i>Oxalis catarractae</i>	<i>Oxalis magellanica</i> G.Forst.	FNZO
265	586	<i>Oxalis propinqua</i>	<i>Oxalis rubens</i> Haw.	FNZO
266	587	<i>Oxalis exilis</i>	<i>Oxalis exilis</i> A.Cunn.	FNZO
267	588	<i>Oxalis divergens</i>	<i>Oxalis rubens</i> Haw.	FNZO
268	589	<i>Oxalis tenuicaulis</i>	<i>Oxalis exilis</i> A.Cunn.	FNZO
269	590	<i>Oxalis lacicola</i>	<i>Oxalis rubens</i> Haw.	FNZO
270	591	<i>Oxalis ciliifera</i>	<i>Oxalis exilis</i> A.Cunn.	FNZO
271	592	<i>Oxalis crassifolia</i>	<i>Oxalis rubens</i> Haw.	FNZO
272	593	<i>Geranium pilosum</i>	<i>Geranium solanderi</i> Carolin	FNZO
273	594	<i>Geranium retrorsum</i>	<i>Geranium retrorsum</i> L'Hér. ex DC.	FNZO
274	595	<i>Pelargonium clandestinum</i>	<i>Pelargonium inodorum</i> Willd.	FNZO
275	596	<i>Hypericum pusillum</i>	<i>Hypericum pusillum</i> Choisy	FNZO
276	597	<i>Hartighsea spectabilis</i>	<i>Dysoxylum spectabile</i> (G.Forst.) Hook.f.	FNZO
277	598	<i>Alectryon excelsum</i>	<i>Alectryon excelsus</i> Gaertn. subsp. <i>excelsus</i>	FNZO
278	599	<i>Dodonaea spathulata</i>	<i>Dodonaea viscosa</i> Jacq. subsp. <i>viscosa</i>	FNZO

G #	P #	Historic name	Current name	Authority
279	600	<i>Hoheria populnea</i>	<i>Hoheria populnea</i> A.Cunn.	FNZO
280	601	<i>Entelia arborescens</i>	<i>Entelea arborescens</i> R.Br.	FNZO
281	602	<i>Elaeocarpus Hinau</i>	<i>Elaeocarpus dentatus</i> (J.R.Forst. & G.Forst.) Vahl var. <i>dentatus</i>	FNZO
282	603	<i>Friesia racemosa</i>	<i>Aristotelia serrata</i> (J.R.Forst. & G.Forst.) W.R.B.Oliv.	FNZO
283	604	<i>Plagianthus divaricatus</i>	<i>Plagianthus divaricatus</i> J.R.Forst. & G.Forst.	FNZO
284	605	<i>Plagianthus betulinus</i>	<i>Plagianthus regius</i> (Poit.) Hochr. subsp. <i>regius</i>	FNZO
285	606	<i>Plagianthus urticinus</i>	<i>Plagianthus regius</i> (Poit.) Hochr. subsp. <i>regius</i>	Allan (1961, p. 337); FNZO
286	607	<i>Hibiscus vesicarius</i>	* <i>Hibiscus trionum</i> L. var. <i>trionum</i>	FNZO
287	608	<i>Linum monogynum</i>	<i>Linum monogynum</i> G.Forst. var. <i>monogynum</i>	FNZO
288	609	<i>Arenaria media</i>	* <i>Spergularia media</i> (L.) C.Presl	FNZO
289	[no number, should be 610]	<i>Stellaria media</i>	* <i>Stellaria media</i> (L.) Vill.	FNZO
290	611 ['610']	<i>Elatine gratioloides</i>	<i>Elatine gratioloides</i> A.Cunn.	FNZO
291	612	<i>Pittosporum crassifolium</i>	<i>Pittosporum crassifolium</i> Banks & Sol. ex A.Cunn.	FNZO
292	613	<i>Pittosporum umbellatum</i>	<i>Pittosporum umbellatum</i> Banks & Sol. ex Gaertn.	FNZO
293	614	<i>Pittosporum eugenoides</i>	<i>Pittosporum eugenoides</i> A.Cunn.	FNZO
294	615	<i>Pittosporum tenuifolium</i>	<i>Pittosporum tenuifolium</i> Sol. ex Gaertn.	FNZO
295	616	<i>Pittosporum cornifolium</i>	<i>Pittosporum cornifolium</i> A.Cunn.	FNZO
296	617	<i>Pittosporum reflexum</i>	<i>Pittosporum pimeleoides</i> A.Cunn. subsp. <i>pimeleoides</i>	FNZO
297	618	<i>Pittosporum pimelioides</i> ('pinieleoides')	<i>Pittosporum pimelioides</i> A.Cunn. subsp. <i>pimelioides</i>	FNZO
298	619	<i>Pittosporum radicans</i>	<i>Pittosporum pimelioides</i> A.Cunn. subsp. <i>pimelioides</i>	FNZO
299	620	<i>Drosera propinqua</i>	<i>Drosera spatulata</i> Labill.	Allan (1961, p. 1016); FNZO
300	621	<i>Drosera intermedia</i>	<i>Drosera binata</i> Labill.	FNZO
		<i>Drosera collina</i>	<i>Drosera auriculata</i> Backh. ex Planch.	
301	622	<i>Erpetion spathulata</i>	<i>Viola cunninghamii</i> Hook.f.	Hooker (1852, p. 16); FNZO
302	623	<i>Melicytus ramiflorus</i>	<i>Melicytus ramiflorus</i> J.R.Forst. & G.Forst. subsp. <i>ramiflorus</i>	FNZO
303	624	<i>Melicytus macrophyllus</i>	<i>Melicytus macrophyllus</i> A.Cunn.	FNZO
304	625	<i>Nasturtium sylvestre</i>	<i>Rorippa palustris</i> (L.) Besser	FNZO
305	626	<i>Cardamine debilis</i>	<i>Cardamine debilis</i> Banks ex DC.	FNZO
306	627	<i>Alyssum maritimum</i>	* <i>Lobularia maritima</i> (L.) Desv.	FNZO

G #	P #	Historic name	Current name	Authority
307	628	<i>Lepidium oleraceum</i>	<i>Lepidium oleraceum</i> G.Forst. ex Sparrm.	FNZO
308	629	<i>Drimys axillaris</i>	<i>Pseudowintera axillaris</i> (J.R.Forst. & G.Forst.) Dandy	FNZO
309	630	<i>Ranunculus rivularis</i>	<i>Ranunculus amphitrichus</i> Colenso	FNZO
310	631	<i>Ranunculus acaulis</i>	<i>Ranunculus acaulis</i> Banks & Sol. ex DC.	FNZO
311	632	<i>Ranunculus acris</i>	* <i>Ranunculus acris</i> L.	FNZO
312	633	<i>Ranunculus plebeius</i>	<i>Ranunculus reflexus</i> Garn.-Jones	Allan (1961, p. 153); FNZO
313	634	<i>Ranunculus hirtus</i>	<i>Ranunculus reflexus</i> Garn.-Jones	FNZO
314	635	<i>Clematis indivisa</i>	<i>Clematis paniculata</i> J.F.Gmel.	FNZO
315	636	<i>Clematis parviflora</i>	<i>Clematis cunninghamii</i> Turcz.	FNZO
316	637	<i>Clematis hexasepala</i>	<i>Clematis forsteri</i> J.F.Gmel.	FNZO
317	638	<i>Corynocarpus laevigata</i>	<i>Corynocarpus laevigatus</i> J.R.Forst. & G.Forst.	FNZO
318	639	<i>Griselinia lucida</i>	<i>Griselinia lucida</i> G.Forst.	FNZO
		<i>Xylosma orbiculatum</i>	† <i>Xylosma orbiculata</i> (J.R. Forst. & G. Forst.) G.Forst.	Fosberg (1993)
319	77	<i>Sphagnum latifolium</i>	<i>Sphagnum</i> sp. indet.	
320	78	<i>Gymnostomum gracile</i>	<i>Leptostomum inclinans</i> R.Br.	NTA
321	79	<i>Gymnostomum macrocarpum</i>	<i>Leptostomum macrocarpon</i> (Hedw.) Bach.Pyl.	Beever, Allison & Child (1992)
322	80	<i>Gymnostomum leptostomum</i>	<i>Leptostomum erectum</i> R.Br.	NTA
323	81	<i>Polytrichum subulatum</i>	<i>Pogonatum subulatum</i> (Brid.) Brid.	NTA
324	82	<i>Polytrichum dendroides</i>	<i>Dendroligotrichum dendroides</i> (Hedw.) Broth.	NTA
325	83	<i>Polytrichum tenuirostrae</i>	<i>Oligotrichum tenuirostre</i> (Hook.) A.Jaeger	NTA
326	84	<i>Dicranum glaucum</i>	<i>Leucobryum candidum</i> (Brid. Ex P.Beauv.) Wilson	NTA
327	85	<i>Dicranum Billardieri</i>	<i>Dicranoloma billardieri</i> (Brid.) Paris	NTA
328	86	<i>Dicranum dicarpon</i>	<i>Dicranoloma dicarpum</i> (Nees) Paris	NTA
329	87	<i>Trichostomum perichaetiale</i>	<i>Holomitrium perichaetiale</i> (Hook.) Brid.	NTA
330	88	<i>Leucodon calycinus</i>	<i>Dicnemon calycinum</i> (Hook.) Schwägr.	NTA
331	89	<i>Zygodon conoideum</i>	<i>Zygodon intermedius</i> Bruch & Schimp.	NTA
332	90	<i>Orthotrichum prorepens</i>	<i>Macromitrium prorepens</i> (Hook.) Schwägr.	NTA
333	91	<i>Orthotrichum longirostrum</i>	<i>Macromitrium longirostre</i> (Hook.) Schwägr.	NTA
334	92	<i>Orthotrichum longipes</i>	<i>Macromitrium longipes</i> (Hook.) Schwägr.	NTA
335	93	<i>Orthotrichum gracile</i>	<i>Macromitrium gracile</i> (Hook.) Schwägr.	NTA
336	94	<i>Neckera planifolia</i>	<i>Trachyloma planifolium</i> (Hedw.) Brid.	NTA
337	95	<i>Neckera setosa</i>	<i>Cladomnion setosum</i> (Hedw.) Wilson	NTA
338	96	<i>Bartramia pendula</i>	<i>Breutelia pendula</i> (Sm.) Mitt.	NTA

G #	P #	Historic name	Current name	Authority
339	97	<i>Codonoblepharum Menziesii</i>	<i>Zygodon menziesii</i> (Schwägr.) Arn.	NTA
340	[omitted]	<i>Bryum bartramoides</i>	<i>Cryptopodium bartramioides</i> (Hook.) Brid.	FNZO
341	[omitted]	<i>Bryum dichotomum</i>	<i>Bryum dichotomum</i> Hedw.	FNZO
342	100	<i>Hookeria pennata</i>	<i>Cyathophorum bulbosum</i> (Hedw.) Müll.Hal.	NTA
343	101	<i>Hookeria quadrifaria</i>	<i>Achrophyllum quadrifarium</i> (Sm.) Vitt & Crosby	NTA
344	102	<i>Hookeria rotulata</i>	<i>Hypopterygium didictyon</i> Müll.Hal.	NTA
345	103	<i>Leskea sulcata</i>	<i>Braithwaitea sulcata</i> (Hook.) A.Jaeger	NTA
346	104	<i>Leskea ericoides</i>	<i>Cladomnion ericoides</i> (Hook.) Hook.f. & Wilson	NTA
347	105	<i>Leskea mollis</i>	<i>Weymouthia mollis</i> (Hedw.) Broth.	NTA
348	106	<i>Leskea concinna</i>	<i>Lopidium concinnum</i> (Hook.) Hook.f. & Wilson	NTA
349	107	<i>Hypnum spiniforme</i>	<i>Pyrrhobryum paramattense</i> (Müll.Hal.) Manuel	FNZO
350	108	<i>Hypnum spininervium</i>	<i>Hypnodendron spininervium</i> (Hook.) A.Jaeger & Sauerb.	NTA
351	109	<i>Hypnum bifarium</i>	<i>Pyrrhobryum bifarium</i> (Hook.) Manuel	FNZO
352	110	<i>Hypnum distichum</i>	<i>Rhizogonium distichum</i> (Sw.) Brid.	FNZO
353	111	<i>Hypnum amoenum</i>	<i>Rhaphidorrhynchium amoenum</i> (Hedw.) M.Fleisch.	FNZO
354	112	<i>Hypnum leptorrhynchon</i>	<i>Rhaphidorrhynchium amoenum</i> (Hedw.) M.Fleisch.	FNZO
355	113	<i>Hypnum aciculare</i>	<i>Ptychomnion aciculare</i> (Brid.) Mitt.	NTA
356	114	<i>Hypnum gratum</i>	<i>Thuidiopsis sparsa</i> (Hook.f. & Wilson) Broth. var. <i>sparsa</i>	NTA
357	115	<i>Hypnum comosum</i>	<i>Mniodes comosum</i> (Labill.) Lindb. var. <i>comosum</i>	NTA
358	116	<i>Hypnum Menziesii</i>	<i>Sciadocladus menziesii</i> (Hook.) Broth. subsp. <i>menziesii</i>	NTA
359	117	<i>Hypnum Neckerioides</i>	<i>Thamnobryum neckerioides</i> (Hook.) E. Lawton	NTA
360	118	<i>Hypnum arbuscula</i>	<i>Camptochaete arbuscula</i> (Sm.) Reichardt	NTA
361	119	<i>Hypnum flexile</i>	<i>Weymouthia cochlearifolia</i> (Schwägr.) Dixon	NTA
362	120	<i>Hypnum Mongeotianum</i>	<i>Hymenodon pilifer</i> Hook.f. & Wilson	NTA
363	121	<i>Racopilum tomentosum</i>	<i>Racopilum cuspidigerum</i> var. <i>convolutaceum</i> (Müll.Hal.) Zanten & Dijkstra	NTA
364	122	<i>Jungermannia scolopendra</i>	<i>Lepicolea scolopendra</i> (Hook.) Dumort. ex Trevis.	Engel & Glenny (2008 p. 99)
365	123	<i>Jungermannia saccata</i>	<i>Tylimanthus saccatus</i> (Hook.) Mitt.	Hodgson (1957)
366	124	<i>Jungermannia falcata</i>	<i>Adelanthus falcatus</i> (Hook.) Mitt.	Engel & Glenny (2008 p. 621)
367	125	<i>Jungermannia adiantoides</i>	<i>Plagiochila annotina</i> Lindenb.	Hooker (1854, p. 131)
368	126	<i>Jungermannia conjugata</i>	<i>Plagiochila conjugata</i> (Hook.) Dumort.	Hodgson (1942)
369	127	<i>Jungermannia ramosissima</i>	<i>Plagiochila ramosissima</i> (Hook.) Lindenb.	Hodgson (1943)
370	128	<i>Jungermannia gigantea</i>	<i>Plagiochila gigantea</i> (Hook.) Dumort.	Hodgson (1943)

G #	P #	Historic name	Current name	Authority
371	129	<i>Jungermannia pinnatifolia</i>	<i>Schistochila pinnatifolia</i> (Hook.) Steph.	Hodgson (1942)
372	130	<i>Jungermannia Billardieri</i>	<i>Heteroscyphus billardieri</i> (Schwägr.) Schiffn.	NTA
373	131	<i>Jungermannia sinuosa</i>	<i>Heteroscyphus sinuosus</i> (Hook.) Schiffn.	NTA
374	132	<i>Jungermannia coalita</i>	<i>Heteroscyphus coalitus</i> (Hook.) Schiffn.	NTA
375	133	<i>Jungermannia squarrosa</i>	<i>Chandonanthus squarrosus</i> (Hook.) Mitt. ex Schiffn.	Engel & Glenny (2008 p. 641)
376	134	<i>Jungermannia nobilis</i>	<i>Schistochila nobilis</i> (Hook.) Steph.	Hodgson (1942)
377	135	<i>Jungermannia glaucescens</i>	<i>Schistochila glaucescens</i> (Hook.) Steph.	Hodgson (1942)
378	136	<i>Jungermannia lanata</i>	<i>Leiomitra lanata</i> (Hook.) R.M.Schust.	Engel & Glenny (2008 p. 176)
379	137	<i>Jungermannia flagellifera</i>	<i>Dendromastigophora flagellifera</i> (Hook.) R.M.Schust.	NTA
380	138	<i>Jungermannia appendiculata</i>	<i>Schistochila appendiculata</i> (Hook.) Steph.	Hodgson (1942)
381	139	<i>Jungermannia tomentella</i>	<i>Trichocolea</i> sp. indet.	
382	140	<i>Jungermannia pulchella</i>	<i>Temnoma pulchellum</i> (Hook.) Mitt.	Engel & Glenny (2008 p. 151)
383	141	<i>Jungermannia pendulina</i>	<i>Lepidozia pendulina</i> (Hook.) Lindenb.	Engel & Glenny (2008 p. 206)
384	142	<i>Jungermannia microphylla</i>	<i>Lepidozia microphylla</i> (Hook.) Lindenb.	Engel & Glenny (2008 p. 204)
385	144	<i>Jungermannia clavigera</i>	<i>Lepidolaena clavigera</i> (Hook.) Trev. ex Dumort.	Hodgson (1959)
386	143	<i>Jungermannia palpebrifolia</i>	<i>Lepidolaena palpebrifolia</i> (Hook.) Trev. ex Dumort.	Hodgson (1959)
387	145	<i>Jungermannia Phyllanthus</i>	<i>Podomitrium phyllanthus</i> (Hook.) Mitt.	NTA
388	146	<i>Jungermannia flabellata</i>	<i>Hymenophyton flabellatum</i> (Labill.) Trevis	NTA
389	147	<i>Jungermannia Hymenophyllum</i>	<i>Symphogyna hymenophyllum</i> (Hook.) Mont. & Nees	NTA
390	148	<i>Jungermannia eriocaulae</i>	<i>Riccardia eriocaula</i> (Hook.) C.Massal.	NTA
391	149	<i>Anthoceros giganteus</i>	<i>Nothoceros giganteus</i> (Lehm. & Lindenb.) Haseg. ex J.C.Villarreal, Hässel & Salazar	NTA
392	150	<i>Marchantia</i> [polymorpha]	<i>Marchantia polymorpha</i> L. sens. lat.	NTA
393	151	<i>Tmesipteris Forsterii</i>	<i>Tmesipteris tannensis</i> (Spreng.) Bernh.	Chinnock (1975); FNZO
394	152	<i>Lycopodium Lessonianum</i>	<i>Lycopodium scariosum</i> G.Forst.	FNZO
395	153	<i>Lycopodium densum</i>	<i>Lycopodium deuterodensum</i> Herter	FNZO
396	154	<i>Lycopodium cernuum</i>	<i>Lycopodiella cernua</i> (L.) Pic.Serm.	FNZO
397	155	<i>Lycopodium Flagellaria</i>	<i>Phlegmariurus varius</i> (R.Br.) A.R.Field & Bostock	FNZO
398	156	<i>Lycopodium laterale</i>	<i>Lycopodiella lateralis</i> (R.Br.) B.Øllg.	FNZO
399	157	<i>Lycopodium Phlegmaria</i>	<i>Phlegmariurus varius</i> (R.Br.) A.R.Field & Bostock	Hooker (1854, p. 56)
400	158	<i>Lycopodium volubile</i>	<i>Lycopodium volubile</i> G.Forst.	FNZO
401	159	<i>Lycopodium D'Urvillaei</i>	<i>Lycopodium volubile</i> G.Forst.	FNZO
402	160	<i>Botrychium australe</i>	<i>Botrychium australe</i> R.Br.	FNZO

G #	P #	Historic name	Current name	Authority
403	161	<i>Ophioglossum coriaceum</i>	<i>Ophioglossum coriaceum</i> A.Cunn.	FNZO
404	162	<i>Ophioglossum elongatum</i>	<i>Ophioglossum petiolatum</i> Hook.	FNZO
405	163	<i>Gleichenia hecystophylla</i>	<i>Gleichenia dicarpa</i> R.Br.	FNZO
406	164	<i>Gleichenia flabellata</i>	<i>Sticherus flabellatus</i> (R.Br.) H.St.John	FNZO
407	165	<i>Gleichenia Hermanii</i>	<i>Dicranopteris linearis</i> (Burm.f.) Underw.	FNZO
408		<i>Gleichenia arachnoidea</i>	<i>Sticherus cunninghamii</i> (Heward ex Hook.) Ching	FNZO
409	166	<i>Todea pellucida</i>	<i>Leptopteris hymenophylloides</i> (A.Rich.) C.Presl	FNZO
		<i>Todea superba</i>	<i>Leptopteris superba</i> (Colenso) C.Presl	FNZO
410	167	<i>Lygodium articulatum</i>	<i>Lygodium articulatum</i> A.Rich.	FNZO
411	168	<i>Schizaea propinqua</i>	<i>Schizaea fistulosa</i> Labill.	FNZO
412	169	<i>Schizaea bifida</i>	<i>Schizaea bifida</i> Willd.	FNZO
413	170	<i>Schizaea dichotoma</i>	<i>Schizaea dichotoma</i> (L.) Sm.	FNZO
414	171	<i>Grammitis scolopendria</i>	<i>Notogrammitis billardieri</i> (Willd.) Parris	Hooker (1854, p. 44); Perrie & Parris (2012)
415	172	<i>Grammitis australis</i>	<i>Notogrammitis billardieri</i> (Willd.) Parris	Perrie & Parris (2012)
		<i>Grammitis ciliata</i>	<i>Notogrammitis ciliata</i> (Colenso) Parris	Perrie & Parris (2012)
		<i>Gymnogramma Novae Zelandiae</i>	<i>Anogramma leptophylla</i> (L.) Link	FNZO
416	173	<i>Polypodium attenuatum</i>	<i>Loxogramme dictyopteris</i> (Mett.) Copel.	Allan (1961, p. 45); FNZO
417	174	<i>Polypodium Billardieri</i>	<i>Microsorum pustulatum</i> (G.Forst.) Copel.	FNZO
418	175	<i>Polypodium pustulatum</i>	<i>Microsorum pustulatum</i> (G.Forst.) Copel.	FNZO
419	176	<i>Polypodium tenellum</i>	<i>Arthropteris tenella</i> (G.Forst.) J.Sm. ex Hook.f.	FNZO
420	177	<i>Polypodium grammitidis</i>	<i>Notogrammitis heterophylla</i> (Labill.) Parris	Perrie & Parris (2012)
		<i>Polypodium sylvaticum</i>	<i>Polystichum silvaticum</i> (Colenso) Diels	FNZO
		<i>Polypodium viscidum</i>	<i>Hypolepis rufobarbata</i> (Colenso) N.A.Wakef.	Brownsey & Chinnock (1984)
421	178	<i>Niphobolus rupestris</i>	<i>Pyrrosia eleagnifolia</i> (Bory) Hovenkamp	Hooker (1854, p. 44); FNZO
422	179	<i>Niphobolus bicolor</i>	<i>Pyrrosia eleagnifolia</i> (Bory) Hovenkamp	Hooker (1854, p. 44); FNZO
423	180	<i>Lomaria lanceolata</i>	<i>Blechnum chambersii</i> Tindale	FNZO
		<i>Lomaria heterophylla</i>	<i>Blechnum colensoi</i> (Hook.f.) N.A.Wakef.	FNZO
		<i>Lomaria deflexa</i>	<i>Blechnum vulcanicum</i> (Blume) Kuhn	FNZO
		<i>Lomaria deltoides</i>	<i>Blechnum vulcanicum</i> (Blume) Kuhn	FNZO
		<i>Lomaria Banksii</i>	<i>Blechnum blechnoides</i> (Bory) Keyserl.	FNZO
424	181	<i>Lomaria discolor</i>	<i>Blechnum discolor</i> (G.Forst.) Keyserl.	FNZO
425	182	<i>Lomaria procera</i>	<i>Blechnum procerum</i> (G.Forst.) Sw.	FNZO

G #	P #	Historic name	Current name	Authority
426	183	Lomaria filiformis	<i>Blechnum filiforme</i> (A.Cunn.) Ettingsh.	FNZO
427	184	Lomaria propinqua	<i>Blechnum filiforme</i> (A.Cunn.) Ettingsh.	FNZO
428	185	Lomaria Fraserii	<i>Blechnum fraseri</i> (A.Cunn.) Luerss.	FNZO
429		Lomaria crenulata	<i>Blechnum minus</i> (R.Br.) Ettingsh.	
430		Lomaria gigantea	<i>Blechnum novae-zelandiae</i> T.C.Chambers & P.A.Farrant	
		Lomaria polymorpha	<i>Blechnum filiforme</i> (A.Cunn.) Ettingsh.	Hooker (1844); FNZO
		Lomaria latifolia	<i>Blechnum procerum</i> (G.Forst.) Sw.	FNZO
		Lomaria linearis	<i>Blechnum penna-marina</i> subsp. <i>alpina</i> T.C.Chambers & P.A.Farrant	FNZO
		Lomaria nigra	<i>Blechnum nigrum</i> (Colenso) Mett.	FNZO
431	186	Allantodia tenera	<i>Diplazium australe</i> (R.Br.) N.A.Wakef.	FNZO
433	187	Asplenium falcatum	<i>Asplenium polyodon</i> G.Forst.	FNZO
433	188	Asplenium polyodon	<i>Asplenium polyodon</i> G.Forst.	FNZO
434	189	Asplenium lucidum	<i>Asplenium oblongifolium</i> Colenso	FNZO
435	190	Asplenium obliquum	<i>Asplenium obtusatum</i> G.Forst.	FNZO
436	191	Asplenium obtusatum	<i>Asplenium obtusatum</i> G.Forst.	FNZO
437	192	Asplenium flabellifolium	<i>Asplenium flabellifolium</i> Cav.	FNZO
438	193	Asplenium bulbiferum	<i>Asplenium bulbiferum</i> G.Forst.	FNZO
		Asplenium Forsterianum	<i>Asplenium polyodon</i> G.Forst.	FNZO
		Asplenium Hookerianum	<i>Asplenium hookerianum</i> Colenso	FNZO
		Asplenium Colensoi	<i>Asplenium hookerianum</i> Colenso	FNZO
439	194	Caenopteris flaccida	<i>Asplenium flaccidum</i> G.Forst.	FNZO
440	195	Doodia aspera	<i>Blechnum parrisiae</i> Christenh.	Parris (1972); FNZO
441	196	Doodia caudata	<i>Blechnum molle</i> (Parris) Christenh.	Parris (1980); FNZO
442	197	Doodia Kunthiana	<i>Blechnum parrisiae</i> Christenh.	Parris (1972); FNZO
443	198	Pteris rotundifolia	<i>Pellaea rotundifolia</i> (G.Forst.) Hook.	FNZO
444	199	Pteris comans	<i>Pteris comans</i> G.Forst.	FNZO
445	200	Pteris esculenta	<i>Pteridium esculentum</i> (G.Forst.) Cockayne	FNZO
446	201	Pteris affinis	<i>Pteris tremula</i> R.Br.	FNZO
447	202	Pteris macilenta	<i>Pteris macilenta</i> A.Rich.	FNZO
448	203	Pteris Brunonianana	<i>Histiopteris incisa</i> (Thunb.) J.Sm.	FNZO
449	204	Pteris scaberula	<i>Paesia scaberula</i> (A.Rich.) Kuhn	FNZO
450	205	Pteris tenuis	<i>Pteris tremula</i> R.Br.	FNZO

G #	P #	Historic name	Current name	Authority
451	206	Pteris microphylla	<i>Paesia scaberula</i> (A.Rich.) Kuhn	FNZO
		Pteris montana	<i>Histiopteris incisa</i> (Thunb.) J.Sm.	FNZO
452	207	Adiantum affine	<i>Adiantum cunninghamii</i> Hook.	Allan (1961, p. 99); FNZO
453	208	Adiantum formosum	<i>Adiantum formosum</i> R.Br.	FNZO
454	209	Adiantum hispidulum	<i>Adiantum hispidulum</i> Sw.	FNZO
		Adiantum falcatum	<i>Adiantum</i> sp. indet.	
		Adiantum assimile	<i>Adiantum aethiopicum</i> L.	FNZO
455	210	Cheilanthes tenuifolia	<i>Cheilanthes austrotenuifolia</i> H.M.Quirk & T.C.Chambers	Quirk et al. (1983); FNZO
456	211	Cheilanthes ambigua	<i>Hypolepis ambigua</i> (A.Rich.) Brownsey & Chinnock	FNZO
		Cheilanthes pellucida	<i>Hypolepis dicksonioides</i> (Endl.) Hook.	FNZO
457	212	Lindsaea Lessonii	<i>Lindsaea trichomanoides</i> Dryand.	FNZO
458	213	Lindsaea linearis	<i>Lindsaea linearis</i> Sw.	FNZO
459	214	Lindsaea trichomanoides ('trichomenoides')	<i>Lindsaea trichomanoides</i> Dryand.	FNZO
		Lindsaea viridis	<i>Lindsaea viridis</i> Colenso	FNZO
460	215	Loxsoma Cunninghamii	<i>Loxsoma cunninghamii</i> R.Br. ex Hook.	FNZO
		Davallia Novae Zealandiae	<i>Leptolepia novae-zelandiae</i> (Colenso) Mett. ex Diels	FNZO
461	216	Dicksonia squarrosa	<i>Dicksonia squarrosa</i> (G.Forst.) Sw.	FNZO
		Dicksonia fibrosa	<i>Dicksonia fibrosa</i> Colenso	FNZO
		Dicksonia lanata	<i>Dicksonia lanata</i> Colenso	FNZO
462	217	Aspidium pennigerum	<i>Pneumatopteris pennigera</i> (G.Forst.) Holttum	FNZO
463	218	Aspidium vestitum	<i>Polystichum vestitum</i> (G.Forst.) C.Presl	FNZO
464	219	Aspidium serra	† <i>Thelypteris serra</i> (Sw.) R. St. John	Hooker (1854, p. 40); Tryon & Tryon (1982)
465	220	Aspidium proliferum	<i>Polystichum vestitum</i> (G.Forst.) C.Presl	Hooker (1854, p. 38); FNZO
466	221	Aspidium hispidum	<i>Lastreopsis hispida</i> (Sw.) Tindale	FNZO
467	222	Aspidium velutinum	<i>Lastreopsis velutina</i> (A.Rich.) Tindale	FNZO
468	223	Aspidium coriaceum	<i>Rumohra adiantiformis</i> (G.Forst.) Ching	FNZO
		Aspidium Cunninghamianum	<i>Rumohra adiantiformis</i> (G.Forst.) Ching	FNZO
		Aspidium Waikarensense	<i>Polystichum vestitum</i> (G.Forst.) C.Presl	FNZO
		Aspidium pulcherrimum	<i>Polystichum vestitum</i> (G.Forst.) C.Presl	FNZO
469	224	Nephrodium glabellum	<i>Lastreopsis glabella</i> (A.Cunn.) Tindale	FNZO
470	225	Nephrodium molle	<i>Christella dentata</i> (Forssk.) Brownsey & Jermy	FNZO
471	226	Cyathea dealbata	<i>Cyathea dealbata</i> (G.Forst.) Sw.	FNZO

G #	P #	Historic name	Current name	Authority
472	227	<i>Cyathea medullaris</i>	<i>Cyathea medullaris</i> (G.Forst.) Sw.	FNZO
473	228	<i>Trichomanes reniforme</i> ('Trichomenes')	<i>Hymenophyllum nephrophyllum</i> Ebihara & K.Iwats.	FNZO
474	229	<i>Trichomanes venosum</i>	<i>Trichomanes venosum</i> R.Br.	FNZO
475	230	<i>Trichomanes strictum</i>	<i>Trichomanes strictum</i> Menzies ex Hook. & Grev.	FNZO
476	231	<i>Trichomanes elongatum</i>	<i>Trichomanes elongatum</i> A.Cunn.	FNZO
477	232	<i>Trichomanes leptophyllum</i>	<i>Trichomanes strictum</i> Menzies ex Hook. & Grev.	FNZO
478	233	<i>Hymenophyllum dilatatum</i>	<i>Hymenophyllum dilatatum</i> (G.Forst.) Sw.	FNZO
479	234	<i>Hymenophyllum sanguinolentum</i>	<i>Hymenophyllum sanguinolentum</i> (G.Forst.) Sw.	FNZO
480	235	<i>Hymenophyllum scabrum</i>	<i>Hymenophyllum scabrum</i> A.Rich.	FNZO
481	237	<i>Hymenophyllum tortuosum</i>	† <i>Hymenophyllum tortuosum</i> Hook. & Grev.	FNZO
482	236	<i>Hymenophyllum nitens</i>	<i>Hymenophyllum flabellatum</i> Labill.	FNZO
483	238	<i>Hymenophyllum flexuosum</i>	<i>Hymenophyllum flexuosum</i> A.Cunn.	FNZO
484	239	<i>Hymenophyllum secundum</i>	† <i>Hymenophyllum secundum</i> Hook. et Grev.	FNZO
485	240	<i>Hymenophyllum multifidum</i>	<i>Hymenophyllum multifidum</i> (G.Forst.) Sw.	FNZO
486	241	<i>Hymenophyllum semibivalve</i>	<i>Hymenophyllum rarum</i> R.Br.	FNZO
487	242	<i>Hymenophyllum minimum</i>	<i>Hymenophyllum minimum</i> A.Rich.	FNZO
488	243	<i>Hymenophyllum Tunbrigdense</i>	<i>Hymenophyllum revolutum</i> Colenso	Hooker (1854, p. 31); FNZO
489	244	<i>Hymenophyllum bivalve</i>	<i>Hymenophyllum bivalve</i> (G.Forst.) Sw.	FNZO
490	245	<i>Hymenophyllum demissum</i> ('dimissum')	<i>Hymenophyllum demissum</i> (G.Forst.) Sw.	FNZO
		<i>Hymenophyllum imbricatum</i>	<i>Hymenophyllum rarum</i> R.Br.	FNZO
		<i>Hymenophyllum atrovirens</i>	<i>Hymenophyllum australe</i> Willd.	FNZO
		<i>Hymenophyllum Franklinianum</i>	<i>Hymenophyllum frankliniae</i> Colenso	FNZO
		<i>Hymenophyllum revolutum</i>	<i>Hymenophyllum revolutum</i> Colenso	FNZO
		<i>Hymenophyllum pulcherrimum</i>	<i>Hymenophyllum pulcherrimum</i> Colenso	FNZO
		<i>Hymenophyllum spathulatum</i>	<i>Hymenophyllum bivalve</i> (G.Forst.) Sw.	FNZO
		<i>Notholaena distans</i> ('Nothoclaena')	<i>Cheilanthes distans</i> (R.Br.) Mett.	FNZO
		<i>Hymenophyllum villosum</i>	<i>Hymenophyllum villosum</i> Colenso	FNZO
491	246	<i>Agrostis crinita</i>	<i>Dichelachne crinita</i> (L.f.) Hook.f.	Hooker (1853, p. 293); FNZO
492	247	<i>Agrostis ovata</i>	<i>Echinopogon ovatus</i> (G.Forst.) P.Beauv.	FNZO
493	248	<i>Agrostis rigida</i>	<i>Anemanthele lessoniana</i> (Steud.) Veldkamp	FNZO
494	249	<i>Agrostis procera</i>	<i>Anemanthele lessoniana</i> (Steud.) Veldkamp	FNZO
495	250	<i>Agrostis conspicua</i>	<i>Chionochloa conspicua</i> (G.Forst.) Zотов	FNZO

G #	P #	Historic name	Current name	Authority
496	251	<i>Agrostis aemula</i>	<i>Lachnagrostis filiformis</i> (G.Forst.) Trin.	Edgar & Connor (2000, p. 271); FNZO
497	252	<i>Agrostis Billardieri</i>	<i>Lachnagrostis billardierei</i> (R.Br.) Trin. subsp. <i>billardierei</i>	FNZO
498	253	<i>Agrostis Forsteri</i>	<i>Lachnagrostis filiformis</i> (G.Forst.) Trin.	FNZO
499	254	<i>Agrostis pilosa</i>	<i>Lachnagrostis pilosa</i> (Buchanan) Edgar	FNZO
500	255	<i>Phalaris canariensis</i>	* <i>Phalaris canariensis</i> L.	FNZO
501	256	<i>Danthonia pallida</i>	<i>Trisetum antarcticum</i> (G.Forst.) Trin.	Hooker (1853, p. 301); FNZO
502	257	<i>Avena Antarctica</i>	<i>Trisetum antarcticum</i> (G.Forst.) Trin.	FNZO
503	258	<i>Bromus australis</i>	<i>Bromus arenarius</i> Labill.	Hooker (1853, p. 310); FNZO
504	259	<i>Schenodorus littoralis</i>	<i>Poa billardierei</i> (Spreng.) St.-Yves	FNZO
505	260	<i>Triticum scabrum</i>	<i>Anthosachne kingiana</i> subsp. <i>multiflora</i> (Banks & Sol. ex Hook.f.) Govaerts	Hooker (1853, p. 311); FNZO
506	261	<i>Triticum repens</i>	<i>Anthosachne kingiana</i> subsp. <i>multiflora</i> (Banks & Sol. ex Hook.f.) Govaerts	Hooker (1853, p. 311); FNZO
507	262	<i>Poa australis</i>	<i>Poa anceps</i> G.Forst. subsp. <i>anceps</i>	Hooker (1853, p. 306); FNZO
508	263	<i>Poa imbecilla</i>	<i>Poa imbecilla</i> Spreng.	FNZO
509	264	<i>Poa caespitosa</i>	<i>Poa cita</i> Edgar	FNZO
510	265	<i>Arundo australis</i>	<i>Austroderia richardii</i> (Endl.) N.P.Barker & H.P.Linder	FNZO
511	266	<i>Paspalum orbiculare</i>	<i>Paspalum orbiculare</i> G.Forst.	FNZO
512	267	<i>Rottboellia uniflora</i> ('Rottbocellia')	<i>Paspalum vaginatum</i> Sw.	FNZO
513	268	<i>Spinifex sericeus</i>	<i>Spinifex sericeus</i> R.Br.	FNZO
514	269	<i>Torresia redolens</i>	<i>Hierochloe redolens</i> (Vahl) Roem. & Schult.	FNZO
515	270	<i>Cyperus ustulatus</i>	<i>Cyperus ustulatus</i> A.Rich.	FNZO
516	271	<i>Fuirena rubigenosa</i>	<i>Machaerina rubiginosa</i> (Spreng.) T.Koyama	FNZO
517	272	<i>Isolepis nodosa</i>	<i>Ficinia nodosa</i> (Rottb.) Goetgh., Muasya & D.A.Simpson	FNZO
518	273	<i>Isolepis setacea</i>	<i>Isolepis cernua</i> (Vahl) Roem. & Schult.	Moore & Edgar (1970, p. 171); FNZO
519	274	<i>Isolepis spiralis</i>	<i>Ficinia spiralis</i> (A.Rich.) Muasya & de Lange	FNZO
520	275	<i>Scirpus lacustris</i>	<i>Schoenoplectus tabernaemontani</i> (C.C.Gmel.) Palla	Moore & Edgar (1970, p. 175); FNZO
521	276	<i>Vauthiera australis</i> ('Vauthera')	<i>Lepidosperma australe</i> (A.Rich.) Hook.f.	FNZO
522	277	<i>Elaeocharis sphacelata</i>	<i>Eleocharis sphacelata</i> R.Br.	FNZO

G #	P #	Historic name	Current name	Authority
523	278	<i>Elaeocharis acicularis</i>	<i>Eleocharis sphacelata</i> R.Br.	Moore & Edgar (1970, p. 189); FNZO
524	279	<i>Schoenus imberbis</i>	<i>Schoenus apogon</i> Roem. & Schult. var. <i>apogon</i>	FNZO
525	280	<i>Lepidosperma elatior</i>	<i>Lepidosperma laterale</i> R.Br.	Hooker (1853, p. 279); Cheeseman (1906, p. 790)
526	281	<i>Lampocarya lacera</i>	<i>Gahnia lacera</i> (A.Rich.) Steud.	FNZO
527	282	<i>Lampocarya setifolia</i>	<i>Gahnia setifolia</i> (A.Rich.) Hook.f.	FNZO
528	283	<i>Lampocarya affinis</i>	<i>Morelotia affinis</i> (Brongn.) S.T.Blake	FNZO
529	284	<i>Gahnia procera</i>	<i>Gahnia procera</i> J.R.Forst. & G.Forst.	FNZO
530	286	<i>Uncinia australis</i>	<i>Carex uncinata</i> L.f.	FNZO
531	287	<i>Carex polystachia</i>	<i>Carex lessoniana</i> Steud.	Moore & Edgar (1970, p. 272); FNZO
532	288	<i>Carex punctulata</i>	<i>Carex forsteri</i> Wahlenb.	FNZO
533	289	<i>Carex recurva</i>	<i>Carex forsteri</i> Wahlenb.	FNZO
534	290	<i>Carex geminata</i>	<i>Carex geminata</i> Schkuhr	FNZO
535	285	<i>Morelotia Gahnaeformis</i>	<i>Morelotia affinis</i> (Brongn.) S.T.Blake	FNZO
536	291	<i>Leptocarpus simplex</i>	<i>Apodasmia similis</i> (Edgar) B.G.Briggs & L.A.S.Johnson	FNZO
537	292	<i>Juncus maritimus</i>	<i>Juncus kraussii</i> subsp. <i>australiensis</i> (Buchenau) Snogerup	Healy & Edgar (1980, p. 99); FNZO
538	293	<i>Juncus effusus</i>	<i>Juncus edgariae</i> L.A.S.Johnson & K.L.Wilson	Moore & Edgar (1970, p. 59); Johnson & Wilson (2000)
539	294	<i>Juncus filiformis</i>	† <i>Juncus filiformis</i> L.	Moore & Edgar (1970, p. 69)
540	295	<i>Luzula picta</i>	<i>Luzula picta</i> A.Rich.	FNZO
541	296	<i>Astelia Banksii</i>	<i>Astelia banksii</i> A.Cunn.	FNZO
542	297	<i>Astelia Solandrii</i>	<i>Astelia solandri</i> A.Cunn.	FNZO
543	298	<i>Areca sapida</i>	<i>Rhopalostylis sapida</i> (Sol. ex Hook.f.) H.Wendl. & Drude	Beccari (1916)
544	299	<i>Arthropodium cirratum</i>	<i>Arthropodium cirratum</i> (G.Forst.) R.Br.	FNZO
545	300	<i>Dianella intermedia</i>	<i>Dianella nigra</i> Colenso	FNZO
546	301	<i>Dracaena indivisa</i>	<i>Cordyline indivisa</i> (G.Forst.) Endl.	FNZO
547	302	<i>Cordyline australis</i>	<i>Cordyline australis</i> (G.Forst.) Endl.	FNZO
548	303	<i>Cordyline stricta</i>	<i>Cordyline pumilio</i> Hook.f.	Hooker (1864, p. 282)
549	304	<i>Phormium tenax</i>	<i>Phormium tenax</i> J.R.Forst. & G.Forst.	FNZO
550	305	<i>Ripogonum parviflorum</i>	<i>Ripogonum scandens</i> J.R.Forst. & G.Forst.	FNZO

G #	P #	Historic name	Current name	Authority
551	306	<i>Libertia grandiflora</i>	<i>Libertia grandiflora</i> (R.Br.) Sweet	FNZO
552	307	<i>Libertia ixioides</i>	<i>Libertia ixioides</i> (G.Forst.) Spreng.	FNZO
553	308	<i>Libertia micrantha</i>	<i>Libertia micrantha</i> A.Cunn.	FNZO
554	309	<i>Thelymitra Forsterii</i>	<i>Thelymitra longifolia</i> J.R.Forst. & G.Forst.	FNZO
555	310	<i>Orthoceras Strictum</i>	<i>Orthoceras novae-zeelandiae</i> (A.Rich.) M.A.Clem., D.L.Jones & Molloy	
556	311	<i>Microtis Banksii</i>	<i>Microtis unifolia</i> (G.Forst.) Rchb.f.	FNZO
557	312	<i>Acianthus rivularis</i>	<i>Corybas rivularis</i> (A.Cunn.) Rchb.f.	FNZO
558	313	<i>Pterostylis Banksii</i>	<i>Pterostylis banksii</i> A.Cunn.	FNZO
559	314	<i>Gastrodia sesamoides</i>	<i>Gastrodia sesamoides</i> R.Br.	FNZO
560		<i>Cyrtostylis reniformis</i>	<i>Cyrtostylis rotundifolia</i> Hook.f.	FNZO
561		<i>Pterostylis collina</i>	<i>Pterostylis trullifolia</i> Hook.f.	
562		<i>Caladenia</i>	Orchidaceae gen. et sp. indet.	
563		<i>Acianthus formicatus</i>	<i>Acianthus sinclairii</i> Hook.f.	
564	315	<i>Earina mucronata</i>	<i>Earina mucronata</i> Lindl.	FNZO
565	316	<i>Dendrobium Cunninghamii</i>	<i>Dendrobium cunninghamii</i> Lindl.	FNZO
566	317	<i>Bulbophyllum pygmaeum</i>	<i>Bulbophyllum pygmaeum</i> (Sm.) Lindl.	FNZO
567		<i>Sarcochilus</i>	<i>Drymoanthus adversus</i> (Hook.f.) Dockrill	
		<i>Thelymitra grandiflora</i>	<i>Thelymitra</i> sp. indet.	
		<i>Thelymitra straminea</i>	<i>Thelymitra</i> sp. indet.	
		<i>Thelymitra lineata</i>	<i>Thelymitra</i> sp. indet.	
568	318	<i>Caladium esculentum</i>	* <i>Colocasia esculenta</i> (L.) Schott	Hooker (1864, p. 276)
569	319	<i>Typha angustifolia</i>	<i>Typha orientalis</i> C.Presl	Briggs & Johnson (1968)
570	320	<i>Freycinetia Banksii ('Freycineta')</i>	<i>Freycinetia banksii</i> A.Cunn.	FNZO
571	321	<i>Triglochin flaccidum</i>	<i>Triglochin striata</i> Ruiz & Pav.	FNZO
572	322	<i>Potamogeton natans</i>	<i>Potamogeton suboblongus</i> Hagstr.	Moore & Edgar (1970, p. 11); FNZO

Table 2: Classes covered by Precursor only

P #	Historic name	Current name	Authority
1	<i>Sargassum vulgare</i>	<i>Sargassum pacificum</i> Bory	AB

P #	Historic name	Current name	Authority
2	<i>Sargassum plumosum</i>	<i>Carpophyllum plumosum</i> (A.Rich.) J.Agardh	AB
3	<i>Sargassum atlanticum</i>	<i>Sargassum pacificum</i> Bory	AB
4	<i>Sargassum granuliferum</i>	† <i>Sargassum granuliferum</i> C.Agardh	Hooker (1867, p. 648)
5	<i>Sargassum droserifolium</i>	<i>Sargassum ilicifolium</i> (Turner) C.Agardh	AB
6	<i>Sargassum longifolium</i>	† <i>Anthophycus longifolius</i> (Turner) Kützing	AB
7	<i>Sargassum duplicatum</i>	<i>Sargassum ilicifolium</i> (Turner) C.Agardh	Hooker (1867, p. 648)
8	<i>Sargassum lessonianum</i>	<i>Marginariella gigas</i> (A.Rich.) Tandy	AB
9	<i>Sargassum urvillianum</i>	<i>Marginariella urvilliana</i> (A.Rich.) Tandy	AB
10	<i>Sargassum boryanum</i>	<i>Marginariella boryana</i> (A.Rich.) Tandy	AB
11	<i>Turbinaria denudata</i>	<i>Turbinaria denudata</i> Bory	AB
12	<i>Carpophyllum flexuosum</i>	<i>Carpophyllum flexuosum</i> (Esper) Grev.	AB
13	<i>Carpophyllum maschalocarpum</i>	<i>Carpophyllum maschalocarpum</i> (Turner) Grev.	AB
14	<i>Cystoseira retroflexa</i>	<i>Cystophora retroflexa</i> (Labill.) J.Agardh	AB
15	<i>Cystoseira torulosa</i>	<i>Cystophora torulosa</i> (R.Br. ex Turner) J.Agardh	AB
16	<i>Cystoseira? quercifolia</i>	<i>Platythalia quercifolia</i> (R.Br. ex Turner) Sonder	AB
17	<i>Castralia salicornioides</i> ('Castralia')	<i>Scaberia agardhii</i> Grev.	AB
18	<i>Moniliformia billardieri</i>	<i>Hormosira banksii</i> (Turner) Decne.	AB
19	<i>Moniliformia sieberi</i>	<i>Hormosira banksii</i> (Turner) Decne.	AB
20	<i>Splachnidium rugosum</i>	<i>Splachnidium rugosum</i> (L.) Grev.	AB
21	<i>Durvillea utilis</i>	<i>Durvillaea antarctica</i> (Cham.) Hariot	AB
22	<i>Macrocystis pyrifera</i>	<i>Macrocystis pyrifera</i> (L.) C.Agardh	AB
23	<i>Macrocystis angustifrons</i>	<i>Macrocystis pyrifera</i> (L.) C.Agardh	AB
24	<i>Macrocystis? comosa</i>	<i>Phyllospora comosa</i> (Labill.) C.Agardh	AB
25	<i>Laminaria flabelliformis</i>	<i>Ecklonia radiata</i> (C.Agardh) J.Agardh	AB
26	<i>Laminaria biruncinata</i>	<i>Ecklonia biruncinata</i> (Bory) Papenfuss	AB
27	<i>Laminaria radiata</i>	<i>Ecklonia radiata</i> (C.Agardh) J.Agardh	AB
28	<i>Laminaria pygmaea</i>	incertae sedis	Hooker & Harvey (1845, p. 528)
29	<i>Amansia multifida</i>	† <i>Epineuron lineatum</i> (Turner) Hook.f. & Harvey	Hooker (1867, p. 663)
	<i>Amansia triangularis</i>	† <i>Bryothamnion triquetrum</i> (S.G.Gmelin) M.Howe	Hooker (1867, p. 663) [as <i>Alsidium triangulare</i>])
31	<i>Rhodomenia corallina</i>	possibly <i>Halopeltis australis</i> (J.Agardh) G.W.Saunders	AB
32	<i>Rhodomenia chauvinii</i>	<i>Chondracanthus chauvinii</i> (Bory) Kützing	AB
33	<i>Rhodomenia? lusoria</i>	<i>Pachymenia lusoria</i> (Grev.) J.Agardh	AB

P #	Historic name	Current name	Authority
34	<i>Thamnophora corallorhiza</i>	<i>Plocamium cirrhosum</i> (Turner) M.J.Wynne	cf. Hooker & Harvey (1845, p. 542)
35	<i>Thamnophora cunninghamii</i>	<i>Plocamium cirrhosum</i> (Turner) M.J.Wynne	AB
36	<i>Plocamium coccineum</i>	<i>Plocamium leptophyllum</i> Kützing	AB
37	<i>Plocamium confervaceum</i>	possibly <i>Plocamium angustum</i> (J.Agardh) Hook.f. & Harvey	cf. Hooker & Harvey p. 543
38	<i>Rhodomela pinastroides</i>	incertae sedis	Hooker & Harvey (1845, p. 533)
39	<i>Laurencia obtusa</i>	<i>Laurencia</i> sp. indet. (perhaps <i>L. botrychoides</i> Harvey?)	Hooker & Harvey 1845, p. 539)
40	<i>Laurencia forsteri</i>	<i>Laurencia forsteri</i> (Mertens ex Turner) Grev.	AB
41	<i>Laurencia papillosa</i>	<i>Laurencia</i> sp. indet. (perhaps <i>L. thyrsifera</i> J.Agardh?)	AB
42	<i>Chondrus?</i> <i>alveatus</i>	<i>Psilophycus alveatus</i> (Turner) W.A.Nelson, Leister & Hommersand	AB
43	<i>Chondrus abscissus</i>	<i>Melanthalia abscissa</i> (Turner) Hook.f. & Harvey	AB
44	<i>Chondrus chondrophyllus</i>	<i>Xiphophora chondrophylla</i> (R.B. ex Turner) Montagne ex Harvey	AB
45	<i>Gelidium corneum</i>	<i>Pterocladiella capillacea</i> (S.G.Gmelin) Santelices & Hommersand	Moore (1944, p. 336)
46	<i>Hypnea musciformis</i>	incertae sedis	cf. D'Archino et al. (2015)
47	<i>Halymenia furcellata</i>	possibly <i>Scinaia acuta</i> M.J.Wynne	AB
48	<i>Halymenia dubia</i>	incertae sedis	cf. Hooker & Harvey (1845, p. 548)
49	<i>Parmelia aurea</i>	<i>Xanthoria ligulata</i> (Körb.) P.James	Galloway (2007, p. 1980)
50	<i>Parmelia pulverulenta</i>	<i>Dirinaria picta</i> (Sw.) Clem. & Shear.	auctt.
51	<i>Parmelia linearis</i>	<i>Ramalina celastri</i> (Spreng.) Krog & Swinscow	auctt.
52	<i>Parmelia perlata</i>	<i>Parmotrema perlatum</i> (Huds.) M.Choisy	Galloway (2007, p. 1093)
53	<i>Cetraria glauca</i>	incertae sedis	Hooker (1867, p. 565)
54	<i>Sticta aurata</i>	<i>Pseudocypphellaria aurata</i> (Sm.) Vainio	Galloway (1985, p. 427)
55	<i>Sticta mongeotiana</i> ('mougeotiana')	possibly <i>Pseudocypphellaria neglecta</i> (Müll.Arg.) H.Magn.	Galloway (2007, p. 1433)
56	<i>Sticta latifrons</i>	<i>Sticta latifrons</i> A. Rich.	Galloway (1985, p. 557)
57	<i>Sticta cinnamomea</i>	<i>Pseudocypphellaria cinnamomea</i> (A.Rich.) Vain.	Galloway (2007, p. 1393)
58	<i>Sticta variabilis</i>	<i>Sticta squamata</i> D. Galloway	Galloway (1985, p. 560)
59	<i>Sticta filicina</i>	<i>Sticta filix</i> (Sw.) Nyl.	Galloway (1985, p. 554)
60	<i>Sticta carpoloma</i>	<i>Pseudocypphellaria carpoloma</i> (Delise) Vainio	Galloway (1985, p. 429)
61	<i>Nephroma australe</i>	<i>Nephroma australe</i> A. Rich.	Galloway (1985, p. 313)

P #	Historic name	Current name	Authority
62	<i>Cenomyce retipora</i>	<i>Cladia retipora</i> (Labill.) Nyl.	Galloway (2007, p. 341)
63	<i>Cenomyce furcata</i>	<i>Cladonia furcata</i> (Huds.) Schrad.	Galloway (2007, p. 377)
64	<i>Cenomyce rangiferina</i>	<i>Cladonia</i> spp. possibly incl. <i>C. mitis</i> Sandst.	cf. Martin (1959)
65	<i>Cenomyce ecmocyna</i>	<i>Cladonia</i> spp. incl. <i>C. tenerrima</i> (Ahti) S.Hammer	Galloway (2007, p. 414)
66	<i>Stereocaulon ramulosum</i>	<i>Stereocaulon ramulosum</i> (Sw.) Räuschel	Galloway (1985, p. 548)
67	<i>Stereocaulon macrocarpum</i>	<i>Stereocaulon ramulosum</i> (Sw.) Räuschel	Galloway (1985, p. 548)
68	<i>Alectoria crinalis</i>	possibly <i>Alectoria nigricans</i> (Ach.) Nyl.	cf. Hooker (1855, p. 269)
69	<i>Ramalina farinacea</i>	<i>Ramalina celastri</i> (Spreng.) Krog & Swinscow	auctt.
70	<i>Cornicularia aculeata</i>	<i>Cetraria aculeata</i> (Schreb.) Fr.	Hooker (1855, p. 271)
71	<i>Usnea cornicularia</i>	<i>Ramalina australiensis</i> Nyl.	Galloway (1985, p.501) then Galloway (2007, p. 1507)
72	<i>Usnea ceratina</i>	<i>Usnea</i> spp. incl. <i>U. angulata</i> Ach.	Galloway (2007, p. 1835)
73	<i>Usnea florida</i>	<i>Usnea</i> spp. incl. <i>U. angulata</i> Ach.	Galloway (2007, p. 1835)
74	<i>Collema nigrescens</i>	<i>Collema leucocarpum</i> J.D. Hook. & Taylor	Hooker (1867, p. 557) then Galloway (1985, p. 140)
75	<i>Collema tremelloides</i>	<i>Leptogium azureum</i> (Sw.) Mont.	Galloway (1985, p. 250)
76	<i>Caenogonium linkii</i>	<i>Coenogonium</i> sp., most likely <i>C. implexum</i> Nyl.	cf. Hooker (1867, p. 581)