SUPPLEMENTAL TABLE

Supplement to:

Antifungal activity and functional components of cell-free supernatant from Bacillus amyloliquefaciens LZN01 inhibit Fusarium oxysporum f. sp. niveum growth

Weihui Xu, Hengxu Wang, Zhihang Lv, Yiran Shi and Zhigang Wang

Biotechnol. Biotechnol. Equip. 2019, 33

Table S1 Compounds in the CFS from *B. amyloliquefaciens* LZN01 and LB medium.

	72h-ck				12h-ck				12h-72h			
Metabolites		m/z	Reten	Fold	Metabolites	m/z	Reten	Fold	Metabolites	m/z	Reten	Fold
			tion	change			tion	change			tion	change
			time	(72h/c			time	(12h/ck)			time	(72h/12h)
			(min)	k)			(min)				(min)	
Asp-Pro-Lys		359	1.85	0.11	N-epsilon-Acetyl-L-lysine	189	1.80	0.05	S-Japonin	695	2.57	4.95
L-Arginine		173	0.73	0.02	L-isoleucyl-L-proline	229	2.25	0.21	L-Isoleucine	130	1.29	0.01
N.epsilonAcetyl-L-lysine		189	1.80	0.02	Glycyl-Isoleucine	189	2.02	0.07	3-Indolepropionic acid	377	1.29	0.00
Indecainide		655	2.84	0.08	L-Glutamic acid	146	0.81	0.05	6-Chloroapigenin	349	2.96	2.02
Quinapril		439	2.64	94.11	L-Arginine	173	0.73	0.30	Austalide C	592	2.65	0.08
S-Japonin		695	2.57	7.79	Asp-Pro-Lys	359	1.85	0.54	Indecainide	655	2.84	0.09
3-Indolepropionic acid		377	1.29	0.00	2-(3-hydroxyphytanyl)-3-phytanyl-sn-	670	3.38	9.46	3-O-alpha-L-rhamnopyranosyl-3-hydroxy	543	3.00	0.02
					glycerol				decanoyl-3-hydroxydecanoic acid			
L-Leucine		132	1.05	0.10	24, 24-difluoro-1alpha,	539	2.93	393.11	Methyl (5E, 17E)-18-bromo-octadeca-5,	735	3.82	0.19
					25-dihydroxy-26,				17-diene-15-ynoate			
					27-dimethyl-24a-homovitamin D3 /							
					24, 24-difluoro-1alpha,							
					25-dihydroxy-26,							
					27-dimethyl-24a-homocholecalciferol							
D-Ribulose 5-phosphate		211	0.97	0.14	lodotyrosine	306	1.77	2.58	Isopentyl gentiobioside	430	2.42	0.07

Xu et al. Page 1 of 12

Adenosine monophosphate	346	1.00	0.15	2'-Hydroxyfurano [2", 3":4', 3']	309	0.73	0.18	Monepalin B	779	1.24	0.18
				chalcone							
2'-Hydroxyfurano[2",3":4',3']chalcone	309	0.73	0.01	Stemonacetal	799	3.32	19.24	L-Leucine	132	1.05	0.16
L-Glutamic acid	146	0.81	0.15	Naringenin	317	2.21	0.01	Pro-Pro-Lys	363	2.47	0.03
Phaseolic acid	525	3.18	13.12	5-Oxo-ETE-d7	370	9.07	29.27	L-Arginine	173	0.73	0.05
Nitenin	355	9.04	3.17	Inosine	267	1.08	0.01	Adenosine monophosphate	346	1.00	0.30
Quinidine barbiturate	539	2.72	0.21	PI (17:2(9Z, 12Z)/22:6(4Z, 7Z, 10Z, 13Z,	913	0.65	16.32	Leukotriene E4	438	3.31	0.01
				16Z, 19Z))							
Irinotecan	587	3.25	0.04	Fluocinolone acetonide	470	1.33	0.06	S-Adenosylhomocysteine	383	1.29	0.16
2-(3-hydroxyphytanyl)-3-phytanyl-sn-	669	3.38	27.12	Isopentyl gentiobioside	430	2.42	2.79	D-Ribulose 5-phosphate	211	0.97	0.21
glycerol											
5-Methoxytryptamine	211	0.72	0.05	Prosafrinine	328	8.32	82.30	5-Methoxytryptamine	211	0.72	0.06
Malvidin 3-gentiobiside	654	2.90	0.25	Guanosine	282	1.05	0.19	Esprocarb	553	2.38	0.02
S-Adenosylhomocysteine	383	1.29	0.12	Flumethasone Pivalate	512	2.78	6.66	Liquiritigenin	571	2.73	0.16
								7-apiofuranoside-4'-glucoside			
3-O-alpha-L-rhamnopyranosyl-3-hydroxyde	543	3.00	0.03	Nitenin	355	9.04	2.10	Palmatine cation	705	2.98	0.03
canoyl-3-hydroxydecanoic acid											
L-Isoleucine	130	1.29	0.01	7-Hydroxy-2-methylisoflavone	503	0.85	0.32	(+)-Myristinin A	569	2.97	0.08
Morphiceptin	504	2.98	0.13	Phaseolic acid	525	3.18	15.41	Malvidin 3-gentiobiside	654	2.90	0.27
Stemonacetal	799	3.32	24.96	17a-Ethynylestradiol	341	8.29	1.65	Tyrosyl-Histidine	654	2.13	7.72
Tyrosyl-Histidine	654	2.13	32.16	9Z-Heptatriacontene	502	3.21	0.14	PI (20:3(8Z, 11Z, 14Z)/22:6(4Z, 7Z, 10Z,	954	3.54	0.00
								13Z, 16Z, 19Z))			
Naringenin	317	2.21	0.01	24-methylene-cholesterol sulphate	499	1.31	13.75	5, 8, 11, 14-Octadecatetraynoic acid	535	3.92	0.01
Fluocinolone Acetonide	470	1.33	0.01	Adenosine monophosphate	346	1.00	0.51	Brosimone H	485	1.17	0.02
L-Histidine	154	0.73	0.02	N-palmitoyl alanine	372	8.32	14942.5	5-O-Desmethyldonepezil	366	3.22	0.02
							0				
L-Tyrosine	180	1.05	2.06	L-Octanoylcarnitine	286	8.19	133.01	PI (13:0/20:5(5Z, 8Z, 11Z, 14Z, 17Z))	835	3.17	0.03

Xu et al. Page 2 of 12

7-Hydroxy-2-methylisoflavone	503	0.85	0.19	(6R)-6-methylvitamin D3 6, 19-sulphur	483	1.47	35.41	Hirsutidin 3-O-(6-O-p-coumaroyl)	698	0.99	0.42
				dioxide adduct /				glucoside			
				(6R)-6-methylcholecalciferol 6,							
				19-sulphur dioxide adduct							
Inosine	267	1.08	0.01	Di-2-propenyl pentasulphide	502	3.21	0.13	Patuletin 7-(6"-isobutyrylglucoside)	545	2.82	0.03
Methyl (5E, 17E)-18-bromo-octadeca-5,	735	3.82	0.31	Myriocin	400	7.67	3003.47	Flumethasone Pivalate	512	2.78	0.19
17-diene-15-ynoate											
9Z-Heptatriacontene	501	3.21	0.03	Micropine	286	3.59	0.00	Isoswertisin 6'"-O-feruloyl 2"-O-glucoside	765	0.90	0.46
1-Hexanol arabinosylglucoside	414	2.36	0.40	L-Histidine	154	0.73	0.25	4'-Methoxychalcone	259	3.09	0.07
Cytidine	264	0.94	7.23	Decanoylcarnitine	314	7.95	38.44	UDP-GlcNAc	652	1.07	0.43
Di-2-propenyl pentasulphide	501	3.21	0.02	Cer (d18:1/2:0)	386	8.35	48.94	(6R)-6-methylvitamin D3 6, 19-sulphur	483	1.47	0.00
								dioxide adduct /			
								(6R)-6-methylcholecalciferol 6,			
								19-sulphur dioxide adduct			
Gabapentin	216	4.26	#DIV/0	Palmatine cation	705	2.98	3.62	Ouabain	605	3.71	0.20
			!								
Esprocarb	553	2.38	0.03	Predurmillone	401	0.85	0.38	thevetin A	893	3.22	0.14
Decanoylcarnitine	314	7.95	11.55	N-palmitoyl glycine	358	7.90	4685.16	Ombuin 3-rutinoside-5-glucoside	821	1.03	0.44
17a-Ethynylestradiol	341	8.29	2.10	L-Tyrosine	180	1.05	1.37	Gabapentin	216	4.26	6.84
Pyroterebic acid	227	6.18	#DIV/0	Patuletin 7-(6"-isobutyrylglucoside)	545	2.82	5.48	Exiguaflavanone M	487	7.36	0.08
			!								
N-palmitoyl alanine	372	8.32	7826.6	PC (6:0/0:0)	376	3.97	20.92	5-Methoxytryptophol	236	4.97	0.03
			4								
UDP-GlcNAc	652	1.07	0.13	Methyl (5E,	735	3.82	1.63	7-Hydroxy-5-methoxy-6-methylflavan	315	0.81	0.19
				17E)-18-bromo-octadeca-5,							
				17-diene-15-ynoate							
Pantothenic acid	218	2.19	53.76	Gentiopicrin	377	0.81	0.18	2-Geranyl-3,4,2',4'-tetrahydroxydihydroc	819	1.56	0.03

Xu et al. Page 3 of 12

								halcone			
N-palmitoyl glycine	358	7.90	2640.2	Irinotecan	587	3.25	0.46	3, 4-Dihydrocoumarin	166	1.46	1.60
м-рашиоў вусше	336	7.90	7	imotecan	367	3.23	0.40	3, 4-Dillyulocoullialili	100	1.40	1.00
Monepalin B	779	1.24	0.22	Sphingofungin E	416	6.29	#DIV/0!	10S, 11R-epoxy-punaglandin 3	557	0.90	0.40
Sphingofungin E	416	6.29	#DIV/0	UDP-GlcNAc	652	1.07	0.31	PA (20:3(8Z, 11Z, 14Z)/0:0)	481	7.85	30.74
			!								
6-Chloroapigenin	349	2.96	1.71	cis-5-Tetradecenoylcarnitine	414	7.80	306.22	14, 15-HxA3-C(11S)	642	3.62	0.06
Guanosine	282	1.05	0.26	Sphingofungin F	400	6.85	#DIV/0!	VD 2716	527	4.10	0.02
Acacetin 7-glucuronosyl-(1->2)-glucuronide	681	0.73	0.02	Hexanoylcarnitine	258	7.75	12.22	Gamma-Glutamylglutamine	256	1.17	0.10
Micropine	286	3.59	0.01	5-O-Desmethyldonepezil	366	3.22	3.17	PI (17:0/0:0)	585	5.15	0.00
Myriocin	400	7.67	2221.0	Pantothenic acid	218	2.19	10.74	PS (12:0/0:0)	422	4.63	#DIV/0!
			3								
7-Hydroxy-5-methoxy-6-methylflavan	315	0.81	0.18	PG (14:0/0:0)	501	8.00	175.18	Wanepimedoside A	723	1.05	0.40
5-Hydroxylysine	161	0.72	2.25	17, 18-dehydro-clavulone I	887	4.12	9.53	6-hydroxy-7E, 9E-Octadecadiene-11, 13,	559	1.51	0.16
								15, 17-tetraynoic acid			
PI (13:0/20:5(5Z, 8Z, 11Z, 14Z, 17Z))	835	3.17	0.04	Thymidine	241	1.57	0.11	Pantothenic acid	218	2.19	5.01
Liquiritigenin 7-apiofuranoside-4'-glucoside	571	2.73	0.14	N-oleoyl glycine	384	7.97	515.73	Scilliroside	585	3.85	0.09
PA (20:3(8Z, 11Z, 14Z)/0:0)	481	7.85	83.49	Brosimone H	485	1.17	3.47	17, 18-dehydro-clavulone I	887	4.12	0.07
3, 4-Dihydrocoumarin	166	1.46	1.67	2, 5-undecadienal	187	2.21	0.02	Linoside B	681	2.34	0.22
Sphingofungin F	400	6.85	#DIV/0	3-Indolepropionic acid	377	1.29	0.60	Testosterone glucuronide	509	3.42	0.08
			!								
5, 8, 11, 14-Octadecatetraynoic acid	535	3.92	0.01	Sphingofungin C	430	6.53	#DIV/0!	(-)-Jolkinol A	525	2.93	0.04
Okanin 4'-(6"-p-coumarylglucoside)	595	0.90	0.39	Morphiceptin	504	2.98	0.51	Butyl 3'-O-acetyl-2'-O-butanoyl-4, 6,	749	1.84	0.00
								4'-tri-O-(2-methylpropanoyl)-neohesperi			
								doside			
Aminoacetone	145	0.72	1.87	4'-Chloroaurone	277	2.21	0.00	Coproporphyrin III	635	3.27	0.19
Gentiopicrin	377	0.81	0.20	O-Phosphoethanolamine	281	1.03	0.17	PGP (16:0/18:1(9Z))	809	5.71	0.00

Xu et al. Page 4 of 12

O-Phosphoethanolamine	281	1.03	0.08	Acacetin	681	0.73	0.26	Methylimidazoleacetic acid	185	0.90	0.45
				7-glucuronosyl-(1->2)-glucuronide							
Thymidine	241	1.57	0.06	L-Leucine	132	1.05	0.63	Catechin 3-O-rutinoside	597	1.02	0.48
PI (20:3(8Z, 11Z, 14Z)/22:6(4Z, 7Z, 10Z, 13Z,	953	3.54	0.00	Gallocatechin 4'-methyl ether	341	1.28	0.13	7, 8, 7', 8'-Tetradehydroastaxanthin	613	1.63	0.00
16Z, 19Z))											
PI (17:2(9Z, 12Z)/22:6(4Z, 7Z, 10Z, 13Z, 16Z,	913	0.65	11.95	Thevetin A	893	3.22	2.98	3'-Geranyl-2', 4', 6'-trihydroxychalcone	783	1.35	0.07
19Z))											
Ouabain	605	3.71	0.23	Leukotriene C4	624	2.66	7.04	PS (22:2(13Z, 16Z)/0:0)	598	3.12	0.04
2, 5-undecadienal	187	2.21	0.00	7, 8, 7', 8'-Tetradehydroastaxanthin	613	1.63	7.69	12-oxo-5E, 8E, 10Z-dodecatrienoic acid	229	1.09	0.11
(+)-Myristinin A	569	2.97	0.08	Melatonin	277	2.25	0.06	Ikarisoside D	523	2.35	0.04
PGP (18:3(6Z, 9Z, 12Z)/18:3(6Z, 9Z, 12Z))	885	3.22	45.70	Caloxanthin sulphate	685	2.77	15.10	L-Tyrosine	180	1.05	1.50
PC (6:0/0:0)	376	3.97	228.60	Vicenin-1 6"-O-acetate	627	1.05	0.63	Gossypol	517	1.05	0.28
2, 4, 7-tridecatrienal	213	1.29	0.04	Epsilon-(gamma-Glutamyl)-lysine	274	2.80	0.00	17alpha-(N-Acetyl-D-glucosaminyl)-estra	632	3.79	0.12
								diol 3-D-glucuronide			
3-Indoleacrylic acid	205	2.20	1.54	Scillaren A	673	0.63	4.57	6-Hydroxyluteolin	549	1.15	0.39
								7-(6"-malonylglucoside)			
Gallocatechin 4'-methyl ether	341	1.28	0.09	Isoauriculasin	839	3.69	1.78	(25S)-11alpha, 20,	557	3.89	0.04
								26-trihydroxyecdysone			
3'-Deoxymaysin	541	0.81	0.60	D-Ribulose 5-phosphate	211	0.97	0.68	Leukotriene C4	624	2.66	0.05
Scilliroside	585	3.85	0.04	Tephrowatsin B	671	3.68	0.11	Catechin 5,	595	2.27	0.10
								3'-di-O-beta-D-glucopyranoside			
14, 15-HxA3-C(11S)	642	3.62	0.08	Egregiachloride C	703	4.04	0.25	O-Desmethylangolensin	515	1.05	0.40
Melatonin	277	2.25	0.00	Isoswertisin 6'''-O-feruloyl	765	0.90	1.38	27-nor-campestan-3beta, 4beta, 5alpha,	537	4.26	0.01
				2"-O-glucoside				6alpha, 7beta, 8beta, 14alpha, 15alpha,			
								24-nonol			
4'-Methoxychalcone	259	3.09	0.07	Artomunoxanthentrione	465	1.03	0.55	5, 7, 3', 4'-Tetrahydroxyflavanone	581	2.28	0.11
								7-alpha-L-arabinofuranosyl-(1->6)-			

Xu et al. Page 5 of 12

								glucoside			
Brosimone H	485	1.17	0.08	PI (18:4(6Z, 9Z, 12Z, 15Z)/22:6(4Z, 7Z,	923	2.55	0.05	29-demethylgeodisterol-O-sulphite	513	1.03	0.19
				10Z, 13Z, 16Z, 19Z))							
5-Methoxytryptophol	236	4.97	0.04	Quassin	775	3.04	3.75	Coproporphyrinogen I	641	3.12	0.13
Villinol	483	1.77	0.08	PI (22:6(4Z, 7Z, 10Z, 13Z, 16Z,	974	4.07	0.09	Geodisterol-O-sulphite	527	3.28	0.11
				19Z)/20:5(5Z, 8Z, 11Z, 14Z, 17Z))							
27-nor-campestan-3beta, 4beta, 5alpha,	537	4.26	0.01	Cys-Arg-Arg	889	3.47	24.37	SQMG (16:1(9Z)/0:0)	575	3.47	0.17
6alpha, 7beta, 8beta, 14alpha, 15alpha,											
24-nonol											
Nicotinuric acid	225	1.03	12.53	PA (14:1(9Z)/22:6(4Z, 7Z, 10Z, 13Z,	711	5.08	45.36	Salicifolioside A	607	1.52	0.26
				16Z, 19Z))							
Patuletin 7-(6"-isobutyrylglucoside)	545	2.82	0.16	Okanin 4'-(6"-p-coumarylglucoside)	595	0.90	0.59	PG (14:0 / 0:0)	501	8.00	0.06
Norepinephrine sulphate	294	1.84	1.19	Lithocholyltaurine	528	4.66	0.03	Peonidin 3-(6"-p-coumarylglucoside)	654	1.52	0.43
PS (22:2(13Z, 16Z)/0:0)	598	3.12	0.06	1(3)-glyceryl-6-keto-PGF1alpha	489	4.59	0.07	Herbacetin 3-glucoside-8-xyloside	641	1.05	0.58
PI (17:0/0:0)	585	5.15	0.00	L-Isoleucine	130	1.29	0.62	Diuvaretin	483	1.07	0.36
(+)-Tephrorin A	425	2.24	0.01	Merodesmosine	385	3.21	0.41	Pelargonidin 3-lathyroside	586	2.08	0.08
Scillaren A	673	0.63	7.75	Leukotriene E4	438	3.31	1.73	Nostoxanthin sulphate	683	3.38	0.06
Gossypol	517	1.05	0.27	Cerotic acid (d3)	798	1.63	0.24	PS (19:1(9Z)/0:0)	558	4.31	0.11
2-O-(beta-D-galactopyranosyl-(1->6)-beta-D	479	4.49	10.20	Salicifolioside A	607	1.52	2.26	2', 4', 6', 3,	988	4.59	0.02
-galactopyranosyl) 2S-hydroxynonanoic								4-Pentahydroxy-3'-geranyl-5-prenyldihyd			
acid								rochalcone			
15-HETE-T	426	3.31	0.02	Villinol	483	1.77	0.34	Aminoacetone	145	0.72	1.66
6-Hydroxyluteolin 7-(6"-malonylglucoside)	549	1.15	0.31	Hirsutidin 3-O-(6-O-p-coumaroyl)	698	0.99	1.34	3-Indoleacrylic acid	205	2.20	1.40
				glucoside							
Tephrowatsin B	671	3.68	0.02	3'-Deoxymaysin	541	0.81	0.76	Butyl 3'-O-butanoyl-4, 6,	683	2.52	0.13
								4'-tri-O-(2-methylpropanoyl)-neohesperi			
								doside			

Xu et al. Page 6 of 12

Exiguaflavanone M	487	7.36	0.06	6-bromo-heneicosa-5E,9Z-dienoic acid	399	2.67	0.22	Quassin	775	3.04	0.07
Ac-Ser-Asp-Lys-Pro-OH	488	2.23	1.45	GS 1500	541	4.35	0.21	Caloxanthin sulphate	685	2.77	0.01
Cerotic acid(d3)	797	1.63	0.03	Diuvaretin	483	1.07	1.75	Anhydroicaritin	883	1.48	0.36
								3-galactosyl-(1->3)-rhamnoside-7-			
								glucoside			
PGP (16:0/18:1(9Z))	809	5.71	0.00	(6RS, 24R)-24, 25-dihydroxyvitamin D3	501	1.96	3.70	PI (12:0/14:1(9Z))	745	3.63	0.02
				6, 19-sulphur dioxide adduct / (6RS,							
				24R)-24, 25-dihydroxycholecalciferol							
				6, 19-sulphur dioxide adduct							
(25S)-11alpha,20,26-trihydroxyecdysone	557	3.89	0.04	Moralbanone	471	1.34	0.15	2', 3', 4', 6'-Tetramethoxychalcone	655	2.87	0.28
12-oxo-5E,8E,10Z-dodecatrienoic acid	229	1.09	0.13	7, 8, 4'-Trihydroxy-3',	539	0.81	0.69	PC (6:0/0:0)	376	3.97	10.93
				5'-dimethoxyflavanone 4'-O-glucoside							
VD 2716	527	4.10	0.02	1,25-Dihydroxy-20S-21-(3-hydroxy-3-	587	1.63	3.77	2-O-(beta-D-galactopyranosyl-(1->6)-beta	479	4.49	14.62
				methylbutyl)-23-yne-26,				-D-galactopyranosyl) 2S-hydroxynonanoic			
				27-hexafluorovitamin D3				acid			
Testosterone glucuronide	509	3.42	0.09	3'-Geranyl-2',4',6'-trihydroxychalcone	783	1.35	2.25	Decanoylcarnitine	314	7.95	0.30
2-Geranyl-3, 4, 2',	819	1.56	0.03	3, 5, 6-Trimethoxy-3',	417	0.73	0.73	Ikarisoside F	631	1.19	0.29
4'-tetrahydroxydihydrochalcone				4'-methylene-dioxyfurano[2, 3:7,							
				8]flavone							
Gamma-Glutamylglutamine	256	1.17	0.11	PA (12:0/14:1(9Z))	583	4.32	3.85	Peonanin	916	1.14	0.38
Epsilon-(gamma-Glutamyl)-lysine	274	2.81	0.05	Ustilagic acid	783	3.92	0.35	Triuvaretin	589	3.79	0.21
Ustilagic acid	783	3.92	0.05	Coproporphyrin III	635	3.27	1.82	PI (16:0/0:0)	617	4.63	0.13
PI (22:6(4Z, 7Z, 10Z, 13Z, 16Z, 19Z)/20:5(5Z,	974	4.07	0.00	PI (13:0/20:5(5Z, 8Z, 11Z, 14Z, 17Z))	835	3.17	1.64	Brosimacutin C	683	1.54	0.17
8Z, 11Z, 14Z, 17Z))											
(-)-Jolkinol A	525	2.93	0.04	Isoamoritin	487	3.12	0.29	Carpelastofuran	567	1.39	0.23
Piperaduncin A	489	1.05	0.12	Scilliroside	585	3.85	0.48	Piperaduncin A	489	1.05	0.18
Butyl 3'-O-acetyl-2'-O-butanoyl-4, 6,	749	1.84	0.01	Methyl jasmonate	245	1.07	0.34	2'-O-Methylcajanone	417	1.28	0.16

Xu et al. Page 7 of 12

4'-tri-O-(2-methylpropanoyl)-neohesperido											
side											
10S, 11R-epoxy-punaglandin 3	557	0.90	0.48	2, 4, 7-tridecatrienal	213	1.29	0.54	Anhydroicaritin	659	1.59	0.20
								3-rhamnosyl-(1->2)-rhamnoside			
GS 1500	541	4.35	0.00	29-demethylgeodisterol-O-sulphite	513	1.03	1.72	Tephrowatsin B	671	3.68	0.14
PI (18:4(6Z, 9Z, 12Z, 15Z)/22:6(4Z, 7Z, 10Z,	923	2.55	0.02	PI (12:0/14:1(9Z))	745	3.63	2.08	Nicotinuric acid	225	1.03	6.44
13Z, 16Z, 19Z))											
Nostoxanthin sulphate	683	3.38	0.06	9, 12, 13-TriHOME	329	7.30	0.27	Leucadenone A	539	2.31	0.08
SQMG (16:1(9Z)/0:0)	575	3.47	0.25	SQDG (22:5(5Z, 8Z, 11Z, 14Z,	861	4.70	2.40	SQDG (22:5(5Z, 8Z, 11Z, 14Z,	861	4.70	0.00
				17Z)/16:1(13Z))				17Z)/16:1(13Z))			
7, 8, 4'-Trihydroxy-3',	539	0.81	0.61	Chenodeoxycholic acid 3-glucuronide	589	4.46	0.29	Leukotriene D4	495	2.60	0.01
5'-dimethoxyflavanone 4'-O-glucoside											
3'-Geranyl-2', 4', 6'-trihydroxychalcone	783	1.35	0.15	Butyl 3'-O-acetyl-2'-O-butanoyl-4, 6,	749	1.84	1.82	(+)-Tephrorin A	425	2.24	0.02
				4'-tri-O-(2-methylpropanoyl)-neohesp							
				eridoside							
Coproporphyrinogen I	641	3.12	0.15	(+)-Tephrorin A	425	2.24	0.50	Epimedin C	803	1.84	0.26
geodisterol-O-sulphite	527	3.28	0.13	Peonidin 3-(6"-p-coumarylglucoside)	654	1.52	1.33	18-acetoxy-PGF2alpha-11-acetate methyl	513	3.82	0.03
								ester			
Catechin 5, 3'-di-O-beta-D-glucopyranoside	595	2.27	0.09	Alpinumisoflavone dimethyl ether	727	3.02	1.34	rhodexin A	581	4.84	0.00
5, 7, 3', 4'-Tetrahydroxyflavanone	581	2.28	0.10	Citric acid	191	1.05	0.45	Taurochenodeoxycholic acid 3-sulphate	562	4.33	0.07
7-alpha-L-arabinofuranosyl-(1->6)-glucosid											
e											
Deoxypyridinoline	457	3.50	0.20	Catechin 3-O-rutinoside	597	1.02	1.26	PA (12:0/14:1(9Z))	583	4.32	0.00
Methylimidazoleacetic acid	185	0.90	0.54	Esprocarb	553	2.38	1.33	Alpinumisoflavone dimethyl ether	727	3.02	0.49
6-hydroxy-7E, 9E-Octadecadiene-11, 13, 15,	559	1.51	0.19	PS (18:3(6Z, 9Z, 12Z)/22:6(4Z, 7Z, 10Z,	810	5.00	0.40	PI (20:5(5Z, 8Z, 11Z, 14Z, 17Z)/0:0)	617	3.59	0.25
17-tetraynoic acid				13Z, 16Z, 19Z))							
Isoamoritin	487	3.12	0.01	Epothilone B	488	4.64	0.46	26, 26, 26, 27, 27, 27-hexafluoro-1alpha,	499	4.07	0.13

Xu et al. Page 8 of 12

								25-dihydroxy-16, 17, 23, 23, 24,			
								24-hexadehydrovitamin D3 / 26, 26, 26,			
								27, 27, 27-hexafluoro-1alpha,			
								25-dihydroxy-16, 17, 23, 23, 24,			
								24-hexadehydrocholecalciferol			
Hirsutidin 3-O-(6-O-p-coumaroyl) glucoside	698	0.99	0.57	17alpha-(N-Acetyl-D-glucosaminyl)-	632	3.79	0.56	Ustilagic acid	783	3.92	0.13
				estradiol 3-D-glucuronide							
2', 4', 6', 3,	988	4.59	0.01	14, 15-HxA3-C(11S)	642	3.62	1.46	Taurochenodeoxycholic acid 7-sulphate	578	4.10	0.25
4-Pentahydroxy-3'-geranyl-5-prenyldihydro											
chalcone											
O-Desmethylangolensin	515	1.05	0.44	UDP-2, 3-diacyl-GlcN	998	3.06	1.36	Moralbanone	471	1.34	0.13
6-bromo-heneicosa-5E, 9Z-dienoic acid	399	2.67	0.10	SQMG (16:1(9Z)/0:0)	575	3.47	1.42	Protoporphyrin IX	543	2.94	0.27
Ikarisoside F	631	1.19	0.33	Sempervirenoside B	895	2.67	1.40	Isosophoranone	875	1.84	0.06
Ombuin 3-rutinoside-5-glucoside	821	1.03	0.53	10S, 11R-epoxy-punaglandin 3	557	0.90	1.20	Cys-Arg-Arg	889	3.47	0.03
17alpha-(N-Acetyl-D-glucosaminyl)-	632	3.79	0.07					epothilone D	512	1.56	0.02
estradiol 3-D-glucuronide											
PI (12:0/14:1(9Z))	745	3.63	0.05					Chaetoglobosin A	573	1.32	0.14
Vicenin-1 6"-O-acetate	627	1.05	0.63					Adonixanthin/ 4-Ketozeaxanthin	627	4.78	0.69
18-acetoxy-PGF2alpha-11-acetate methyl	513	3.82	0.03					PS (8:0/8:0)	556	4.49	0.11
ester											
Poriolide	611	0.90	0.61					2-O-(beta-D-galactopyranosyl-(1->6)-beta	547	2.00	0.08
								-D-galactopyranosyl)			
								2S-hydroxyundecanoic acid			
Anhydroicaritin	659	1.59	0.23					Broussoflavan A	851	4.78	0.18
3-rhamnosyl-(1->2)-rhamnoside											
Moralbanone	471	1.34	0.02					Euchrenone a14	517	2.90	0.16
Taurochenodeoxycholic acid 3-sulphate	562	4.33	0.08					2-O-(beta-D-galactopyranosyl-(1->6)-beta	575	2.77	0.15

Xu et al. Page 9 of 12

				-D-galactopyranosyl)			
				2S-hydroxytridecanoic acid			
Pelargonidin 3-lathyroside	586	2.08	0.07	N-palmitoyl alanine	372	8.32	0.52
PS (19:1(9Z)/0:0)	558	4.31	0.08	Ac-Ser-Asp-Lys-Pro-OH	488	2.23	1.37
Rhodexin A	581	4.84	0.00	5-Hydroxy-6, 7, 3', 4',	581	1.39	0.50
				5'-pentamethoxyflavanone			
				5-O-rhamnoside			
7, 8, 7', 8'-Tetradehydroastaxanthin	613	1.63	0.04	thevetin B	903	4.28	0.40
PA (17:0/0:0)	445	3.51	0.01	Genistein 7-O-glucoside-6"-malonate	563	2.08	0.26
PA (18:4(6Z, 9Z, 12Z, 15Z)/0:0)	475	2.90	0.14	PGF2alpha-dihydroxypropanylamine	854	5.25	0.45
Triuvaretin	589	3.79	0.31	Sempervirenoside B	895	2.67	0.55
3-Methyl-2-oxovaleric acid	175	3.45	#DIV/0	N-palmitoyl glycine	358	7.90	0.56
			!				
Methyl jasmonate	245	1.07	0.14	11-Oxo-androsterone glucuronide	525	4.03	0.60
Carpelastofuran	567	1.39	0.29	3, 5, 6-Trimethoxy-3',	417	0.73	1.32
				4'-methylene-dioxyfurano [2, 3:7,			
				8]flavone			
Herbacetin 3-glucoside-8-xyloside	641	1.05	0.63	Neoglabrescin A	899	2.49	2.13
Epothilone B	488	4.64	0.00	UDP-2, 3-diacyl-GlcN	998	3.06	1.58
Chandalone	449	0.73	3.18	Porphobilinogen	225	2.03	1.38
2'-O-Methylcajanone	417	1.28	0.15	Nonoxynol-9	634	7.99	19.6
thevetin A	893	3.22	0.43				
Antiarone J	911	5.30	0.05				
Xanthine	151	0.99	0.55				
Brosimacutin C	683	1.54	0.24				
2', 3', 4', 6'-Tetramethoxychalcone	655	2.87	0.36			·	
Leucadenone A	539	2.31	0.08				

Xu et al. Page 10 of 12

Butyl 3'-O-butanoyl-4, 6,	683	2.52	0.15
4'-tri-O-(2-methylpropanoyl)-neohesperido			
side			
26, 26, 26, 27, 27, 27-hexafluoro-1alpha,	499	4.07	0.12
25-dihydroxy-16, 17, 23, 23, 24,			
24-hexadehydrovitamin D3 / 26, 26, 26, 27,			
27, 27-hexafluoro-1alpha, 25-dihydroxy-16,			
17, 23, 23, 24,			
24-hexadehydrocholecalciferol			
PS (8:0/8:0)	556	4.49	0.09
Leukotriene D4	495	2.60	0.00
PI (20:5(5Z, 8Z, 11Z, 14Z, 17Z)/0:0)	617	3.59	0.29
PGF2alpha-dihydroxypropanylamine	853	5.25	0.42
PS	810	4.50	0.00
(18:3(6Z,9Z,12Z)/22:6(4Z,7Z,10Z,13Z,16Z,19			
Z))			
UDP-2,3-diacyl-GlcN	998	3.06	2.14
PS (18:1(9Z)/0:0)	544	4.03	0.08
epothilone D	512	1.56	0.02
2-O-(beta-D-galactopyranosyl-(1->6)-beta-D	547	2.00	0.07
-galactopyranosyl) 2S-hydroxyundecanoic			
acid			
Anhydroicaritin	883	1.48	0.41
3-galactosyl-(1->3)-rhamnoside-7-glucoside			
Linoside B	681	2.34	0.29
PI (16:0/0:0)	617	4.63	0.19
Neoglabrescin A	899	2.49	3.36

Xu et al. Page 11 of 12

Protoporphyrin IX	543	2.94	0.32
Broussoflavan A	851	4.78	0.16
Chenodeoxycholic acid 3-glucuronide	589	4.46	0.05
Euchrenone a14	517	2.90	0.13
Chaetoglobosin A	573	1.32	0.14
Peonanin	916	1.14	0.47
Sulphamisterin	460	2.00	0.15
Catechin 3-O-rutinoside	597	1.02	0.61
Ptilosteroid A	445	3.15	0.26
Leukotriene C4	624	2.66	0.35
thevetin B	903	4.28	0.41
2-O-(beta-D-galactopyranosyl-(1->6)-beta-D	575	2.77	0.19
-galactopyranosyl) 2S-hydroxytridecanoic			
acid			
Genistein 7-O-glucoside-6"-malonate	563	2.08	0.26
5-Hydroxy-6, 7, 3', 4',	581	1.39	0.51
5'-pentamethoxyflavanone			
5-O-rhamnoside			
Alpinumisoflavone dimethyl ether	727	3.02	0.65
9, 12, 13-TriHOME	329	7.30	0.29
Porphobilinogen	225	2.03	1.54
17, 18-dehydro-clavulone I	887	4.12	0.64
11-Oxo-androsterone glucuronide	525	4.03	0.66

Xu et al. Page 12 of 12