

References

- Anwarullah, M. Aslam, M. Badshah, R. Abbasi, A. Sultan, K. Khan, A. Nafees, and J. Engelhardt. 2017. Further evidence for the association of CYP2D6*4 gene polymorphism with Parkinson's disease: a case control study. *Genes Environ* 39:18. doi:10.1186/s41021-017-0078-8.
- Ascherio, A., H. Chen, M.G. Weisskopf, E. O'Reilly, M.L. McCullough, E.E. Calle, M.A. Schwarzschild, and M.J. Thun. 2006. Pesticide exposure and risk for Parkinson's disease. *Ann Neurol* 60:197–203. doi:10.1002/ana.20904.
- Beard, J., T. Sladden, G. Morgan, G. Berry, L. Brooks, and A. McMichael. 2003. Health impacts of pesticide exposure in a cohort of outdoor workers. *Environ Health Perspect* 111:724–30. doi: 10.1289/ehp.5885.
- Beghdadli, B., O. Ghomari, M.E.A. Hamimed, A. Azza, I. Edjekouane, and M. Ider. 2016. Occupational and environmental risk factors of Parkinson's disease: A case-control study in western Algeria. *Archives des Maladies Professionnelles et de l'Environnement* 77:21–6. doi:77.21-26. 10.1016/j.admp.2015.08.010.
- Behari, M., A.K. Srivastava, R.R. Das, and R. Pandey. 2001. Risk factors of Parkinson's disease in Indian patients. *J Neurol Sci* 190:49–55. doi:10.1016/s0022-510x(01)00578-0.
- Brighina, L., R. Frigerio, N.K. Schneider, T.G. Lesnick, M. de Andrade, J.M. Cunningham, M.J. Farrer, S.J. Lincoln, H. Checkoway, W.A. Rocca, et al. 2008. Synuclein, pesticides, and Parkinson disease: A case-control study. *Neurology* 70:1461–9. doi:10.1212/01.wnl.0000304049.31377.
- Brouwer, M., A. Huss, M. van der Mark, P.C.G. Nijssen, W.M. Mulleners, A.M.G. Sas, T. van Laar, G.R. de Snoo, H. Kromhout, and R.C.H. Vermeulen. 2017. Environmental exposure to pesticides and the risk of Parkinson's disease in the Netherlands. *Environ Int* 107:100–10. doi: 10.1016/j.envint.2017.07.001.
- Caballero, M., S. Amiri, J.T. Denney, P. Monsivais, P. Hystad, and O. Amram. 2018. Estimated Residential Exposure to Agricultural Chemicals and Premature Mortality by Parkinson's Disease in Washington State. *Int J Environ Res Public Health* 15: E2885. doi: 10.3390/ijerph15122885.
- Cheng, Y.H., W.C. Chou, Y.F. Yang, C.W. Huang, C.M. How, S.C. Chen, W.Y. Chen, N.H. Hsieh, Y.J. Lin, S.H. You, et al. 2018. PBPK/PD assessment for Parkinson's disease risk posed by airborne pesticide paraquat exposure. *Environ Sci Pollut Res Int* 25:5359–68. doi: 10.1007/s11356-017-0875-4.
- Chuang, C.S., H.L. Su, C.L. Lin, and C.H. Kao. 2017. Risk of Parkinson disease after organophosphate or carbamate poisoning. *Acta Neurol Scand* 136:129–37. doi: 10.1111/ane.12707.
- Costello, S., M. Cockburn, J. Bronstein, X. Zhang, and B. Ritz. 2009. Parkinson's disease and residential exposure to maneb and paraquat from agricultural applications in the Central Valley of California. *Am J Epidemiol* 169:919–26. doi: 10.1093/aje/kwp006.
- Das, K., M. Ghosh, C. Nag, S.P. Nandy, M. Banerjee, M. Datta, G. Devi, and G. Chatterjee. 2011. Role of familial, environmental and occupational factors in the development of Parkinson's Disease. *Neurodegener Dis* 8:345–51. doi:10.1159/000323797.
- Dhillon, A.S., G.L. Tarbutton, J.L. Levin, G.M. Plotkin, L.K. Lowry, J.T. Nalbone, and S. Shepherd. 2008. Pesticide/environmental exposures and Parkinson's disease in East Texas. *J Agromed* 13:37–48. doi: 10.1080/10599240801986215.

- Du, G., M.M. Lewis, N.W. Sterling, L. Kong, H. Chen, R.B. Mailman, and X. Huang. 2014. Microstructural changes in the substantia nigra of asymptomatic agricultural workers. *Neurotoxicol Teratol* 41:60–4. doi:10.1016/j.ntt.2013.12.001.
- Elbaz, A., J. Clavel, P.J. Rathouz, F. Moisan, J.P. Galanaud, B. Delemotte, A. Alperovitch, and C. Tzourio. 2009. Professional exposure to pesticides and Parkinson disease. *Ann Neurol* 66:494-504. doi: 10.1002/ana.21717.
- Engel, L., H. Checkoway, M. Keifer, N. Seixas, W. Longstreth, K. Scott, K. Hudnell, W. Anger, and R. Camicioli. 2001. Parkinsonism and occupational exposure to pesticides. *Occup Environ Med* 58:582-9. doi: 10.1136/oem.58.9.582.
- Firestone, J.A., J.I. Lundin, K.M. Powers, T. Smith-Weller, G.M. Franklin, P.D. Swanson, W.T. Longstreth Jr, and H. Checkoway. 2010. Occupational factors and risk of Parkinson's Disease: a population-based case-control study. *Am J Ind Med* 53:217-23. doi: 10.1002/ajim.20788.
- Firestone, J.A., T. Smith-Weller, G. Franklin, P. Swanson, W.T. Longstreth, and H. Checkoway. 2005. Pesticides and risk of Parkinson Disease. A population-based case-control study. *Arch Neurol* 62:91-5. doi: 10.1001/archneur.62.1.91.
- Fleming, L., J.B. Mann, J. Bean, T. Briggie, and J.R. Sanchez-Ramos. 1994. Parkinson's disease and brain levels of organochlorine pesticides. *Ann Neurol* 36:100–3. doi:10.1002/ana.410360119.
- Fong, C.S., R.M. Wu, J.C. Shieh, Y.T. Chao, Y.P. Fu, C.L. Kuao, and Cheng, C.W. 2007. Pesticide exposure on southwestern Taiwanese with MnSOD and NQO1 polymorphisms is associated with increased risk of Parkinson's disease. *Clinica Chimica Acta* 378:136–41. doi:10.1016/j.cca.2006.11.006.
- Furlong, M., C.M. Tanner, S.M. Goldman, G.S. Bhudhikanok, A. Blair, A. Chade, K. Comyns, J.A. Hoppin, M. Kasten, M. Korell, et al. 2015. Protective glove use and hygiene habits modify the associations of specific pesticides with Parkinson's disease. *Environ Int* 75:144-50. doi: 10.1016/j.envint.2014.11.002.
- Gatto, N.M., M. Cockburn, J. Bronstein, A.D. Manthripragada, and B. Ritz. 2009. Well-water consumption and Parkinson's disease in rural California. *Environ Health Perspect* 117:1912-8. doi: 10.1289/ehp.0900852.
- Gatto, N.M., S.L. Rhodes, A.D. Manthripragada, J. Bronstein, M. Cockburn, M. Farrer, and B. Ritz. 2010. Synuclein gene may interact with environmental factors in increasing risk of Parkinson's disease. *Neuroepidemiology* 35:191-5. doi: 10.1159/000315157.
- Goldman, S.M., F. Kamel, G.W. Ross, G.S. Bhudhikanok, J.A. Hoppin, M. Korell, C. Marras, C. Meng, D.M. Umbach, M. Kasten, et al. 2012. Genetic modification of the association of paraquat and Parkinson's Disease. *Mov Disord* 27:1652-8. doi: 10.1002/mds.25216.
- Gorell, J.M., C.C. Johnson, B.A. Rybicki, E.L. Peterson, and R.J. Richardson. 1998. The risk of Parkinson's disease with exposure to pesticides, farming, well water, and rural living. *Neurology* 50:1346–50. doi:10.1212/wnl.50.5.1346.
- Grant, H.C., P.L. Lantos, and C. Parkinson. 1980. Cerebral damage in paraquat poisoning. *Histopathology* 4:185–95. doi:10.1111/j.1365-2559.1980.tb02911.x.
- Hancock, D.B., E.R. Martin, G.M. Mayhew, J.M. Stajich, R. Jewett, M.A. Stacy, B.L. Scott, J.M. Vance, and W.K. Scott. 2008. Pesticide exposure and risk of Parkinson's disease: A family-based case-control study. *BMC Neurol* 8:1-12. doi:10.1186/1471-2377-8-6.
- Harding, A.H., D. Fox, Y. Chen, N. Pearce, D. Fishwick, and G. Frost. 2017. Prospective Investigation of Pesticide Applicators' Health (PIPAH) study: a cohort study of professional pesticide users in Great Britain. *BMJ Open* 7:e018212. doi:10.1136/bmjopen-2017-018212.

- Herishanu, Y.O., E. Kordysh, and J.R. Goldsmith. 1998. A Case-Referent Study of Extrapyrimaldal Signs (Preparkinsonism) in Rural Communities of Israel. *Can J Neurol Sci* 25:127–33. doi:10.1017/s0317167100033734.
- Hertzman, C., M. Wiens, and D. Bowering. 1990. Parkinson's disease: a case-control study of occupational and environmental risk factors. *Am J Indust Med* 17:349-55.
- Hertzman, C., M. Wiens, B. Snow, S. Kelly, and D. Calne. 1994. A case-control study of Parkinson's disease in a horticultural region of British Columbia. *Mov Disord* 9:69-75. doi: 10.1002/mds.870090111.
- Hubble, J.P., T. Cao, R.E.S. Hassanein, J.S. Neuberger, and W.C. Roller. 1993. Risk factors for Parkinson's disease. *Neurology* 43:1693–7. doi:10.1212/wnl.43.9.1693.
- Hughes, A.J., Y. Ben-Shlomo, S.E. Daniel, and A.J. Lees. 1992a. What features improve the accuracy of clinical diagnosis in Parkinson's disease: a clinicopathologic study. *Neurology* 42:1142-6.
- Hughes, A.J., S.E. Daniel, L. Kilford, and A.J. Lees. 1992b. Accuracy of clinical diagnosis of idiopathic Parkinson's disease. A clinico-pathological study of 100 cases. *J Neurol Neurosurg Psychiatry* 55:181-4.
- James, K.A., and D.A Hall. 2015. Groundwater pesticide levels and the association with Parkinson Disease. *Int J Toxicol* 34:266–73. doi:10.1177/1091581815583561.
- Kamel, F., S.M. Goldman, D.M. Umbach, H. Chen, G. Richardson, M.R. Barber, C. Meng, C. Marras, M. Korell, M. Kasten, et al. 2014. Dietary fat intake, pesticide use, and Parkinson's disease. *Parkinsonism Relat Disord* 20:82-7. doi: 10.1016/j.parkreldis.2013.09.023.
- Kamel, F., C. Tanner, D. Umbach, J.A. Hoppin, M.C.R. Alavanja, A. Blair, K. Comyns, S. Goldman, M. Korell, J. Langston, et al. 2007. Pesticide exposure and self-reported Parkinson's Disease in the Agricultural Health Study. *Am J Epidemiol* 165:364-74. doi: 10.1093/aje/kwk024.
- Lee, P.C., Y. Bordelon, J. Bronstein, and B. Ritz. 2012. Traumatic brain injury, paraquat exposure, and their relationship to Parkinson disease. *Neurology* 79:2061-6. doi: 10.1212/WNL.0b013e3182749f28.
- Liew, Z., A. Wang, J. Bronstein, and B. Ritz. 2014. Job Exposure Matrix (JEM)-Derived estimates of lifetime occupational pesticide exposure and the risk of Parkinson's Disease. *Arch Environ Health* 69:241–51. doi:10.1080/19338244.2013.778808.
- Liou, H.H., M.C. Tsai, C.J. Chen, J.S. Jeng, Y.C. Chang, S.Y. Chen, and R.C. Chen. 1997. Environmental risk factors and Parkinson's disease: a case-control study in Taiwan. *Neurology* 48:1583-8.
- Marder, K., G. Logroscino, B. Alfaro, H. Mejia, A. Halim, E. Louis, L. Cote, and R. Mayeux. 1998. Environmental risk factors for Parkinson's disease in an urban multiethnic community. *Neurology* 50:279–81. doi:10.1212/wnl.50.1.279.
- McCann, S.J., D.G. LeCouteur, A.C. Green, C. Brayne, A.G. Johnson, D. Chan, M.E. McManus, and S.M. Pond. 1998. The epidemiology of Parkinson's Disease in an Australian population. *Neuroepidemiology* 17:310–17. doi:10.1159/000026185.
- Narayan, S., Z. Liew, J.M. Bronstein, and B. Ritz. 2017. Occupational pesticide use and Parkinson's disease in the Parkinson Environment Gene (PEG) study. *Environ Int* 107:266-73. doi: 10.1016/j.envint.2017.04.010.
- Nuti, A., R. Ceravolo, G. Dell'Agnello, G. Gambaccini, G. Bellini, L. Kiferle, C. Rossi, C. Logi, and U. Bonuccelli. 2004. Environmental factors and Parkinson's disease: A case-control study in the Tuscany region of Italy. *Parkinsonism Relat Disord* 10:481–5. doi:10.1016/j.parkreldis.2004.01.008.

- Palacios, N., K. Fitzgerald, A.L., J.E. Roberts Hart, M.G. Weisskopf, M.A. Schwarzschild, A. Ascherio, F. Laden. 2014. A prospective analysis of airborne metal exposures and risk of Parkinson Disease in the nurses health study cohort. *Environ Health Perspect* 22:933-8. doi:10.1289/ehp.1307218.
- Pereira, D., and C. Garrett. 2010. Risk factors for Parkinson disease: An epidemiologic study. *Acta Med Port* 23:15-24.
- Pouchieu, C., C. Piel, C. Carles, A. Gruber, C. Helmer, S. Tual, E. Marcotullio, P. Lebailly, and I. Baldi. 2018. Pesticide use in agriculture and Parkinson's disease in the AGRICAN cohort study. *Int J Epidemiol* 47:299-310. doi: 10.1093/ije/dyx225.
- Rajput, A.H., R.J. Uitti, W. Stern, W. Lavery, K. O'Donnell, D. O'Donnell, W.K. Yuen, and A. Dua. 1987. Geography, drinking water chemistry, pesticides and herbicides and the etiology of Parkinson's disease. *Can J Neurol Sci* 14:414-8. doi:10.1017/s0317167100037823.
- Ritz, B., and S. Costello. 2006. Geographic model and biomarker-derived measures of pesticide exposure and Parkinson's Disease. *Ann N Y Acad Sci* 1076:378-87. doi:10.1196/annals.1371.074.
- Ritz, B.R., A.D. Manthripragada, S. Costello, S.J. Lincoln, M.J. Farrer, M. Cockburn, and J. Bronstein. 2009. Dopamine transporter genetic variants and pesticides in Parkinson's disease. *Environ Health Perspect* 117:964-9. doi: 10.1289/ehp.0800277.
- Ritz, B., and F. Yu. 2000. Parkinson's disease mortality and pesticide exposure in California 1984-1994. *Int J Epidemiol* 29:323-9. doi:10.1093/ije/29.2.323.
- Ross, G.W., J.E. Duda, R.D. Abbott, E. Pellizzari, H. Petrovitch, D.B. Miller, J.P. O'Callaghan, C.M. Tanner, J.V. Noorigian, K. Masaki, et al. 2012. Brain organochlorines and Lewy pathology: The Honolulu-Asia aging study. *Mov Disord* 27:1418-24. doi: 10.1002/mds.25144.
- Rugbjerg, K., M.A. Harris, H. Shen, S.A. Marion, J.K. Tsui, and K. Teschke. 2011. Pesticide exposure and risk of Parkinson's disease - a population-based case-control study evaluating the potential for recall bias. *Scand J Work Environ Health* 27:427-36. doi: 10.5271/sjweh.3142.
- Sanders, L.H., K.C. Paul, E.H. Howlett, H. Lawal, S. Boppana, J.M. Bronstein, B. Ritz, and J.T. Greenamyre. 2017. Editor's highlight: base excision repair variants and pesticide exposure increase Parkinson's Disease risk. *Toxicol Sci* 158:188-98. doi: 10.1093/toxsci/kfx086.
- Sanyal, J., D.P. Chakraborty, B. Sarkar, T.K. Banerjee, S.C. Mukherjee, B.C. Ray, and V.R. Rao. 2010. Environmental and familial risk factors of Parkinson's Disease: Case-control study. *Can J Neurol Sci* 37:637-42. doi:10.1017/s0317167100010829.
- Seidler, A., W. Hellenbrand, B.P. Robra, P. Vieregge, P. Nischan, and J. Joerg. 1996. Possible environmental, occupational, and other etiologic factors for Parkinson's disease: a case-control study in Germany. *Neurology* 46:1275-84.
- Semchuk, K.M., and E.J. Love. 1995. Effects of agricultural work and other proxy-derived case-control data on Parkinson's Disease risk estimates. *Am J Epidemiol* 141:747-54. doi:10.1093/oxfordjournals.aje.a117497.
- Semchuk, K.M., E.J. Love, and R.G. Lee. 1992. Parkinson's disease and exposure to agricultural work and pesticide chemicals. *Neurology* 42:1328-35.
- Semchuk, K.M., E.J. Love, and R.G. Lee. 1993. Parkinson's disease: A test of the multifactorial etiologic hypothesis. *Neurology* 43:1173-80. doi: 10.1212/wnl.43.6.1173.
- Smargiassi A., A. Mutti, A. De Rosa, G. De Palma, A. Negrotti, S. Calzetti. 1998. A case-control study of occupational and environmental risk factors for Parkinson's disease in the Emilia-Romagna region of Italy. *Neurotoxicology* 19:709-712.

- Steenland, K., C. Wesseling, N. Román, I. Quirós, and J.L. Juncos. 2013. Occupational pesticide exposure and screening tests for neurodegenerative disease among an elderly population in Costa Rica. *Environ Res* 120:96–101. doi: 10.1016/j.envres.2012.08.014.
- Stefano, E., C. Casali, M. Caporali, G. Sancesario, and C. Morocutti. 1989. Parkinson disease in farm workers. *Ital J Neurol Sci* 10:379–9. doi:10.1007/bf02333786.
- Stern, M. 1991. The Epidemiology of Parkinson's Disease. *Arch Neurol* 48:903-7. doi:10.1001/archneur.1991.00530210029.
- Tanner, C.M., G.W. Ross, S.A. Jewell, R.A. Hauser, J. Jankovic, S.A. Factor, S. Bressman, A. Deligdisch, C. Marras, K.E. Lyons, et al. 2009. Occupation and risk of parkinsonism. A multicenter case-control study. *Arch Neurol* 66:1106-13. doi: 10.1001/archneurol.2009.195.
- Tanner, C.M., F. Kamel, G.W. Ross, J.A. Hoppin, S.M. Goldman, M. Korell, C. Marras, G.S. Bhudhikanok, M. Kasten, A.R. Chade, et al. 2011. Rotenone, paraquat, and Parkinson's disease. *Environ Health Perspect* 119:866-72. doi: 10.1289/ehp.1002839.
- Taylor, C.A., M.H. Saint-Hilaire, L.A. Cupples, C.A. Thomas, A.E. Burchard, R.G. Feldman, and R.H. Myers. 1999. Environmental, medical, and family history risk factors for Parkinson's disease: A New England-based case control study. *Am J Med Genet* 88:742-9.
- Tomenson, J.A., and C. Campbell. 2011. Mortality from Parkinson's disease and other causes among a workforce manufacturing paraquat: a retrospective cohort study. *BMJ Open* 1:e000283–e000283. doi:10.1136/bmjopen-2011-000283.
- Tsai, C., S. Lo, L. See, H. Chen, R. Chen, Y. Weng, and C. Lu. 2002. Environmental risk factors of young onset Parkinson's disease: A case-control study. *Clin Neurol Neurosurg* 104:328–33. doi:10.1016/s0303-8467(02)00027-6.
- van Der Mark, M., R. Vermeulen, P.C. Nijssen, W.M. Mulleners, A.M. Sas, T. Van Laar, M. Brouwer, A. Huss, and H. Kromhout. 2014. Occupational exposure to pesticides and endotoxin and Parkinson disease in the Netherlands. *Occup Environ Med* 71:757-64. doi: 10.1136/oemed-2014-102170.
- Wan, N., and G. Lin. 2015. Parkinson's Disease and pesticides exposure: new findings from a comprehensive study in Nebraska, USA. *The Journal of Rural Health*, 32:303–13. doi:10.1111/jrh.12154.
- Wang, A., M. Cockburn, T.T. Ly, J.M. Bronstein, and B. Ritz. 2014. The association between ambient exposure to organophosphates and Parkinson's disease risk. *Occup Environ Med* 71:275–81. doi:10.1136/oemed-2013-101394.
- Wang, A., S. Costello, M. Cockburn, X. Zhang, J. Bronstein, and B. Ritz. 2011. Parkinson's disease risk from ambient exposure to pesticides. *Eur J Epidemiol* 26:547-55. doi: 10.1007/s10654-011-9574-5.
- Wang, F.L., K.M. Semchuk, and E.J. Love. 1994. Reliability of environmental and occupational exposure data provided by surrogate respondents in a case-control study of Parkinson's disease. *J Clin Epidemiol* 47:797–807. doi:10.1016/0895-4356(94)90177-5.
- Werneck, A.L.D.S., and H. Alvarenga. 1999. Genetics, drugs and environmental factors in Parkinson's disease: A case-control study. *Arq Neuropsiquiatr* 57:347–55. doi: 10.1590/s0004-282x1999000300001.
- Wilk, J.B., J.E. Tobin, O. Suchowersky, H.A. Shill, C. Klein, G.F. Wooten, M.F. Lew, M.H. Mark, M. Guttman, R.L. Watts, et al. 2006. Herbicide exposure modifies GSTP1 haplotype association to Parkinson onset age: The Gene PD Study. *Neurology* 67:2206–10. doi: 10.1212/01.wnl.0000249149.22407.d1.
- Wong, G.F., C.S. Gray, R.S. Hassanein, W.C. Koller. 1991. Environmental risk factors in siblings with Parkinson's Disease. *Arch Neurol* 48:287–9. doi: 10.1001/archneur.1991.005301500550.

- Wright, J.M., and J. Keller-Byrne. 2005. Environmental Determinants of Parkinson's Disease. *Arch Environ Occup Health* 60:32–8. doi:10.3200/aeoh.60.1.32-38.
- Wu, B., B. Song, S. Tian, S. Huo, C. Cui, Y. Guo, and H. Liu. 2012. Central nervous system damage due to acute paraquat poisoning: A neuroimaging study with 3.0T MRI. *Neurotoxicology* 33:1330–7. doi:10.1016/j.neuro.2012.