Online Supplemental Material

Atmospheric nitrogen deposition in Yangtze River Delta: Insights gained from the nitrogen content and isotopic composition of the moss *Haplocladium microphyllum*

Zhili CHEN[a,e], Tao HUANG[a,b,c,d]*, Rong FAN[a], Hao YANG[a], Yanju YANG[f], and Changchun HUANG[a,b,c,d]

[a]School of Geography Science, Nanjing Normal University, Nanjing, PR China; [b]Jiangsu Center for Collaborative Innovation in Geographical Information Resource Development and Application, Nanjing Normal University, Nanjing, PR China; [c]Key Laboratory of Virtual Geographic Environment (Nanjing Normal University), Ministry of Education, Nanjing, PR China; [d]State Key Laboratory Cultivation Base of Geographical Environment Evolution (Jiangsu Province), Nanjing, PR China; [e]Institute of Surface-Earth System Science, Tianjin University, Tianjin, PR China; [f]College of Environmental Science and Engineering, Yangzhou University, Yangzhou, PR China

This file includes:

Supplementary Tables S1

Table S1. Geographical location and land-use types of sampling sites

Site	Location	Land-use type
Suiyuan (SY)	32°03′N, 118°47′E	Urban
Hehuachi (HHC)	32°24′ N, 119°26′ E	Urban
Xianlin (XL)	32°07′ N, 118°55′ E	Suburban
Yangzijin (YZJ)	32°21′ N, 119°24′ E	Suburban
Tongshan (TS)	31°41′N, 118°52′E	Rural
Yuyangli (YYL)	31°14′N, 120°23′E	Rural