

Supplemental Table 1. Diagnoses and procedures codes to determine pregnancy outcome and gestational age.

Type	Code	Pregnancy Outcome ^a	Gestational Age
ICD-9-CM Diagnoses	631	SAB	8
ICD-9-CM Diagnoses	6310	SAB	8
ICD-9-CM Diagnoses	6318	SAB	8
ICD-9-CM Diagnoses	632	SAB	20
ICD-9-CM Diagnoses	633	ECT	8
ICD-9-CM Diagnoses	6330	ECT	8
ICD-9-CM Diagnoses	63300	ECT	8
ICD-9-CM Diagnoses	63301	ECT	8
ICD-9-CM Diagnoses	6331	ECT	8
ICD-9-CM Diagnoses	63310	ECT	8
ICD-9-CM Diagnoses	63311	ECT	8
ICD-9-CM Diagnoses	6332	ECT	8
ICD-9-CM Diagnoses	63320	ECT	8
ICD-9-CM Diagnoses	63321	ECT	8
ICD-9-CM Diagnoses	6338	ECT	8
ICD-9-CM Diagnoses	63380	ECT	8
ICD-9-CM Diagnoses	63381	ECT	8
ICD-9-CM Diagnoses	6339	ECT	8
ICD-9-CM Diagnoses	63390	ECT	8
ICD-9-CM Diagnoses	63391	ECT	8
ICD-9-CM Diagnoses	634	SAB	8
ICD-9-CM Diagnoses	6340	SAB	8
ICD-9-CM Diagnoses	63400	SAB	8
ICD-9-CM Diagnoses	63401	SAB	8
ICD-9-CM Diagnoses	63402	SAB	8
ICD-9-CM Diagnoses	6341	SAB	8
ICD-9-CM Diagnoses	63410	SAB	8
ICD-9-CM Diagnoses	63411	SAB	8
ICD-9-CM Diagnoses	63412	SAB	8
ICD-9-CM Diagnoses	6342	SAB	8
ICD-9-CM Diagnoses	63420	SAB	8
ICD-9-CM Diagnoses	63421	SAB	8
ICD-9-CM Diagnoses	63422	SAB	8
ICD-9-CM Diagnoses	6343	SAB	8
ICD-9-CM Diagnoses	63430	SAB	8
ICD-9-CM Diagnoses	63431	SAB	8
ICD-9-CM Diagnoses	63432	SAB	8
ICD-9-CM Diagnoses	6344	SAB	8
ICD-9-CM Diagnoses	63440	SAB	8
ICD-9-CM Diagnoses	63441	SAB	8
ICD-9-CM Diagnoses	63442	SAB	8
ICD-9-CM Diagnoses	6345	SAB	8
ICD-9-CM Diagnoses	63450	SAB	8
ICD-9-CM Diagnoses	63451	SAB	8
ICD-9-CM Diagnoses	63452	SAB	8
ICD-9-CM Diagnoses	6346	SAB	8
ICD-9-CM Diagnoses	63460	SAB	8
ICD-9-CM Diagnoses	63461	SAB	8

ICD-9-CM Diagnoses	63462	SAB	8
ICD-9-CM Diagnoses	6347	SAB	8
ICD-9-CM Diagnoses	63470	SAB	8
ICD-9-CM Diagnoses	63471	SAB	8
ICD-9-CM Diagnoses	63472	SAB	8
ICD-9-CM Diagnoses	6348	SAB	8
ICD-9-CM Diagnoses	63480	SAB	8
ICD-9-CM Diagnoses	63481	SAB	8
ICD-9-CM Diagnoses	63482	SAB	8
ICD-9-CM Diagnoses	6349	SAB	8
ICD-9-CM Diagnoses	63490	SAB	8
ICD-9-CM Diagnoses	63491	SAB	8
ICD-9-CM Diagnoses	63492	SAB	8
ICD-9-CM Diagnoses	635	TAB	10
ICD-9-CM Diagnoses	6350	TAB	10
ICD-9-CM Diagnoses	63500	TAB	10
ICD-9-CM Diagnoses	63501	TAB	10
ICD-9-CM Diagnoses	63502	TAB	10
ICD-9-CM Diagnoses	6351	TAB	10
ICD-9-CM Diagnoses	63510	TAB	10
ICD-9-CM Diagnoses	63511	TAB	10
ICD-9-CM Diagnoses	63512	TAB	10
ICD-9-CM Diagnoses	6352	TAB	10
ICD-9-CM Diagnoses	63520	TAB	10
ICD-9-CM Diagnoses	63521	TAB	10
ICD-9-CM Diagnoses	63522	TAB	10
ICD-9-CM Diagnoses	6353	TAB	10
ICD-9-CM Diagnoses	63530	TAB	10
ICD-9-CM Diagnoses	63531	TAB	10
ICD-9-CM Diagnoses	63532	TAB	10
ICD-9-CM Diagnoses	6354	TAB	10
ICD-9-CM Diagnoses	63540	TAB	10
ICD-9-CM Diagnoses	63541	TAB	10
ICD-9-CM Diagnoses	63542	TAB	10
ICD-9-CM Diagnoses	6355	TAB	10
ICD-9-CM Diagnoses	63550	TAB	10
ICD-9-CM Diagnoses	63551	TAB	10
ICD-9-CM Diagnoses	63552	TAB	10
ICD-9-CM Diagnoses	6356	TAB	10
ICD-9-CM Diagnoses	63560	TAB	10
ICD-9-CM Diagnoses	63561	TAB	10
ICD-9-CM Diagnoses	63562	TAB	10
ICD-9-CM Diagnoses	6357	TAB	10
ICD-9-CM Diagnoses	63570	TAB	10
ICD-9-CM Diagnoses	63571	TAB	10
ICD-9-CM Diagnoses	63572	TAB	10
ICD-9-CM Diagnoses	6358	TAB	10
ICD-9-CM Diagnoses	63580	TAB	10
ICD-9-CM Diagnoses	63581	TAB	10
ICD-9-CM Diagnoses	63582	TAB	10
ICD-9-CM Diagnoses	6359	TAB	10

ICD-9-CM Diagnoses	63590	TAB	10
ICD-9-CM Diagnoses	63591	TAB	10
ICD-9-CM Diagnoses	63592	TAB	10
ICD-9-CM Diagnoses	636	TAB	10
ICD-9-CM Diagnoses	6360	TAB	10
ICD-9-CM Diagnoses	63600	TAB	10
ICD-9-CM Diagnoses	63601	TAB	10
ICD-9-CM Diagnoses	63602	TAB	10
ICD-9-CM Diagnoses	6361	TAB	10
ICD-9-CM Diagnoses	63610	TAB	10
ICD-9-CM Diagnoses	63611	TAB	10
ICD-9-CM Diagnoses	63612	TAB	10
ICD-9-CM Diagnoses	6362	TAB	10
ICD-9-CM Diagnoses	63620	TAB	10
ICD-9-CM Diagnoses	63621	TAB	10
ICD-9-CM Diagnoses	63622	TAB	10
ICD-9-CM Diagnoses	6363	TAB	10
ICD-9-CM Diagnoses	63630	TAB	10
ICD-9-CM Diagnoses	63631	TAB	10
ICD-9-CM Diagnoses	63632	TAB	10
ICD-9-CM Diagnoses	6364	TAB	10
ICD-9-CM Diagnoses	63640	TAB	10
ICD-9-CM Diagnoses	63641	TAB	10
ICD-9-CM Diagnoses	63642	TAB	10
ICD-9-CM Diagnoses	6365	TAB	10
ICD-9-CM Diagnoses	63650	TAB	10
ICD-9-CM Diagnoses	63651	TAB	10
ICD-9-CM Diagnoses	63652	TAB	10
ICD-9-CM Diagnoses	6366	TAB	10
ICD-9-CM Diagnoses	63660	TAB	10
ICD-9-CM Diagnoses	63661	TAB	10
ICD-9-CM Diagnoses	63662	TAB	10
ICD-9-CM Diagnoses	6367	TAB	10
ICD-9-CM Diagnoses	63670	TAB	10
ICD-9-CM Diagnoses	63671	TAB	10
ICD-9-CM Diagnoses	63672	TAB	10
ICD-9-CM Diagnoses	6368	TAB	10
ICD-9-CM Diagnoses	63680	TAB	10
ICD-9-CM Diagnoses	63681	TAB	10
ICD-9-CM Diagnoses	63682	TAB	10
ICD-9-CM Diagnoses	6369	TAB	10
ICD-9-CM Diagnoses	63690	TAB	10
ICD-9-CM Diagnoses	63691	TAB	10
ICD-9-CM Diagnoses	63692	TAB	10
ICD-9-CM Diagnoses	637	TAB	10
ICD-9-CM Diagnoses	6370	TAB	10
ICD-9-CM Diagnoses	63700	TAB	10
ICD-9-CM Diagnoses	63701	TAB	10
ICD-9-CM Diagnoses	63702	TAB	10
ICD-9-CM Diagnoses	6371	TAB	10
ICD-9-CM Diagnoses	63710	TAB	10

ICD-9-CM Diagnoses	63711	TAB	10
ICD-9-CM Diagnoses	63712	TAB	10
ICD-9-CM Diagnoses	6372	TAB	10
ICD-9-CM Diagnoses	63720	TAB	10
ICD-9-CM Diagnoses	63721	TAB	10
ICD-9-CM Diagnoses	63722	TAB	10
ICD-9-CM Diagnoses	6373	TAB	10
ICD-9-CM Diagnoses	63730	TAB	10
ICD-9-CM Diagnoses	63731	TAB	10
ICD-9-CM Diagnoses	63732	TAB	10
ICD-9-CM Diagnoses	6374	TAB	10
ICD-9-CM Diagnoses	63740	TAB	10
ICD-9-CM Diagnoses	63741	TAB	10
ICD-9-CM Diagnoses	63742	TAB	10
ICD-9-CM Diagnoses	6375	TAB	10
ICD-9-CM Diagnoses	63750	TAB	10
ICD-9-CM Diagnoses	63751	TAB	10
ICD-9-CM Diagnoses	63752	TAB	10
ICD-9-CM Diagnoses	6376	TAB	10
ICD-9-CM Diagnoses	63760	TAB	10
ICD-9-CM Diagnoses	63761	TAB	10
ICD-9-CM Diagnoses	63762	TAB	10
ICD-9-CM Diagnoses	6377	TAB	10
ICD-9-CM Diagnoses	63770	TAB	10
ICD-9-CM Diagnoses	63771	TAB	10
ICD-9-CM Diagnoses	63772	TAB	10
ICD-9-CM Diagnoses	6378	TAB	10
ICD-9-CM Diagnoses	63780	TAB	10
ICD-9-CM Diagnoses	63781	TAB	10
ICD-9-CM Diagnoses	63782	TAB	10
ICD-9-CM Diagnoses	6379	TAB	10
ICD-9-CM Diagnoses	63790	TAB	10
ICD-9-CM Diagnoses	63791	TAB	10
ICD-9-CM Diagnoses	63792	TAB	10
ICD-9-CM Diagnoses	64421	LB	34
ICD-9-CM Diagnoses	64511	LB	42
ICD-9-CM Diagnoses	64521	LB	43
ICD-9-CM Diagnoses	64981	LB	38
ICD-9-CM Diagnoses	64982	LB	38
ICD-9-CM Diagnoses	650	LB	40
ICD-9-CM Diagnoses	65101	LB	36
ICD-9-CM Diagnoses	65111	LB	33
ICD-9-CM Diagnoses	65121	LB	31
ICD-9-CM Diagnoses	65131	LBandSB	36
ICD-9-CM Diagnoses	65141	LBandSB	33
ICD-9-CM Diagnoses	65151	LBandSB	31
ICD-9-CM Diagnoses	6564	SB	28
ICD-9-CM Diagnoses	65640	SB	28
ICD-9-CM Diagnoses	65641	SB	28
ICD-9-CM Diagnoses	65643	SB	28
ICD-9-CM Diagnoses	66970	LB	40

ICD-9-CM Diagnoses	66971	LB	40
ICD-9-CM Diagnoses	7650	LB	28
ICD-9-CM Diagnoses	76500	LB	28
ICD-9-CM Diagnoses	76501	LB	28
ICD-9-CM Diagnoses	76502	LB	28
ICD-9-CM Diagnoses	76503	LB	28
ICD-9-CM Diagnoses	76504	LB	28
ICD-9-CM Diagnoses	76505	LB	28
ICD-9-CM Diagnoses	76506	LB	28
ICD-9-CM Diagnoses	76507	LB	28
ICD-9-CM Diagnoses	76508	LB	28
ICD-9-CM Diagnoses	76509	LB	28
ICD-9-CM Diagnoses	76510	LB	34
ICD-9-CM Diagnoses	76511	LB	23
ICD-9-CM Diagnoses	76512	LB	25
ICD-9-CM Diagnoses	76513	LB	27
ICD-9-CM Diagnoses	76514	LB	29
ICD-9-CM Diagnoses	76515	LB	31
ICD-9-CM Diagnoses	76516	LB	34
ICD-9-CM Diagnoses	76517	LB	34
ICD-9-CM Diagnoses	76518	LB	34
ICD-9-CM Diagnoses	76519	LB	34
ICD-9-CM Diagnoses	76520	LB	34
ICD-9-CM Diagnoses	76521	LB	23
ICD-9-CM Diagnoses	76522	LB	24
ICD-9-CM Diagnoses	76523	LB	26
ICD-9-CM Diagnoses	76524	LB	28
ICD-9-CM Diagnoses	76525	LB	30
ICD-9-CM Diagnoses	76526	LB	32
ICD-9-CM Diagnoses	76527	LB	34
ICD-9-CM Diagnoses	76528	LB	36
ICD-9-CM Diagnoses	76529	LB	40
ICD-9-CM Diagnoses	76621	LB	42
ICD-9-CM Diagnoses	76622	LB	43
ICD-9-CM Diagnoses	V270	LB	40
ICD-9-CM Diagnoses	V271	SB	28
ICD-9-CM Diagnoses	V272	LB	36
ICD-9-CM Diagnoses	V273	LBandSB	36
ICD-9-CM Diagnoses	V274	SB	36
ICD-9-CM Diagnoses	V275	LB	33
ICD-9-CM Diagnoses	V276	LBandSB	33
ICD-9-CM Diagnoses	V277	SB	33
ICD-9-CM Diagnoses	V300	LB	40
ICD-9-CM Diagnoses	V3000	LB	40
ICD-9-CM Diagnoses	V3001	LB	40
ICD-9-CM Diagnoses	V310	LB	36
ICD-9-CM Diagnoses	V3100	LB	36
ICD-9-CM Diagnoses	V3101	LB	36
ICD-9-CM Diagnoses	V320	LBandSB	36
ICD-9-CM Diagnoses	V3200	LBandSB	36
ICD-9-CM Diagnoses	V3201	LBandSB	36

ICD-9-CM Diagnoses	V33	LB	36
ICD-9-CM Diagnoses	V330	LB	36
ICD-9-CM Diagnoses	V3300	LB	36
ICD-9-CM Diagnoses	V3301	LB	36
ICD-9-CM Diagnoses	V340	LB	33
ICD-9-CM Diagnoses	V3400	LB	33
ICD-9-CM Diagnoses	V3401	LB	33
ICD-9-CM Diagnoses	V350	LBandSB	33
ICD-9-CM Diagnoses	V3500	LBandSB	33
ICD-9-CM Diagnoses	V3501	LBandSB	33
ICD-9-CM Diagnoses	V360	LBandSB	33
ICD-9-CM Diagnoses	V3600	LBandSB	33
ICD-9-CM Diagnoses	V3601	LBandSB	33
ICD-9-CM Diagnoses	V37	LB	33
ICD-9-CM Diagnoses	V370	LB	33
ICD-9-CM Diagnoses	V3700	LB	33
ICD-9-CM Diagnoses	V3701	LB	33
ICD-9-CM Diagnoses	V390	LB	40
ICD-9-CM Diagnoses	V3900	LB	40
ICD-9-CM Diagnoses	V3901	LB	40
DRG v24	381	ABT	8
DRG v25	378	ECT	8
DRG v26	380	ABT	8
DRG v27	386	LB	32
DRG v28	387	LB	34
DRG v29	388	LB	34
DRG v30	389	LB	40
DRG v31	391	LB	40
DRG v32	370	LB	40
DRG v33	371	LB	40
DRG v34	374	LB	40
DRG v35	375	LB	40
DRG v36	372	LB	40
DRG v37	373	LB	40
ICD-9-CM Procedures	6662	ECT	8
ICD-9-CM Procedures	6901	TAB	10
ICD-9-CM Procedures	6951	SAB	10
ICD-9-CM Procedures	6952	ABT	10
ICD-9-CM Procedures	720	LB	40
ICD-9-CM Procedures	721	LB	40
ICD-9-CM Procedures	722	LB	40
ICD-9-CM Procedures	7221	LB	40
ICD-9-CM Procedures	7229	LB	40
ICD-9-CM Procedures	723	LB	40
ICD-9-CM Procedures	7231	LB	40
ICD-9-CM Procedures	7239	LB	40
ICD-9-CM Procedures	724	LB	40
ICD-9-CM Procedures	725	LB	40
ICD-9-CM Procedures	7251	LB	40
ICD-9-CM Procedures	7252	LB	40
ICD-9-CM Procedures	7253	LB	40

ICD-9-CM Procedures	7254	LB	40
ICD-9-CM Procedures	726	LB	40
ICD-9-CM Procedures	727	LB	40
ICD-9-CM Procedures	7271	LB	40
ICD-9-CM Procedures	7279	LB	40
ICD-9-CM Procedures	728	LB	40
ICD-9-CM Procedures	729	LB	40
ICD-9-CM Procedures	730	LB	40
ICD-9-CM Procedures	7301	LB	40
ICD-9-CM Procedures	7309	LB	40
ICD-9-CM Procedures	731	LB	40
ICD-9-CM Procedures	732	LB	40
ICD-9-CM Procedures	7322	LB	40
ICD-9-CM Procedures	733	LB	40
ICD-9-CM Procedures	734	LB	40
ICD-9-CM Procedures	735	LB	40
ICD-9-CM Procedures	7351	LB	40
ICD-9-CM Procedures	7359	LB	40
ICD-9-CM Procedures	736	LB	40
ICD-9-CM Procedures	738	LB	40
ICD-9-CM Procedures	739	LB	40
ICD-9-CM Procedures	7391	LB	40
ICD-9-CM Procedures	7392	LB	40
ICD-9-CM Procedures	7393	LB	40
ICD-9-CM Procedures	7394	LB	40
ICD-9-CM Procedures	7399	LB	40
ICD-9-CM Procedures	74	LB	40
ICD-9-CM Procedures	740	LB	40
ICD-9-CM Procedures	741	LB	40
ICD-9-CM Procedures	742	LB	40
ICD-9-CM Procedures	743	ECT	8
ICD-9-CM Procedures	744	LB	40
ICD-9-CM Procedures	749	LB	40
ICD-9-CM Procedures	7491	TAB	15
ICD-9-CM Procedures	7499	LB	40
ICD-9-CM Procedures	750	TAB	15
CPT Procedures	59100	ECT	8
CPT Procedures	59120	ECT	8
CPT Procedures	59121	ECT	8
CPT Procedures	59130	ECT	8
CPT Procedures	59135	ECT	8
CPT Procedures	59136	ECT	8
CPT Procedures	59140	ECT	8
CPT Procedures	59150	ECT	8
CPT Procedures	59820	SAB	10
CPT Procedures	59840	TAB	10
CPT Procedures	59841	TAB	15
CPT Procedures	59850	TAB	15
CPT Procedures	59851	TAB	15
CPT Procedures	59852	TAB	15
CPT Procedures	59855	TAB	15

CPT Procedures	59856	TAB	15
CPT Procedures	59857	TAB	15
CPT Procedures	59812	SAB	15
CPT Procedures	59830	SAB	15
CPT Procedures	59821	SAB	20
CPT Procedures	59612	LB	40
CPT Procedures	59614	LB	40
CPT Procedures	59620	LB	40
HCPC Procedures	S0199	TAB	10
HCPC Procedures	S2260	TAB	24
HCPC Procedures	S2265	TAB	28
HCPC Procedures	S2262	TAB	28
HCPC Procedures	S2266	TAB	31
HCPC Procedures	S2267	TAB	33

^aECT: ectopic pregnancy; LBandSB: live birth and still birth; LB: live birth; SAB: spontaneous abortion; SB: still birth; TAB: induced abortion;

Supplemental Table 2. ICD-9-CM diagnoses codes to determine psychiatric disorders.

Generalized anxiety disorder	29384,30000,30001,30002,30009,30010,30020,30021,30022,30023,30029,3003,3005,30089,3009,3080,3081,3082,3083,3084,3089,30981,3130,3131,31321,31322,3133,31382,31383
Attention deficit hyperactivity disorder	31200,31201,31202,31203,31210,31211,31212,31213,31220,31221,31222,31223,3124,3128,31281,31282,31289,3129,31381,31400,31401,3141,3142,3148,3149
Schizophrenia/Schizoaffective disorder	2950x-2959x
Bipolar disorder	2960x,2961x,2964x,2965x,2966x,2967x,29680,29681,29682,29689,30113
Major depressive disorder	2962x,2963x,3004x,311
Post-traumatic stress disorder	30981
Obsessive-compulsive disorder	3003
Anorexia nervosa	3071
Bulimia nervosa	30751
Oppositional defiant disorder	31381
Antisocial personality disorder	3017
Panic disorder	30001, 30021
SUDs (other than OUD)	30420, 30421, 30422, 30423, 30560, 30561, 30562, 30430, 30431, 30432, 30433, 30520, 30521, 30522, 30440, 30441, 30442, 30443, 30570, 30571, 30572, 30450, 30451, 30452, 30453, 30530, 30531, 30532, 30410, 30411, 30412, 30413, 30540, 30541, 30542, 30460, 30461, 30462, 30480, 30481, 30482, 30490, 30491, 30492, 30463, 30483, 30493, 30580, 30581, 30582, 30590, 30591, 30592, 64830, 64833, 64831, 64832, 64834
Alcohol use disorder	30390, 30391, 30392, 30393, 30500, 30501, 30502
Tobacco use disorder	3051, 64900, 64901, 64902, 64903, 64904
Cocaine use disorder	30420, 30421, 30422, 30423, 30560, 30561, 30562
Cannabis use disorder	30430, 30431, 30432, 30433, 30520, 30521, 30522
Stimulants use disorder	30440, 30441, 30442, 30443, 30570, 30571, 30572
Hallucinogens use disorder	30450, 30451, 30452, 30453, 30530, 30531, 30532
Sedatives use disorder	30410, 30411, 30412, 30413, 30540, 30541, 30542
Other or non-specified dependence or abuse of psychoactive substances, not elsewhere classified	30460, 30461, 30462, 30480, 30481, 30482, 30490, 30491, 30492, 30463, 30483, 30493, 30580, 30581, 30582, 30590, 30591, 30592, 64830, 64833, 64831, 64832, 64834

Supplemental Table 3. Prevalence of psychiatric comorbidities among pregnant women with OUD in New York State by year, 2009-2014 (n=8,324).

Psychiatric Comorbidities	2009 (n=551)		2010 (n=879)		2011 (n=1293)		2012 (n=1529)		2013 (n=1893)		2014 (n=2179)	
	n	Percent (95 % CI)	n	Percent (95 % CI)	n	Percent (95 % CI)	n	Percent (95 % CI)	n	Percent (95 % CI)	n	Percent (95 % CI)
SUDs (other than OUD)	432	78.4 (78.2,78.6)	670	76.2 (76.1,76.4)	994	76.9 (76.8,77.0)	1173	76.7 (76.6,76.8)	1503	79.4 (79.3,79.5)	1737	79.7 (79.6,69.8)
Tobacco use disorder	271	49.2 (49.0,49.4)	575	65.4 (65.3,65.6)	941	72.8 (72.7,72.9)	1178	77 (76.9,77.1)	1511	79.8 (79.7,79.9)	1757	80.6 (80.6,80.7)
Alcohol use disorder	41	7.4 (7.3,7.6)	163	18.5 (18.4,18.7)	296	22.9 (22.8,23.0)	385	25.2 (25.1,25.3)	527	27.8 (27.8,27.9)	584	26.8 (26.7,26.9)
Cocaine use disorder	75	13.6 (13.5,13.8)	246	28.0 (27.8,28.1)	341	26.4 (26.3,26.5)	435	28.4 (28.3,28.6)	554	29.3 (29.2,29.4)	626	28.7 (28.6,28.8)
Cannabis use disorder	70	12.7 (12.5,12.9)	208	23.7 (23.5,23.8)	333	25.8 (25.6,25.9)	440	28.8 (28.7,28.9)	613	32.4 (32.3,32.5)	690	31.7 (31.6,31.8)
Stimulants use disorder	0	0.0 (0.0,0.0)	10	1.1 (1.1,1.2)	29	2.2 (2.2,2.3)	25	1.6 (1.6,1.7)	84	4.4 (4.4,4.5)	78	3.6 (3.5,3.6)
Hallucinogens use disorder	0	0.0 (0.0,0.0)	4	0.5 (0.4,0.5)	6	0.5 (0.4,0.5)	11	0.7 (0.7,0.8)	13	0.7 (0.6,0.7)	19	0.9 (0.8,0.9)
Sedatives use disorder	22	4.0 (3.9,4.2)	80	9.1 (9.0,9.2)	170	13.1 (13.1,13.3)	234	15.3 (15.2,15.4)	298	15.7 (15.7,15.8)	343	15.7 (15.7,15.8)
Other or non-specified dependence or abuse of psychoactive substances, not elsewhere classified	367	66.6 (66.4,66.8)	515	58.6 (58.4,58.7)	758	58.6 (58.5,58.7)	919	60.1 (60.0,60.2)	1178	62.2 (62.1,62.3)	1373	63.0 (62.9,63.1)
Generalized anxiety disorder	67	12.2 (12.0,12.4)	217	24.7 (24.5,24.8)	408	31.6 (31.4,31.7)	600	39.2 (39.1,39.4)	810	42.8 (42.7,42.9)	1058	48.6 (48.5,48.6)
Major depressive disorder	90	16.3 (16.2,16.5)	222	25.3 (25.1,25.4)	416	32.3 (32.1,32.3)	571	37.3 (37.2,37.5)	826	43.6 (43.5,43.7)	946	43.4 (43.3,43.5)
Panic disorder	8	1.5 (1.4,1.6)	40	4.6 (4.5,4.7)	78	6.0 (6.0,6.1)	124	8.1 (8.0,8.2)	138	7.3 (7.2,7.4)	202	9.3 (9.2,9.3)
Bipolar disorder	55	10.0 (9.8,10.2)	144	16.4 (16.3,16.5)	244	18.9 (18.8,19.0)	315	20.6 (20.5,20.7)	412	21.8 (21.7,21.9)	477	21.9 (21.8,22.0)
Post-traumatic stress disorder	11	2.0 (1.9,2.2)	66	7.5 (7.4,7.6)	93	7.2 (7.1,7.3)	142	9.3 (9.2,9.4)	199	10.5 (10.4,10.6)	250	11.5 (11.4,11.5)
Attention deficit hyperactivity disorder	3	0.5 (0.5,0.7)	25	2.8 (2.8,3.0)	61	4.7 (4.7,4.8)	94	6.1 (6.1,6.2)	162	8.6 (8.5,8.6)	175	8.0 (8.0,8.1)
Schizophrenia/Schizoaffective disorder	9	1.6 (1.5,1.8)	22	2.5 (2.4,2.6)	34	2.6 (2.6,2.7)	51	3.3 (3.3,3.4)	70	3.7 (3.7,3.8)	87	4.0 (4.0,4.0)
Obsessive-compulsive disorder	2	0.4 (0.3,0.5)	6	0.7 (0.6,0.8)	17	1.3 (1.3,1.4)	29	1.9 (1.9,2.0)	37	2.0 (1.9,2.0)	39	1.8 (1.8,1.8)
Antisocial personality disorder	1	0.2 (0.1,0.3)	6	0.7 (0.6,0.8)	10	0.8 (0.7,0.8)	24	1.6 (1.5,1.6)	31	1.6 (1.6,1.7)	37	1.7 (1.7,1.7)

Bulimia nervosa	1	0.2 (0.1,0.3)	2	0.2 (0.2,0.3)	10	0.8 (0.7,0.8)	13	0.9 (0.8,0.9)	4	0.2 (0.2,0.3)	12	0.6 (0.5,0.6)
Oppositional defiant disorder	0	0.0 (0.0,0.1)	0	0.0 (0.0,0.1)	3	0.2 (0.2,0.3)	3	0.2 (0.2,0.2)	8	0.4 (0.4,0.5)	12	0.6 (0.5,0.6)
Anorexia nervosa	0	0.0 (0.0,0.1)	1	0.1 (0.1,0.2)	0	0.0 (0.0,0.1)	7	0.5 (0.4,0.5)	2	0.1 (0.1,0.1)	6	0.3 (0.3,0.3)
