

1 **Supplemental material for**
2 **Anti-biofilm activity of a novel pit and fissure self-adhesive sealant**
3 **modified with metallic monomers**

4 Alexandra Rubin Cocco^{1,2}, Carlos Enrique Cuevas-Suárez¹, Yuan Liu²,
5 Rafael Guerra Lund¹, Evandro Piva^{1,*}, Geelsu Hwang^{2,3,4,*}

6 *¹Department of Restorative Dentistry, School of Dentistry Federal University of*
7 *Pelotas, Pelotas, RS, Brazil*

8 *²Biofilm Research Labs, Levy Center for Oral Health, Department of Orthodontics and*
9 *Divisions of Pediatric Dentistry & Community Oral Health, School of Dental Medicine,*
10 *University of Pennsylvania, PA, USA*

11 *³Department of Preventive and Restorative Sciences, School of Dental Medicine,*
12 *University of Pennsylvania, PA, USA*

13 *⁴Center for Innovation & Precision Dentistry, School of Dental Medicine, University*
14 *of Pennsylvania, Philadelphia, PA 19104*


15 **Corresponding Authors:**

16 G. Hwang, 240 South 40th Street, Levy Bldg. Rm 422, Philadelphia, PA 19104, USA

17 Email: geelsuh@upenn.edu

18 E. Piva, Gonçalves Chaves St., 457, 5th floor, 96015- 560 Pelotas, RS, Brazil.


19 Email: evpiva@gmail.com



20

21 **Supplemental material figure S1.** Fold changes of CFU*DW of 42 h old
 22 *Streptococcus mutans* biofilms formed on each surface. * indicates that the values are
 23 significantly different from those of the control surface ($p < 0.05$) (n=4).

24



25
26 **Supplemental material figure S2.** Representative confocal images of 42 h old
27 *Streptococcus mutans* single-species biofilms formed on hydroxyapatite (HA) disc with
28 or without SnM 5% coating. There are no visible biofilms formed on SnM 5% coated
29 area (white), while sizeable microcolonies were observed on the non-coated bare HA
30 disc surface.