

Synthesis and application of imidazolium based ionic liquid supported on hydroxyapatite encapsulated γ -Fe₂O₃ nanocatalyst in preparation of pyrido[2,3-*d*]pyrimidines


Forough Ramezanadeh^a, Manouchehr Mamaghani ^{b,*}, Hossein Fallah-Bagher Shaidaei^a, Mehdi Sheykhan^b



^aDepartment of Chemistry, Faculty of Sciences Islamic Azad University, Rasht Branch, Rasht, Iran.


^bDepartment of Chemistry, Faculty of Sciences, University of Guilan, P.O. Box 41335-1914, Rasht, Iran.


*Corresponding author; E-mail address: m-chem41@guilan.ac.ir; mchem41@gmail.com

2-Amino-5-phenyl-7-(1-methyl-1H-pyrrol-2-yl)-4-oxo-3,4,5,8-tetrahydro-pyrido[2,3-*d*]pyrimidine-6- carbonitrile (8a)









BRUKER

NAME Gilan UN
 EXPNO 2796
 PROCN0 1
 Date 20170131
 Time 16.59
 INSTRUM spect
 PROBHD 5 mm PARBO BB-
 PULPROG zgpg30
 TD 6536
 SOLVENT DMSO
 NS 3912
 DS 0
 SWH 35714.285 Hz
 FIDRES 0.544957 Hz
 AQ 0.9175540 sec
 RG 2050
 DW 14.000 ussec
 DE 6.50 ussec
 TE 293.7 K
 D1 1.0000000 sec
 D11 0.03000000 sec
 TDD 1



===== CHANNEL f1 =====



NUC1	13C
P1	9.00 ussec
PL1	-0.90 dB
PL1W	42.02801895 MHz
EPO1	100.6479786 MHz


===== CHANNEL f2 =====

CPDPRG2	waltz16
NUC2	1H
PCPD2	90.00 ussec
PL2	-2.00 dB
PL12	14.16 dB
PL13	17.80 dB
PL2W	11.86359406 MHz
PL12W	0.28722104 MHz
PL13W	0.12139934 MHz
EPO2	400.2216009 MHz
SI	32768
SF	100.6353990 MHz
WCD	EM
SSB	0
LB	1.00 Hz
GB	0
PC	1.40


2-Amino-5-(4-chlorophenyl)-7-(1-methyl-1*H*-pyrrol-2-yl)-4-oxo-3,4,5,8-tetrahydro-pyrido [2,3-*d*]pyrimidine-6-carbonitrile (8b).













2-Amino-5-(3-chlorophenyl)-7-(1-methyl-1*H*-pyrrol-2-yl)-4-oxo-3,4,5,8-tetrahydro-pyrido[2,3-*d*]pyrimidine-6-carbonitrile (8c)
















2-Amino-5-(4-fluorophenyl)-7-(1-methyl-1H-pyrrol-2-yl)-4-oxo-3,4,5,8-tetrahydro-pyrido[2,3-*d*]pyrimidine-6-carbonitrile (8d).















2-Amino-5-(4-bromophenyl)-7-(1-methyl-1*H*-pyrrol-2-yl)-4-oxo-3,4,5,8-tetrahydro-pyrido[2,3-*d*]pyrimidine-6-carbonitrile (8e)











2-Amino-5-(3-bromophenyl)-7-(1-methyl-1H-pyrrol-2-yl)-4-oxo-3,4,5,8-tetrahydro-pyrido[2,3-*d*]pyrimidine-6-carbonitrile (8f)








BRÜKER


NAME Gilan UN
 EXPNO 3482
 PROCN0 1
 Date 20180318
 Time 14.01
 INSTRUM spect
 PROBHD 5 mm PABBO BB
 PULPROG zg30
 TD 65536
 SOLVENT DMSO
 NS 20
 DS 0
 SWH 8012.820 Hz
 FIDRES 0.122266 Hz
 A0 4.089405 sec
 RG 256
 DW 62,400 use
 DE 6.50 use
 TE 294.6 K
 D1 4.0000000 sec
 TDO 1

===== CHANNEL f1 =====


NUC1 1H
 P1 14.00 use
 PL1 0.00 dB
 P1W 11.86359406 Hz
 SF01 400.2236020 MHz
 SI 32768
 SF 400.2200000 MHz
 WDN EM
 SSB 0
 LB 0.30 Hz
 GB 0
 PC 1.00













2-Amino-5-(3-nitrophenyl)-7-(1-methyl-1H-pyrrol-2-yl)-4-oxo-3,4,5,8-tetrahydro-pyrido[2,3-*d*]pyrimidine-6-carbonitrile (8g).













2-Amino-5-(4-nitrophenyl)-7-(1-methyl-1H-pyrrol-2-yl)-4-oxo-3,4,5,8-tetrahydro-pyrido[2,3-*d*]pyrimidine-6-carbonitrile (8h)












2-Amino-5-(4-(trifluoromethyl)phenyl)-7-(1-methyl-1H-pyrrol-2-yl)-4-oxo-3,4,5,8-tetrahydro-pyrido[2,3-d]pyrimidine-6-carbonitrile (8i)












2-Amino-5-(2,4-dichlorophenyl)-7-(1-methyl-1H-pyrrol-2-yl)-4-oxo-3,4,5,8-tetrahydro-pyrido[2,3-*d*]pyrimidine-6-carbonitrile (8j)


















2-Amino-5-(3-methylphenyl)-7-(1-methyl-1H-pyrrol-2-yl)-4-oxo-3,4,5,8-tetrahydro-pyrido[2,3-d]pyrimidine-6-carbonitrile (8k)
















2-Amino-5-(4-methylphenyl)-7-(1-methyl-1H-pyrrol-2-yl)-4-oxo-3,4,5,8-tetrahydro-pyrido[2,3-*d*]pyrimidine-6-carbonitrile (8l).












2-Amino-5-(2-methoxyphenyl)-7-(1-methyl-1H-pyrrol-2-yl)-4-oxo-3,4,5,8-tetrahydro-pyrido[2,3-*d*]pyrimidine-6-carbonitrile (8m).






BRÜKER

NAME Gilan UN
 EXPNO 3574
 PROCN0 1
 Date 20180505
 Time 10.26
 INSTRUM spect
 PROBHD 5 mm PABCO BB-
 PULPROG zg30
 TD 65536
 SOLVENT DMSO
 NS 20
 DS 0
 SWH 8012.820 H
 FIDRES 0.122266 H
 AQ 4.0894966 s
 RG 228
 DW 62.400 u
 DE 6.50 u
 TE 293.3 K
 D1 4.0000000 s
 TDO 1

===== CHANNEL f1 =====
 NUC1 1H
 P1 14.00 u
 PL1 -2.00 d
 PLW 11.86359406 W
 SF01 400.2236020 M
 SI 32768
 SF 400.2200000 M
 WDW EM
 SSB 0
 LB 0.30 H
 GB 0
 PC 1.00




BRÜKÉF

NAME Gilan UN
 EXPNO 3574
 PROCN0 1
 Date_ 20180505
 Time 10.26
 INSTRUM spect
 PROBHD 5 mm PABBO BB-
 PULPROG zg30
 TD 65536
 SOLVENT DMSO
 NS 20
 DS 0
 SWH 8012.820
 FIDRES 0.122266
 AQ 4.0894966
 RG 228
 DW 62.400
 DE 6.50
 TE 293.3
 D1 4.0000000
 TDO 1

===== CHANNEL f1 =====

NUC1 1H
 P1 14.00
 PL1 -2.00
 PL1W 11.86359406
 SF01 400.2236020
 SI 32768
 SF 400.2200000
 WDW EM
 SSB 0
 LB 0.30
 GB 0
 PC 1.00



BRÜKER



NAME Gilan UN
 EXPNO 3580
 PROCN0 1
 Date_ 20180506
 Time 7.47
 INSTRUM spect
 PROBHD 5 mm PABBO BB-
 PULPROG zg30
 TD 65536
 SOLVENT DMSO
 NS 3120
 DS 0
 SWH 35714.285 Hz
 FIDRES 0.544957 Hz
 AQ 0.9175540 sec
 RG 2050
 DW 14.000 usec
 DE 6.50 usec
 TE 293.9 K
 D1 1.0000000 sec
 D11 0.03000000 sec
 TDO 1



===== CHANNEL f1 =====

NUC1 13C
 P1 9.00 usec
 PL1 -0.90 dB
 PL1W 42.02801895 W
 SF01 100.6479784 MHz

===== CHANNEL f2 =====

CPDPRG2 waltz16
 NUC2 1H
 PCPD2 90.00 usec
 PL2 -2.00 dB
 PL12 14.16 dB
 PL13 17.90 dB
 PL2W 11.86359406 W
 PL12W 0.28722104 W
 PL13W 0.12139934 W
 SF02 400.2216009 MHz
 SI 32768
 SF 100.6353990 MHz
 WDW EM
 SSB 0
 LB 1.00 Hz
 GB 0
 PC 1.20








BRÜKER


NAME Gilan UN
 EXPT 3575
 PROCN 1
 Date 20180505
 Time 10.36
 INSTRUM spect
 PROBHD 5 mm PABBO BB-
 PULPROG zg30
 TD 65536
 SOLVENT DMSO
 NS 20
 DS 0
 SWH 8012.820 Hz
 FIDRES 0.122266 Hz
 AQ 4.0894966 sec
 RG 228
 DW 62.400 usec
 DE 6.50 usec
 TE 293.3 K
 D1 4.0000000 sec
 TDO 1



===== CHANNEL f1 ======
 NUC1 1H
 P1 14.00 usec
 PLL -2.00 dB
 PL1W 11.86359406 W
 SF01 400.2236020 MHz
 SI 32768
 SF 400.2200000 MHz
 WDW EM
 SSB 0
 LB 0.30 Hz
 GB 0
 PC 1.00








2-Amino-5-(4-methoxyphenyl)-7-(1-methyl-1H-pyrrol-2-yl)-4-oxo-3,4,5,8-tetrahydro-pyrido[2,3-d]pyrimidine-6-carbonitrile (8o)















2-Amino-5-(thiophen-2-yl)-7-(1-methyl-1H-pyrrol-2-yl)-4-oxo-3,4,5,8-tetrahydro-pyrido[2,3-*d*]pyrimidine-6-carbonitrile (**8p**)












2-Amino-5-(4-hydroxy-3-methoxyphenyl)-7-(1-methyl-1H-pyrrol-2-yl)-4-oxo-3,4,5,8-tetrahydro-pyrido[2,3-d]pyrimidine-6-carbonitrile (8q)






BRUKER

NAME Gilan UN
 EXPNO 3485
 PROCNO 1
 Date 20180318
 Time 13.48
 INSTRUM spect
 PROBHD 5 mm PABBO BB-
 PULPROG zg30
 TD 65536
 SOLVENT DMSO
 NS 20
 DS 0
 SWH 8012.820 Hz
 FIDRES 0.122266 Hz
 AQ 4.0894966 sec
 RG 228
 DW 62,400 us
 DE 6.50 us
 TE 294.5 K
 D1 4.0000000 sec
 TDO 1

===== CHANNEL f1 =====

NUC1 1H
 P1 14.00 us
 PL1 -2.00 dB
 PL1W 11.86359406 W
 SF01 400.2236020 MHz
 SI 32768
 SF 400.2200000 MHz
 WDW EM
 SSB 0
 LB 0.30 Hz
 GB 0
 PC 1.00





BRUKER



NAME Gilan UN
 EXPNO 3485
 PROCNO 1
 Date 20180318
 Time 13.48
 INSTRUM spect
 PROBHD 5 mm PABBO BB-
 PULPROG zg30
 TD 65536
 SOLVENT DMSO
 NS 20
 DS 0
 SWH 8012.820 Hz
 FIDRES 0.122266 Hz
 AQ 4.0894966 sec
 RG 228
 DW 62,400 usec
 DE 6.50 usec
 TE 294.5 K
 D1 4.0000000 sec
 TDO 1



===== CHANNEL f1 =====


NUC1 1H
 P1 14.00 usec
 PL1 -2.00 dB
 PL1W 11.86359406 W
 SF01 400.2236020 MHz
 SI 32768
 SF 400.2200000 MHz
 WDW EM
 SSB 0
 LB 0.30 Hz
 GB 0
 PC 1.00




2-Amino-5-(4-formylphenyl)-7-(1-methyl-1H-pyrrol-2-yl)-4-oxo-3,4,5,8-tetrahydro-pyrido[2,3-*d*]pyrimidine-6-carbonitrile (8r)















2-Amino-5-(naphthalen-1-yl)-7-(1-methyl-1H-pyrrol-2-yl)-4-oxo-3,4,5,8-tetrahydro-pyrido[2,3-d]pyrimidine-6-carbonitrile (8s)












BRUKER

NAME Gilan UN
 EXPNO 3507
 PROCN0 1
 Date_ 20180421
 Time 8.58
 INSTRUM spect
 PROBHD 5 mm PABBO BB-
 PULPROG zqpg30
 TD 65536
 SOLVENT DMSO
 NS 6446
 DS 0
 SWH 35714.285 Hz
 FIDRES 0.544957 Hz
 AQ 0.9175540 sec
 RG 2050
 DW 14.000 usec
 DE 6.50 usec
 TE 293.5 K
 D1 1.0000000 sec
 D11 0.0300000 sec
 TDO 1

===== CHANNEL f1 =====
 NUC1 13C
 P1 9.00 usec
 PL1 -0.90 dB
 PL1W 42.02801895 W
 SFO1 100.6479784 MHz

===== CHANNEL f2 =====
 CPDPRG2 waltz16
 NUC2 1H
 PCPD2 90.00 usec
 PL2 -2.00 dB
 PL12 14.16 dB
 PL13 17.90 dB
 PL2W 11.86359406 W
 PL12W 0.28722104 W
 PL13W 0.12139934 W
 SFO2 400.2216009 MHz
 SI 32768
 SF 100.6353990 MHz
 WDW EM
 SSB 0
 LB 1.00 Hz
 GB 0
 PC 1.20



BRUKER

NAME Gilan UN
 EXPNO 3507
 PROCNO 1
 Date 20180421
 Time 8.58
 INSTRUM spect
 PROBHD 5 mm PABBO BB-
 PULPROG zgpg30
 TD 65536
 SOLVENT DMSO
 NS 6446
 DS 0
 SWH 35714.285 Hz
 FIDRES 0.544957 Hz
 AQ 0.9175540 sec
 RG 2050
 DW 14.000 μ sec
 DE 6.50 μ sec
 TE 293.5 K
 D1 1.0000000 sec
 D11 0.0300000 sec
 TDO 1

===== CHANNEL f1 =====

NUC1	13C
P1	9.00 μ sec
PL1	-0.90 dB
PL1W	42.02801895 W
SFO1	100.6479784 MHz

===== CHANNEL f2 =====

CPDPRG2	waltz16
NUC2	1H
PCPD2	90.00 μ sec
PL2	-2.00 dB
PL12	14.16 dB
PL13	17.90 dB
PL2W	11.86359406 W
PL12W	0.28722104 W
PL13W	0.12139934 W
SFO2	400.2216009 MHz
SI	32768
SF	100.6353990 MHz
WDW	EM
SSB	0
LB	1.00 Hz
GB	0
PC	1.20